

# PARTS CATALOGUE



AUGUST 2022 VERSION 1

WWW.TOUGHDOG.COM.AU



UNLESS SPECIFIED OTHERWISE, ALL LISTINGS IN THIS CATA	LOGUE ARE FOR 4WD (FOUR WHEEL DRIVE) VEHICLES ONLY.
TABLE OF CONTENT2	PXIII RAPTOR 52
LIMITED WARRANTY6	NEXT GENERATION RANGER 53
TERMS & CONDITIONS6	GREAT WALL 54
OUR HISTORY 8	UTE 54
BUILD & BUY ONLINE9	WINGLE, SAILOR 54
AIR ASSIST13	HOVER, SAFE, HAVAL 55
AIR BAGS 13	STEED 56
<b>RECOVERY GEAR16</b>	<b>CANNON / P-SERIES 58</b>
<b>GVM UPGRADES22</b>	HOLDEN
COMPLETE SUSPENSION UPGRADES 25	FRONTERA
ASIA MOTORS	MB & MX 60
ROCSTA 26	JACKAROO, ISUZU TROOPER 61
DAEWOO	UBS13, 16, 52, 52I 61
MUSSO 27	UBS16, 17, 52, 55 62
DAIHATSU	JACKAROO, MONTEREY 63
F10, F20, F50, F60. INC. SCAT 28	UBS25, 26, 69, 73 63
F25, F55, F6529	RODEO 64
FEROZA 30	KB4, KBD464
FEROZA II	TFS17, 54, 55, TFS25, 77
ROCKY	<b>RODEO &amp; COLORADO</b> 66
F70, F75/F80, F85/F77,F87 32	RA-RC
F73, F78 (COIL SPRINGS) 33	COLORADO
FORD	RG68
<b>EVEREST34</b>	06/2016- ON 70
UA1 34	06/2016 71
UA2 36	COLORADO 7
<b>EXPLORER</b>	TRAILBLAZER 72
BRONCO 39	HYUNDAI
F150 40	TERRACAN
F25041	HP
2003-200641	ISUZU
2016-2020	D-MAX
COURIER	MY09-MY1174
RANGER 44	MY12 76
PJ & PK, 2.5L & 3.0L 44	05/2012-04/2016 & 4/2016-8/2020 76
PX - PXII	08/2020 ON
PXIII 48	<b>GVM UPGRADE</b> 80
<b>GVM UPGRADE</b>	MU-X 82



UNLESS SPECIFIED OTHERWISE, ALL LISTINGS IN THIS CATA	ALOGUE ARE FOR 4WD (FOUR WHEEL DRIVE) VEHICLES ONLY.
MY21 84	MERCEDES-BENZ120
JEEP	X-CLASS UTE120
<b>GRAND CHEROKEE 86</b>	MITSUBISHI122
XJ LIMITED, SPORT 86	CHALLENGER122
WG, WJ & ZG 87	PA122
06/1999-2005 & 04/1996-1999 87	LEAF REAR122
WK2 88	PA II (COIL REAR)124
2011-2015 88	CHALLENGER/PAJERO SPORT125
WRANGLER 89	L200 4WD126
TJ 89	MA, MB, MC, MD126
JK 90	L300 4WD127
JL (EX RUBICON)91	SC, SD, SE, SF, SG, SH127
JT92	PAJERO/MONTERO128
LANDROVER 93	LEAF REAR128
80,88 SWB, 109 LWB 93	COIL REAR129
SERIES I, II, IIA & III	NM-NX130
DEFENDER 94	QE, QF132
110 COUNTY 94	TRITON134
90 SERIES 96	ME-MK134
110, 130 SERIES	ML-MN136
DISCOVERY100	MQ138
SERIES I100	MR140
SERIES II & III102	NISSAN142
RANGE ROVER103	NAVARA142
CLASSIC - NON AIR SUSPENSION103	D21, D22142
WITH AIR SUSPENSION104	D40 - 2.5L, 4.0L144
LADA105	D40 - 3.0L STX-550 V6146
LDV106	NP300148
T60106	- COIL REAR148
T60 MAX108	- COIL REAR (S5)150
MAZDA110	- LEAF REAR152
B2500, B2600, B4000110	PATHFINDER154
PC, PD, PE, PG, PH110	WNYD21, WHYD21154
BT-50112	R50155
B2500, B3000112	R51 2.5L, 4.0L156
UP, UR114	R51 3.0L V6157
TF116	PATROL158
GVM UPGRADE118	MQ, MK158



UNLESS SPECIFIED OTHERWISE, ALL LISTINGS IN THIS CATA	LOGUE ARE FOR 4WD (FOUR WHEEL DRIVE) VEHICLES ONLY.
GQ (Y60) 2" LIFT160	10/1997-2005200
GU (Y61) 2" LIFT WAGON162	KUN26, GGN25R202
GQ, GU (Y60, Y61)164	GUN125R, 126R, GGN125R204
- 3" LIFT164	<b>GVM UPGRADE206</b>
- 4", 5", 6" LIFT166	2WD WORKMATE207
GQ/GU CAB CHASSIS168	LANDCRUISER208
(LEAF/LEAF)168	40, 42 SERIES208
(COIL/LEAF)170	45, 47 SERIES210
(COIL/COIL)172	60, 61, 62 SERIES212
Y62 (NON HYDRAULIC ONLY)174	70 SERIES BUNDERA214
TERRANO II176	71, 74 SERIES (HZJ71 & HZJ74)215
RAM178	70, 73, 74 SERIES216
1500178	75 SERIES218
DS SERIES178	76 SERIES220
GVM UPGRADE179	77 SERIES222
DT SERIES - NON AIR SUSPENSION180	78 SERIES224
2500 SERIES181	(WITH COIL SPRINGS)224
SSANGYONG182	(SINGLE CAB)226
MUSSO (INC SPORT UTE)182	(DUAL CAB)228
SUZUKI184	78 SERIES230
JIMNY184	<b>GVM UPGRADE230</b>
SN413 (JB33, 43, 48)184	79 SERIES231
JB74186	GVM UPGRADE231
SIERRA188	80 & 105 SERIES232
VITARA189	(2")232
INC GRAND VITARA & XL7189	(3")234
тоуота190	(4", 5", 6")236
FORTUNER190	100 SERIES238
2004-12/2015190	(IFS)238
2015 ON192	200 SERIES240
4RUNNER194	GX, GXL, VX240
IFS/LEAF REAR194	SAHARA242
IFS/COIL REAR195	GVM UPGRADE244
HILUX196	300 SERIES246
LEAF/LEAF196	VX, GXL, GX, SAHARA246
04/1979-1997196	PRADO248
TORSION BAR FRONT198	95 SERIES248
10/1988-1997198	120 SERIES250



UNLESS SPECIFIED OTHERWISE, ALL LISTINGS IN THIS CATALOGUE ARE FOR 4WD (FOUR WHEEL DRIVE) VEHICLES ONLY.

150 SERIES	252
FJ CRUISER	254
RAV 4	256
SXA, 10, 11	256
TUNDRA	257
UCK, UPK, USK 55, 56	257
UAZ	258
UAZ, HUNTER, PATRIOT	258
VOLKSWAGEN	259
AMAROK	259
ROCK DOG	260
FITTING SHEET	261
CLAIM FORM	262
DISCLAIMER FORM	263
PURCHASE ORDER FORM	264

# LIMITED WARRANTY

#### **TERMS & CONDITIONS**



THIS WARRANTY IS PROVIDED BY 4 WAY SUSPENSION PRODUCTS PTY LTD, OF 14 DARLING STREET MARSDEN PARK, NSW, 2765, AUSTRALIA THROUGH ITS DEALERS AND AGENTS IN THE RELEVANT TERRITORY.

#### **TERMS & CONDITIONS**

Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.

The benefits under our limited warranty are in addition to other rights and remedies under applicable law in relation to the product. At 4 Way Suspension Products Pty Ltd, we want you to have complete confidence in each and every 4 Way product you own. That's why we back our products with a manufacturer's warranty.

#### **ACCOUNTS**

Account applications that are approved must comply with the following Term & Conditions.

- 1. All export orders must be prepaid before shipment.
- 2. Credit terms are 30 days from the end of the trading month.
- 3. Credit will be suspended if payment is not made within the trading terms.
- 4. Unpaid accounts at 30 days will be placed on stop supply
- 5. If no credit arrangement exists, all goods must be prepaid before leaving 4 Way Suspension premises.
- 6. If the applicant is a company, the Director's Guarantee must be completed by all relevant parties.

#### FREIGHT & INSURANCE

All prices are quoted Ex-Warehouse and do not include freight. Ownership of the goods passes to the buyer at the time they leave the 4 Way Suspension Premises, providing that payment has been made according to the applicable account terms. Unless specified otherwise, freight will be added to the total cost of goods using the Supplier's preferred freight company.

#### **CREDIT & WARRANTY RETURNS**

Goods for credit or exchange must be returned within fourteen (14) days of invoice date accompanied by a completed **Returns Form.** Goods returned for the purpose of warranty claim must also be accompanied by the returns form along with a copy of the customer invoice. Freight for returned goods can be arranged by the returning party or by 4 Way Suspension, but in both cases, the associated costs remain the responsibility of the returning party.

15% OF THE TOTAL VALUE OF THE RETURNED GOODS WILL
BE CHARGED IN THE EVENT THAT REPACKAGING IS REQUIRED

#### **WARRANTY EXCLUSIONS**

- 1. Parts that have been incorrectly installed.
- 2. Struts that have been assembled with the use of any tool other than hand tools (no rattle guns or impact tools)
- 3. Load bearing strut bushes that have been tightened while hanging. Strut bushes must be tightened while the vehicle is on the ground supporting its own weight.
- 4. Interference between shock absorber and other suspension components.
- Parts that have been involved in a motor vehicle accident or have been bent or have been physically damaged by impact of any kind.
- 6. Parts showing evidence of improper tightening of the mounting bolts causing parts to wear or bend.
- Gripping tool marks (vice grips or multi grips) or any other tool made marks on the polished chrome section of the shock absorber shaft.
- 8. All parts subjected to abuse.
- 9. All parts used in racing or competition events of any description
- Fair wear & tear components (including bushings warranted for 12 months from date of purchase as a component of the shock absorber)
- Any special-order parts (in which case the warranty is limited to manufacturing defects)\*
- 12. Parts fitted to vehicles weighing more than original GVM or the revised GVM specified by a Tough Dog GVM upgrade.

\*Please Note: Any components built to a special order or specification outside the catalogue listings is covered by warranty limited to manufacturing defects. The manufacturer is unable to guarantee the suitability of components for an application for which has not been tested. Failure arising as a result of the application is excluded.

#### PROOF OF PURCHASE

A copy of proof of purchase by the retail customer must be attached to the claim including the kilometre reading at the time of fitment (if applicable). Each 4WD Suspension fitted must have a fitting sheet completed and kept on file by either the vehicle owner or the fitment centre performing the work. Failure to produce the fitting sheet may affect the warranty of the product. Warranty is limited to coverage of the original purchaser and is not transferrable with transfer of ownership of the vehicle.

# LIMITED WARRANTY



#### **TERMS & CONDITIONS**

THIS WARRANTY IS PROVIDED BY 4 WAY SUSPENSION PRODUCTS PTY LTD, OF 14 DARLING STREET MARSDEN PARK, NSW, 2765, AUSTRALIA THROUGH ITS DEALERS AND AGENTS IN THE RELEVANT TERRITORY.

#### **WARRANTY PERIODS**

PRODUCT	RECREATIONAL WTY	COMMERCIAL WTY	
50MM RALPH & 45MM ADJUSTABLE	4 Year/unlimited km	3 Year/unlimited km	
35MM NITRO GAS SHOCKS	3 Year/unlimited km	Not Applicable	
FOAM CELL & 40MM ADJUSTABLE	4 Year/unlimited km	3 Year/unlimited km	
RTC/EXT/SV DAMPERS	4 Year/unlimited km	3 Year/unlimited km	
LEAF SPRINGS	4 Year/unlimited km	3 Year/unlimited km	
COIL SPRINGS (UP TO 2")	4 Year/unlimited km	3 Year/unlimited km	
COIL SPRINGS (ABOVE 2")	3 Year/unlimited km	3 Year/unlimited km	
UPPER CONTROL ARMS	4 Year/unlimited km	3 Year/unlimited km	
AIRASSIST PRODUCTS	4 Year/unlimited km	3 Year/unlimited km	
GVM UPGRADES	4 Year/unlimited km	3 Year/unlimited km	
RECOVERY EQUIPMENT	3 Year material & manufacture	3 Year material & manufacture	

#### **SELF FIT (DIY) SUSPENSIONS**

DIY suspension fitment does not affect the warranty application or term as long as the following conditions are adhered to:

- 1. A fitting sheet is completed prior to the suspension being fitted and filed for later reference.
- 2. The above fitment sheet accurately and clearly includes bottom of rim to wheel arch measurements for all four corners of the vehicle both before and after fitment, as well as at the 500km check service.
- 3. U-Bolts must be replaced at the time of fitment. U-Bolts are a 'stretch fit' item, and should not be torqued to tightness twice. Reusing U-Bolts puts the vehicle and occupants at risk.

#### **WARRANTY LIMITS**

4 Way Suspension Products Pty Ltd provides this product warranty which is limited to the repair or replacement of defective or faulty parts and does not include any costs incurred in labour for the removal or re-fitment of parts or damage incurred as a result of the product's fitment.





# **OUR HISTORY**




#### **MAKING TRACKS SINCE 1985**

Tough Dog has been "making tracks across the world" since 1985, and have grown rapidly as a result of the excellent reputation their quality gear commands. Today, Tough Dog products are sought after the world over, and the distribution network spans 41 countries around the world.

With some of the harshest conditions right here in Australia to test out products, the gear that makes it to the market is a cut above the rest.

In 2018, Tough Dog took up residence in the new Headquarters in Marsden Park. Featuring dedicated spaces for Research & Development, Design & Manufacture, and Bulk Production, the new home of Tough Dog marks the beginning of a new chapter in our international story. Our efforts in the export market were also recognised, with 3 runner-up positions and a win in the WSABE Excellence in Export category.





# **BUILD & BUY ONLINE**



# JOIN THE PACK ONLINE

Finding the right Tough Dog suspension kit for any application has never been easier than with our online kit builder. Just choose the vehicle, accessories, and shock choice that you need, and the suitable kits will be displayed! It could not be easier. If you're in Australia, you can even order your kit online, and collect it from your local authorised Tough Dog Dealer.





# SELECT YOUR VEHICLE & FRONT ACCESSORIES:

**SELECT YOUR 4WD** 

**MODEL** 

YEAR/SERIES

FRONT SETUP

FORD

RANGER

PXIII RANGER

STEEL BULLBAR





## **SELECT YOUR SHOCKS & SPRINGS:**










## **ADD OPTIONAL ACCESSORIES:**

**PINS & SHACKLES** 

**UPPER CONTROL ARMS** 











YOUR NEAREST DEALER

NATION WIDE DEALER NETWORK



# SHOCK ABSORBER



#### FOAM CELL SHOCKS

#### 41MM FOAM CELL SHOCK

- · Award Winning 'Best All-Round Performer'
- 41mm Bore Size\*
- 60mm Outer Casing\*
- 18mm Piston Rod
- Reinforced Welded Mounting Points
- 4 Year Unlimited Kilometre Warranty (see catalogue for full warranty terms)

#### **50MM RALPH SHOCK**

- 50mm Bore
- 70mm Outer Casing
- 20mm Piston Rod
- Reinforced Welded Mounting Points
- Huge Oil Reservoir
- 4 Year Unlimited Kilometre Warranty (see catalogue for full warranty terms)

#### 35MM NITRO GAS SHOCK

- 35mm Bore
- 50mm Outer Casing
- Medium Duty Use
- Velocity Sensitive Valving
- 3 Year Unlimited Kilometre Warranty (see catalogue for full warranty terms)





#### ADJUSTABLE SHOCKS

#### **40MM ADJUSTABLE SHOCK**

- 40mm Internal Bore
- 60mm External Casing
- 18mm Piston Rod
- Micro-Cellular Foam Insert
- Reinforced Welded Eye Rings and Studs
- 4 Year Unlimited Km Warranty (see catalogue for full warranty terms)

#### 45MM BIG BORE ADJUSTABLE SHOCK

- 22mm, Chrome-Plated Piston Rod
- External, On-Shaft Bump Stop (on Most Part Numbers)
- 9 Stage External Adjustment
  - Comprehensive Ride Control!
- Equipped with our Micro-Cellular Foam Insert that Reduces Shock Fade
- Huge 45mm Internal Bore with 70mm Outer Casing for Maximum Oil Capacity
- 4 Year Warranty (see catalogue for full warranty terms)



# SHOCK ABSORBER



# **STRUTS**

#### **COMPLETE STRUT ASSEMBLIES**

Modern IFS vehicles use strut style suspension in the front axle, and the spring rate required can be more than 750lbs in some instances. This enormous pressure needs an industrial spring compressor to ensure correct assembly. Assembling the strut unit prior to fitment to the vehicle is the most crucial part of any suspension fit out, and incorrect assembly can lead to premature suspension failure. Tough Dog offer their complete range of struts in complete assembly variants – at no extra cost!



NON ADJUSTABLE ASSEMBLED STRUT



ADJUSTABLE ASSEMBLED STRUT



#### SPRINGS YOU CAN COUNT ON!

#### **COIL SPRINGS**

Tough Dog coil springs are designed and manufactured in Australia to exacting standards to stand Up to some of the harshest conditions found anywhere in the world.

Made from X5K spring steel, our coils are designed with less material while maintaining superior ride quality & load carrying characteristics. The spring retains its original memory even after heavy loading.

THE RESULT? A lighter, tougher coil that can handle just about anything you can throw at it.

- · Shot Peened, Scragged and Load Tested for maximum durability
- Hot formed on precision mandrels to maintain spring memory
- Huge range of heights and load carrying options for most 4WD vehicles





#### LEAF SPRINGS

Designed in Australia, Tough Dog leaf springs offer a spring pack for just about any application you might require. Our springs are a proven performer in any situation.

Tough Dog leaf springs are a truly progressive rate leaf spring. Each leaf is set slightly higher than the leaf above so there is contact along the whole length of each leaf.

There are single stage and two stage springs available for different applications. Primary and secondary stage leaves ensure that the vehicle's ride remains uncompromised. As the spring is compressed under load, the heavier second stage leaves come into play to prevent excessive sag & remove high stresses from the primary stage.





#### **VARYING LOAD? NO WORRIES!**

Tough Dog airbags are designed to exacting standards to stand Up to some of the harshest conditions found anywhere in the world. If your load changes all the time, an 'Air Assist' suspension system could be for you. 'Air Assist' springs are specifically designed to level out and control the rear ride height of your vehicle. Laser Cut & Powder Coated Brackets

- Zinc Plated Roll Plates Top & Bottom
- No Drill Fitting (most applications)
- Eliminates Sway & Body Roll Guards Against Excessive Compression When Loaded
- 4 Year / Unlimited Kilometre Warranty









**FITTING** 





**HEAVY LOAD** 

**BELLOW AIRBAGS** 

Tough Dog 'Air Assist' rubber bellow airbags are designed for leaf spring vehicles where the load constantly varies. Made from heavy duty rubber bellows with crimped end caps, these bellows will withstand the harshest environments found anywhere in the world.





#### **COIL INSERT AIRBAGS**

**TOWING** 

Tough Dog 'Air Assist' high density polyurethane airbags are designed for coil sprung vehicles to assist with varying loads and towing applications. The heavy duty polyurethane bags can handle Up to 60psi of pressure.









PART NO	QTY	DESCRIPTION	RRP				
	AIR ASSIST COMPONENTS						
TDAP-001	1	Bellow Hard Airline					
TDAP-002	1	Poly Kit Soft Airline (5m)					
TDAP-003	1	Split tubing for airline (5m)					
TDAP-004	1	Poly Kit Bag of Parts					
TDAP-005	1	Bellow Kit Bag of Parts					
TDAP-006	1	Bellow Push to Connect Elbows					
TDAP-007	1	Airline Mounting Bracket to Trailer Plug (Left)					
TDAP-008	1	Airline Mounting Bracket to Trailer Plug (Right)					
TDAP-009	1	Exhaust Heat Shield Kit					
TDAP-010	1	Upper Spacer 25mm Spacer for Prado,Mux,FJ,etc.					
TDAP-011	1	GU,GQ Patrol/80,100,200 Ser L/Cruiser/50mm LS/Convert SH to Raised					
TDAP-012	1	79 Ser L.Cruiser- convert STD to raised (TDAA-121)					
TDAP-015	1	Replacement Bag For TDAA-001 & 021 (Bag#46183)					
TDAP-016	1	Replacement Bag For TDAA-002 (Bag #46159)					
TDAP-017	1	Replacement Bag For TDAA-003 & 019 (Bag#48181)					
TDAP-018	1	Replacement Bag For TDAA-004, 008, 011, 014 & 017(Bag#46176)					
TDAP-019	1	Replacement Bag For TDAA-005 (Bag#46185)					
TDAP-020	1	Replacement Bag For TDAA-006 (Bag#46186)					
TDAP-021	1	Replacement Bag For TDAA-007,016,022,023(Bag#46178)					
TDAP-022	1	Replacement Bag For TDAA-009 (Bag#46187)					
TDAP-023	1	Replacement Bag For TDAA-010 (Bag#46184)					
TDAP-024	1	Replacement Bag For TDAA-012 (Bag#46188)					
TDAP-025	1	Replacement Bag For TDAA-013 (Bag#46182)					
TDAP-026	1	Replacement Bag For TDAA-015 (Bag#46189)					
TDAP-027	1	Replacement Bag For TDAA-018 (Bag#46161)					
TDAP-028	1	Replacement Bag For TDAA-020 (Bag#46181)					
TDAP-029	1	Replacement Bag For TDAA-101-113,131 (Bag#58437)					
TDAP-030	1	Replacement Bag For TDAA-114,116,130 (Bag#58439)					
TDAP-031	1	Replacement Bag For TDAA-115&121(bag#58343)					
TDAP-032	1	Replacement Bag For TDAA-117,118,119,120,122,123,124&134 (Bag#58407)					
TDAP-033	1	Airline Mounting Bracket to Trailer Plug (universal mount)					
TDAP-034	1	50mm upper Spacer-OD104mm x ID20mm x L50mm					
TDAP-035	1	Replacement Bag For TDAA-024,025 (Bag#48179)					
TDAP-036	1	Upper/Lower spacer to suit TDAA-025,024,023,022,014,004					
		I .	I				





**TDAP-001**Bellows Hard Airline



**TDAP-002** 5m Soft Airline Poly Kit



**TDAP-003** 5m Splittubing for Airline



**TDAP-007**Left Airline Mounting
Bracket to Trailer Plug



**TDAP-033** Universal Airline Mounting Bracket to Trailer Plug



**TDAP-008**Right Airline Mounting
Bracket to Trailer Plug



**TDAP-036** Spacer



**TDAP-034** 50mm Spacer



**TDAP-011** Spacer



**TDAP-009** Exhaust Shield



TDAP-012 Bracket for LC79 Convert STD to Raised (TDAA-121)



**TDAP-031**Bellow
Replacement Bag
for TDAA-115 &121



**TDAP-015**Coil
Replacement Bag
for TDAA-001 & 021

# **RECOVERY GEAR**



#### WITH CHOICE OF 9M SNATCH STRAP: 8T OR 11T

When you get stopped in your tracks, the **Tough Dog Complete Recovery Kit** has everything you need to get back on track! Having a Tough Dog complete recovery kit on board gives you the confidence to know that no matter how stuck you get, you'll have the equipment to get back on track right there with you.

Every component is independently tested in Australia by NATA certified testing laboratories to ensure it won't let you down! With all the essentials for both snatch and winch recovery situations packed into the heavy duty bag, you'll always be prepared.

RECOVERY KITS						
CONTENT	PART NO					
9	M 8T COMPLE	TE	RECOVERY KIT			
	TDRG-001	1	8T Snatch Strap			
	TDRG-003	1	10T Tree Trunk Protector			
	TDRG-004	1	10T Winch Extension Strap			
TDRK-08T	TDRG-005	1	10T Pulley Block			
IDKK-001	TDRG-006	2	4.75T W.L.L Bow Shackle			
	(Not For Individual Sale)	1	Leather/synthetic work gloves			
	(Not For Individual Sale)	1	Recovery Damper Blanket			
	(Not For Individual Sale)	1	Heavy Duty Carry Bag			
9	M 11T COMPL	EΤ	E RECOVERY KIT			
	TDRG-002	1	11T Snatch Strap			
	TDRG-003	1	10T Tree Trunk Protector			
	TDRG-004		10T Winch Extension Strap			
TDRK-11T	TDRG-005	1	10T Pulley Block			
וואת-ווו	TDRG-006	2	4.75T W.L.L Bow Shackle			
	(Not For Individual Sale)	1	Leather/synthetic work gloves			
	(Not For Individual Sale)	1	Recovery Damper Blanket			
	(Not For Individual Sale)	1	Heavy Duty Carry Bag			

PART NO	QTY	DESCRIPTION	RRP
RECOVER	Y G	EAR INDIVIDUAL ACCESSORIES	3
TDRG-001	1	9M - 8T Snatch Strap	
TDRG-002	1	9M - 11T Snatch Strap	
TDRG-003	1	9M - 10T Tree Trunk Protector	
TDRG-004	1	20M - 10T Winch Extension Strap	
TDRG-005	1	10T Pulley Block	
TDRG-006	1	4.75T W.L.L Bow Shackle	

#### COMPLETE RECOVERY KITS



**TDRK-08T - 9M 8T KIT** 



TDRK-011T - 9M 11T KIT

# **RECOVERY GEAR**



#### ACCESSORIES

#### **SNATCH STRAPS**



When you get stopped in your tracks, the Tough Dog snatch strap is the quick and easy answer for a vehicle assisted recovery. Made from 100% Nylon, snatch straps harness kinetic energy by stretching under load, getting you out of trouble quickly and easily.

#### WINCH EXTENSION STRAP



When you're out making tracks and you need a long winch recovery, the Tough Dog winch extension strap is the perfect partner to your winch. This strap has minimal stretch & maximum strength for winch recoveries.

#### TREE TRUNK PROTECTOR



The Tough Dog Tree Trunk Protector is designed for use as both an equaliser strap for snatching, or as a tree trunk protector when winching. Essential for every type of recovery!

#### 4.75T BOW SHACKLE



An essential addition to every recovery kit, these bow shackles can be used in conjunction with winches or snatch straps to assist in recovery. Shackles should only be used on vehicles fitted with recovery rated points featuring closed eyelets.

#### **WINCH PULLEY BLOCK**



Complex winch recoveries often need a change of angle, or a multiplication of pulling force through a double line winch pull. The Tough Dog pulley block is a key part of any recovery kit, allowing you to alter the line direction of your winch without damaging your winch cable or rope.

#### **HEAVY DUTY RECOVERY BAG**



The Heavy Duty carry bag is made of 1200 denier canvas, and features structure ribs at the zip for easy access, clip together ABS carry handles, as well a hard ABS plastic base and multiple pockets to customise your 'go to' recovery bag to suit you.

#### **RECOVERY GLOVES**



Heavy Duty Recovery Gloves.

# **ACCESSORIES**



#### **TORSION BARS**

Tough Dogs Performance 4WD Torsion Bars offer a spring rate that is aproximately 30% higher than OEM torison bars. Optimise your 4WD's ride and handling characteristics with quality torsion bars from Tough Dog.



#### **PANHARD RODS**

Adjustable panhard rods allow the axle to be re-centred under the vehicle after the height has been modified. Tough Dog panhard rods are bent from a single solid bar for strength, and are adjustable to cover a broad range of vehicle heights.



#### PINS & SHACKLES



Greasable pins and shackles help protect the bushes from premature wear because of the ingress of dirt and grit. Greasable components are particularly important to vehicles exposed to outback dust or high salt level environments like boat ramps and beach driving.

#### **U-BOLT KITS**





When U-bolts are tightened to secure the leaf pack in the vehicle from factory, the metal is stretched as a normal part of this process. It is important that U-bolts be replaced when a suspension system is changed, as a stretched U-bolt has lost its integral strength. Tough Dog U-bolts are manufactured using high tensile steel & are designed with the correct length of thread for larger, heavy duty leaf spring packs.

#### **URETHANE BUSHES & SPACERS**



Tough Dog urethane is stronger than rubber components and has greater longevity and resistance to deterioration from chemical exposure. Urethane bushes respond well to greasing during operation, and are created to retain flexibility for ride comfort.

Replacement urethane bushes are available for all Tough Dog leaf springs as well as for a range of other suspension bushing locations in vehicles.

# **ACCESSORIES**





#### **BRAKE HOSES**

Extended brake lines become a requirement for larger lift vehicles to prevent damage from stretching the existing lines. Tough Dog offer a brake line solution in both a tradition rubber style as well as a steel braided line for improved brake pedal response and feel.

#### STRUT TOPS

Strut Tops are available separately for most modern vehicles. These units are suitable for use with Tough Dog product and with original manufacturers struts as well.



#### **FITTING KITS**

Tough Dog pays close attention to the fit and finish of every complete solution. We have a range of fitting brackets and vehicle specific components. Check out our complete catalogue listing for components to suit your vehicle.



TDSP-008 TDSK-021 TDSP-004-2

# STEERING DAMPERS



Quality steering components go a huge way to alleviating driver fatigue. Rough and unforgiving road surfaces can transfer through the wheels and Up to the steering wheel.

If you're constantly fighting to keep the vehicle on track, eventually that effort will take its toll. Tough Dog Steering Dampers are on your side when it comes to taming steering shimmy and shake.




#### **EXT**

The Tough Dog EXT Steering Damper is our affordable, heavy duty replacement damper. Featuring a 35mm internal bore and our Foam Cell insert, this damper will give you control and feeling back in your steering set up



#### RTC

The 'Return-to-Centre' damper is designed to re-centre your steering and help reduce shimmy and shake caused by rough road surfaces, reducing driver fatigue and increasing vehicle control.



#### **XHD RTC**

These dampers are designed for vehicles with greater than 100mm of lift running large diameter or aggressive tyres. These dampers come with all necessary brackets.



#### SV

The 'SV' damper offers users the ability to adjust the damping force to suite driving style and vehicle requirements. Available for most live axle vehicles, and Up to 150mm lift in some applications.





# **CONTROL ARMS**

Tough Dog front upper control arms have been designed to restore OEM wheel alignment targets and cam- bolt settings for both camber and caster.

- Fixed length and position design guards against accidental misalignment during offroad use.
- Slimline tube design and ball joint housing to maximize clearance.
- Chromoly steel ball joint
- 1020 Grade Forged Bushing & Ball Joint Housings for high strength.
- Heavy Duty, High flex style bushing design requires no lubrication and maximizes bushing life.

- Factory brake line mounting locations included.
- Designed to accept OEM components as replacements if needed.





**CLEARANCE** 



**HEAVY DUTY HIGH FLEX BUSHING** 



1020 GRADE **FORGED HOUSING** 



**CHROMOLY BALL JOINTS** 



CORRECTS **CASTER & CAMBER** 

#### CASTOR CORRECTION

Castor is the angle to which the steering pivot axis is tilted forward or rearward from vertical, as viewed from the side. When a vehicle is lifted, the castor angle is adversely affected because of the change in the angles of the front radius arms.

Tough Dog provide a range of products to adjust camber from two degrees through to seven degrees to ensure a reliable straight steering feel is maintained at any lift height provided in the Tough Dog range.



Camber adjustment on live axle LandCruisers and Patrols can require an offset camber pin to be fitted. Available in 0.5, 0.75 and 1 degree of offset, these pins can help eliminate excessive and uneven tyre wear.





# **GVM UPGRADES**



#### **CARRY MORE - SAFELY & LEGALLY**



The allowable payload on most modern 4WDs seems great on paper, but gets quickly eaten up when accessories, gear and passengers get loaded in.

Remaining under the vehicles Gross Vehicle Mass (GVM) can seem like an impossible feat.

Tough Dog Suspension is a recognised Second Stage Manufacturer (SSM) which allows us to develop and federally certify components to increase your vehicle's GVM. Maximise your allowable payload without risking your roadworthiness!

Each complete GVM kit has been extensively tested to ensure ADR compliance is maintained.



#### PRE-REGISTRATION



#### POST-REGISTRATION

Certification of your GVM upgrade will occur on either a Federal or State level, depending on whether the vehicle has been

registered or not.



When the GVM upgrade is completed prior to the first registration, the certification is done at a Federal level, and remains constant regardless of where in Australia the vehicle is registered. When you collect and drive your new vehicle for the first time - it will be recognised as a Tough Dog upgraded vehicle.

Both Pre-Registration and Post-Registration kits must be supplied and installed through an authorised Tough Dog GVM installer.



If your vehicle is already registered, you're still able to take advantage of our GVM upgrade kits - Post Registration kits contain the same components as their pre-registration brothers, but require an additional signoff by a state engineer. Your local Tough Dog GVM approved dealer can help with certification.



#### SAFETY & PERFORMANCE BY DESIGN

Federal approval for GVM upgrades requires rigorous testing to ensure that the vehicle performs as well or better than when it left the original manufacturer. You can be sure that your Tough Dog GVM will stop and handle well, even with the increased load on board. Depending on the vehicle, testing is required for:

- 1. Finite Element Analysis (FEA) testing: A check of the maximum load carrying capacity of the vehicle's axles.
- Brake Testing: Laden and Unladen brake testing as well as testing under partial system failure to comply with ADR35/06.
- **3. ESC Testing:** If required, this test ensures that the ESC system's response is the same or better than the original vehicle.









Every GVM kit comes complete with everything required, including necessary certification paperwork.

# 4 YEAR WARRANTY\*

- Specially Appointed Installers
- Complete Peace of Mind

FIND YOUR NEAREST DEALER AT WWW.TOUGHDOG.COM.AU/DEALERLOCATOR

CONTACT OUR DEDICATED TEAM: ENQUIRY@4WAYSUSPENSION.COM.AU



# **GVM UPGRADES**



GVM UPGRADES CAN ONLY BE ORDERED THROUGH A TOUGH DOG APPROVED GVM DEALER PORTAL

#### WHAT IS A GVM UPGRADE?

The GVM, or Gross Vehicle Mass of any vehicle is the weight in Kg that the manufacturer has specified as being the maximum that the vehicle can weigh when fully loaded. Tough Dog GVM upgrades allow a vehicle to be certified to carry a greater amount than the original manufacturer, without breaching applicable ADRs or laws.

GVM upgrades for new vehicles are undertaken at the Second Stage of Manufacture (SSM) to the vehicle (after the First Stage of Manufacture) and are only certifiable by the Federal Government via the Department of Infrastructure, Transport, Regional Development and Communications.



#### FEDERAL OR STATE APPROVAL

#### PRE OR POST REGISTRATION

You can upgrade the GVM of a vehicle using either Federal approval or state based approval, depending on whether the vehicle has been registered or not. If the vehicle has never been registered, Federal approval can be applied, the GVM kit comes complete with an additional compliance plate which will be fixed to the vehicle.

If the vehicle is already registered, the evidence used in Federal compliance is used in conjunction with a vehicle inspection by an authorised state engineer to certify the vehicle. Federal compliance cannot be achieved on a vehicle that has already been registered.

#### SAFETY FIRST NEVER OVERLOAD YOUR VEHICLE

#### YOU MUST NOT EXCEED THE MAX. CERTIFIED GVM

#### **ALWAYS BE AWARE OF:**

Fitment of a GVM Kit MUST be carried out by an Authorised Tough Dog fitting facility. DIY fitment or fitment by a non-authorised fitting station will result in the kit not achieving certification.

#### **FRONT & REAR AXLE LOADS:**

The maximumload applied to the individual axles must not be exceeded. Tough Dog GVM kits specify the maximum axle loading in both the front and rear acles, the owner or operator is responsible to ensure the vehicle so as not to exceed the maximum rating per axle.

#### **TYRE LOAD RATINGS:**

Tyres fitted to the vehicles MUST meet or exceed the original tyre load ratings to remain compliant. Compliance is the responsibily of the owner or operator.

#### **MINIMUM PAYLOAD**

Some Tough Dog GVM kits specify a minimum payload that the vehicle must achieve. This is a requirement of the kit. Compliance testing is carried out to a minimum (unladen) and maximum (laden) weights. The weight of the vehicle must fall within that window to remain compliant.





# ASIA MOTORS

07/1993-2000 NO SPRING AVAILABLE



FRONT							
CONTENT	DESCRIPTION	QTY	PART NO	R	RP		
NI	NITROGEN GAS - SHOCK ABSORBER						
<u> </u>	OE Height	2	BD1102T	\$	Ea		
	50mm Lift	2	BD1104T	\$	Ea		
	40MM ADJUSTABLE - SHOCK ABSORBER						
	OE Height	2	BM401102	\$	Ea		
8	50mm Lift	2	BM401104	\$	Ea		

REAR							
CONTENT	DESCRIPTION	QTY	PART NO	RRP			
NITROGEN GAS - SHOCK ABSORBER							
<u> </u>	OE Height	2	BD1364T	\$	Ea		
	50mm Lift	2	BD1366T	\$	Ea		
•	40MM ADJUSTABLE - SHOCK ABSORBER						
	OE Height	2	BM401364	\$	Ea		
8	50mm Lift	2	BM401366	\$	Ea		

STEERING DAMPER					
	Steering Damper	1	SD5700	\$	Ea

FRONT INDIVIDUAL COMPONENTS					
	Urethane shackle bush Kit	1	TDUK-001	\$	Kt
$\cap$	U-Bolt Kit	2	TDUB-001	\$	Kt

F	REAR INDIVIDUAL COMPONENTS							
	Urethane shackle bush kit	1	TDUK-001	\$	Kt			
$\cap$	U-Bolt Kit	2	TDUB-001	\$	Kt			

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)							
	Fits top pin	2	TW959	\$	Ea		
	Fits bottom eyering	1	404702	\$	Ea		

REAR REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits top & bottom eyering	2	404702	\$	Ea



07/1998-2002 EST. LIFT FRONT: 35MM | REAR: 35MM



FRONT								
CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP				
NI	TROGEN GAS - SI	100	CK ABSORBER					
	Up to 35mm Lift	2	BD2057T	\$ Ea				
BD2057T Is to b	BD2057T Is to be fitted to all applicationswhere a gas or adjustable shock is fitted to the rear							

REAR								
CONTENT	DESCRIPTION	QTY	PART NO	RRP				
NITROGEN GAS - SHOCK ABSORBER								
<u> </u>	OE Height	2	BD1104T	\$	Ea			
	35mm Lift	2	BD1105T	\$	Ea			
	40MM ADJUST	ABI	E - SHOCK ABSO	RBE	R			
	OE Height	2	BM401104	\$	Ea			
8	35mm Lift	2	BM401105	\$	Ea			

TORSION BARS							
	26mm/1040mm	1	4WTB-1800	\$	Pr		
Adjust Torsion Bars after fitting shocks - Ensure an minium of 60mm droop is maintained.							

COIL SPRINGS					
MIAAAA	0-300Kg load	1	TDC100	\$	Pr
WVVVV	0-300Kg load  CONSTANT 300Kg load	1	TDC100H	\$	Pr

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top pin	2	TW959	\$	Ea	
	Fits bottom eyering	1	412772	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)							
	Fits top pin	2	TW959	\$	Ea		
	Fits bottom eyering	1	404702	\$	Ea		



# **DAIHATSU**F10, F20, F50, F60. INC. SCAT

08/1975-1984 NO SPRING AVAILABLE



FRONT								
CONTENT	DESCRIPTION	QTY	PART NO	R	RRP			
NITROGEN GAS - SHOCK ABSORBER								
۵	OE Height	2	BD1364T	\$	Ea			
	50mm Lift	2	BD1366T	\$	Ea			
	40MM ADJUST	ABI	E - SHOCK ABSO	DRB	ER			
	OE Height	2	BM401364	\$	Ea			
8	50mm Lift	2	BM401366	\$	Ea			

REAR								
CONTENT	DESCRIPTION	QTY	PART NO	RR	RP			
NITROGEN GAS - SHOCK ABSORBER								
<b>&amp;</b>	OE Height	2	BD1366T	\$	Ea			
	50mm Lift	2	BD1382T	\$	Ea			
•	40MM ADJUSTA	ABI	E - SHOCK ABSO	RBE	R			
	OE Height	2	BM401366	\$	Ea			
0	50mm Lift	2	BM401382	\$	Ea			

FRONT INDIVIDUAL COMPONENTS							
	Urethane shackle bush kit excluding F50	1	TDUK-019	\$	Kt		
	Urethane shackle bush kit -F50 only	1	TDUK-020	\$	Kt		
$\bigcap$	U-Bolt kit	2	TDUB-027	\$	Kt		

REAR INDIVIDUAL COMPONENTS						
	Urethane shackle bush kit excluding F50	1	TDUK-019	\$	Kt	
	Urethane shackle bush kit - F50 only	1	TDUK-020	\$	Kt	
$\cap$	U-Bolt kit	2	TDUB-027	\$	Kt	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Flts top & bottom eyering	2	404702	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top & bottom evering	2	404702	\$	Ea	





FRONT							
CONTENT	DESCRIPTION	QTY	PART NO	R	RP		
NITROGEN GAS - SHOCK ABSORBER							
٥	OE Height	2	BD1366T	\$	Ea		
	50mm Lift	2	BD1382T	\$	Ea		
	40MM ADJUST	ABI	E - SHOCK ABSO	RBI	ΕR		
	OE Height	2	BM401366	\$	Ea		
8	50mm Lift	2	BM401382	\$	Ea		

REAR							
CONTENT	DESCRIPTION	QTY	PART NO	RRP			
NITROGEN GAS - SHOCK ABSORBER							
<b>a</b>	OE Height	2	BD1400T	\$ Ea			
	50mm Lift	2	BD1441T	\$ Ea			
•	40MM ADJUST	ABI	E - SHOCK ABSC	RBER			
	OE Height	2	BM401400	\$ Ea			
8	50mm Lift	2	BM401441	\$ Ea			

FRONT INDIVIDUAL COMPONENTS						
	Urethane shackle bush kit	1	TDUK-002	\$	Kt	
$\cap$	U-Bolt kit	2	TDUB-027	\$	Kt	

REAR INDIVIDUAL COMPONENTS					
	Urethane shackle bush kit	1	TDUK-023	\$	Kt
$\cap$	U-Bolt kit	2	TDUB-027	\$	Kt

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top & bottom eyering	2	404702	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top eyering	1	404702	\$	Ea	
	Fits bottom pin	2	TW959	\$	Ea	




# **FRONT** FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber 2 Ea Torsion Bar

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
NITROGEN GAS - SHOCK ABSORBER							
	40mm Lift	2	BD2057T	\$ Ea			
BD2057T Is to b	BD2057T Is to be fitted to all applicationswhere a gas or adjustable shock is fitted to the rear						

0 0			iorsion dai		
CONTENT	DESCRIPTION	QTY	PART NO	RR	P
NI	ROGEN GAS - SI	100	CK ABSORBER		
	40mm Lift	2	BD2057T	\$	Ea

TORSION BARS						
	26mm/1093mm	1	4WTB-0197	\$	Pr	
Adjust Torsion Bar after fitting shocks - Ensure a minimum of 60mm droop is maintained.						



CONTENT	DESCRIPTION	۵T	PART NO	RRP				
NITROGEN GAS - SHOCK ABSORBER								
٥	OE Height	2	BD1102T	\$	Ea			
	40mm Lift	2	BD1104T	\$	Ea			
	40MM ADJUSTA	BL	E - SHOCK ABSO	RBI	ΞR			
	OE Height	2	BM401102	\$	Ea			
8	40mm Lift	2	BM401104	\$	Ea			

LEAF SPRINGS							
	0-300Kg load	2	T67	\$	Ea		
Check width of leaf springs when ordering. T67 Leaf Springs have a width of 60mm							

REAR INDIVIDUAL COMPONENTS						
	Urethane Shackle bush kit	1	TDUK-003	\$	Kt	
$\cap$	U-Bolt kit	2	TDUB-027	\$	Kt	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top pin	2	TW959	\$	Ea	
	Fits bottom eyering	1	412772	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top pin	2	TW959	\$	Ea	
	Fits bottom eyering	1	404702	\$	Ea	



# DAIHATSU FEROZA II F310 WIDE TRACK 04/1992-1998 EST. LIFT FRONT: 40MM | REAR: 40MM



# FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber 2 Ea Torsion Bar 1 Pr

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
NITROGEN GAS - SHOCK ABSORBER								
	Up to 40mm Lift	2	BD2057T	\$	Ea			
BD2057T Is to b	BD2057T Is to be fitted to all applicationswhere a gas or adjustable shock is fitted to the rear							

REA	R					
REAR SUSPENSIO	REAR SUSPENSION CHECK LIST					
You need to order the following items	s for the rear end of your ve	hicle				
	Shock Absorber	2	Ea			
	Leaf Spring	2	Ea			
	Urethane Bush kit	1	Kt			
	U-Bolt	2	Kt			
8 8 —— I I						

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
NITROGEN GAS - SHOCK ABSORBER								
<u> </u>	OE Height	2	BD1005T	\$	Ea			
	40mm Lift	2	BD1007T	\$	Ea			
	40MM ADJUSTA	\ΒI	LE - SHOCK ABSO	RBER				
	OE Height	2	BM401005	\$	Ea			
8	40mm Lift	2	BM401007	\$	Ea			

TORSION BARS							
	26mm/1093mm	1	4WTB-0197	\$	Pr		
Adjust Torsion Bar after fitting shocks - Ensure a minimum of 60mm droop is							

LEAF SPRINGS							
	0-300Kg load	2	T76	\$	Ea		
Check width of leaf springs when ordering. T76 Leaf Springs have a width of 70mm							

REAR INDIVIDUAL COMPONENTS						
	Urethane Shackle bush kit	1	TDUK-022	\$	Kt	
$\cap$	U-Bolt kit	2	TDUB-027	\$	Kt	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits top pin	2	TW959	\$	Ea
	Fits bottom eyering	1	412772	\$	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits top & bottom pin	4	TW959	\$	Ea




#### ROCKY F70, F75/F80, F85/F77,F87 06/1984-1993 - F70, F75 | 06/1984-1989 - F80, F85



#### **FRONT**

#### FRONT SUSPENSION CHECK LIST

You need to order the following items for the front end of your vehicle.



•			
Shock Absorber	2	Ea	
Leaf spring	2	Ea	
Urethane Bush kit	1	Kt	
U-Bolt (Depending on Series)	2	Kt	

CONTENT	DESCRIPTION	QTY	PART NO	RRF			
NIT	NITROGEN GAS - SHOCK ABSORBER						
<u> </u>	OE Height	2	BD1102TB	\$	Ea		
	40mm Lift	2	BD1104TB	\$	Ea		
	40MM ADJUSTA	ABI	E - SHOCK ABSO	RBER	R		
	OE Height	2	BM401102	\$	Ea		
ŏ	40mm Lift	2	BM401104	\$	Ea		

LEAF SPRINGS (LWB)						
مر یه	40mm Lift	1	T65-LH	\$	Ea	
	- Except F77, F8 -LWB	1	T65-RH	\$	Ea	
Please note 1 le	ft hand & right hand side	e lea	of spring pack should be	ord	ered	
LEAF SPRINGS (SWB)						
	LEAF SPRIN	GS	(SWB)			
مي په	40mm Lift	GS 1	T65C-LH	\$	Ea	
		1 1		\$ \$	Ea Ea	

Urethane Shackle bush kit 1 TDUK-002 \$ Kt  U-Bolt kit D/S (1 kit req. exc F77, F87 - 2 kits req)  U-Bolt kit P/S (1 kit req. exc F77, F87 - Not req)  TDUB-002 \$ Kt  TDUB-002 \$ Kt	FRONT INDIVIDUAL COMPONENTS					
req. exc F77, F87 - 2			1	TDUK-002	\$	Kt
U-Bolt kit P/S (1 kit req, exc F77,F87 - 1 TDUB-027 \$ Kt	$\bigcirc$	req. exc F77, F87 - 2	1	TDUB-002	\$	Kt
	$\cap$	U-Bolt kit P/S (1 kit req, exc F77,F87 - Not req)	1	TDUB-027	\$	Kt

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)							
	Fits top pin	2	TW959	\$	Ea		
	Fits bottom eyering	1	404702	\$	Ea		

REAR							
REAR SUSPENSIO	N CHECK LIST						
You need to order the following items	s for the rear end of your ve	hicle.					
	Shock Absorber	2	Ea				
	Leaf spring	2	Ea				
	Urethane Bush kit	1	Kt				
	U-Bolt	2	Kt				
0 0							

CONTENT	DESCRIPTION	QTY	PART NO	RRP		
NITROGEN GAS - SHOCK ABSORBER						
<u> </u>	OE Height	2	BD1400T	\$	Ea	
	40mm Lift	2	BD1441T	\$	Ea	
	40MM ADJUSTA	BI	E - SHOCK ABSO	RBE	₹	
	OE Height	2	BM401400	\$	Ea	
8	40mm Lift	2	BM401441	\$	Ea	

	LEAF SPRIN	GS	(LWB)	
	0-300Kg Loa - Except F77, F8 -LWB	2	T64	\$ Ea


LEAF SPRINGS (SWB)						
	0-300Kg load - Except F77, F8 -SWB	2	T64M	\$	Ea	

REAR INDIVIDUAL COMPONENTS					
	Urethane Shackle bush kit exc. F77, F87	1	TDUK-003	\$	Kt
$\cap$	U-Bolt kit	2	TDUB-027	\$	Kt

REAR REPLACEMENT BUSHES (QTY PER SHOCK)							
	Fits bottom pin	2	TW959	\$	Ea		
	Fits top eyering	1	404702	\$	Ea		







REAR					
REAR SUSPENSIO	REAR SUSPENSION CHECK LIST				
You need to order the following items for the rear end of your vehicle.					
	Shock Absorber	2	Ea		
	Coil Spring	1	Pr		

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
FOAM CELL - SHOCK ABSORBER								
	40mm Lift	2	FC42019B	\$ Ea				
Adjust Torsion B	Adjust Torsion Bar after fitting shocks - Ensure a minimum of 60mm droop is maintained.							

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
F	FOAM CELL - SHOCK ABSORBER							
	40mm Lift	2	FC41184	\$ Ea				
	40MM ADJUSTABLE - SHOCK ABSORBER							
ŏ	40mm Lift	2	BM401184	\$ Ea				

TORSION BARS						
	26mm/1093mm	1	4WTB-0198	\$	Pr	
Adjust Torsion Bar after fitting shocks - Ensure a minimum of 60mm droop is maintained.						

COIL SF	PRIN	igs	
0-300Kg load	1	TDC066	\$ Pr

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits top pin	2	TW959	\$	Ea
	Fits bottom eyering	1	412772	\$	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits top pin	2	TW959	\$	Ea
	Fits bottom eyering	2	4W-SPF420-02	\$	Ea





#### **FRONT** FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Ea Assembled struts OR Struts 2 Ea Coil Springs Pr Strut Top (Optional) Ea Pr Upper Control arms (Optional) 1

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
ASSEMBLED STRUTS - FOAM CELL								
Assemble	ed struts are made up of	:1 x	strut, 1 x coil 1 x strut to	р				
	Lin to Ote al hav	1	MAZ-007-LH	ф <b>Г</b> -				
	Up to Steel bar	1	MAZ-007-RH	\$ Ea				
	With bar & winch	1	MAZ-008-LH	a 5-				
		1	MAZ-008-RH	\$ Ea				
<b>3</b>	ASSEMBLED STRUTS - 40MM ADJUSTABLE							
•	Assembled struts are n	nade	up of: 1 x strut, 1 x coil 1	x strut top				
	Lin to Otablihan	1	MAZ-005-LH	ф <b>Г</b> -				
	Up to Steel bar	1	MAZ-005-RH	\$ Ea				
	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	1	MAZ-006-LH	<b>6</b> 5-				
	With bar & winch	1	MAZ-006-RH	\$ Ea				

	STRUT-FOAM CELL					
I	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404500	\$	Ea	
I	STRUT - 4	40 <b>I</b>	MM ADJUSTABLE			
	Up to 40mm Lift - Strut Only/ No Coil/ No Strut					

COIL SPRINGS					
MIAAAA	Up to Steel bar	1	TDC452	\$	Pr
	With bar & winch	1	TDC452HL	\$	Pr

UPPER CONTOL ARMS					
UU	Upper Control Arms	1	TDCA-003	\$	Pr
	Bush Kit for TDCA-003	1	TDSK-003	\$	Ea
	Ball joint kit for TDCA-003	1	TDSK-004	\$	Ea

Fitment of Tough Dog Upper Control arms to vehicles that have lifts fitted greater than 50mm may suffer from premature ball joint failure doe to droop lengths. The use of strut spacers may also affect the performance and longevity of the UCA ball joint due to the limitations of the sperical bering housing Being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include but is not limited to jumping of the vehicle.

REAR						
REAR SUSPENSION CHECK LIST						
You need to order the following items for the rear end of your vehicle.						
<b>11 22</b>	Shock Absorber	2	Ea			
	Coil Spring	1	Pr			
ii ss	Coil Insert Airbags (Optional)	1	Kt			

CONTENT	DESCRIPTION	QTY	PART NO	RRP					
F	FOAM CELL - SHOCK ABSORBER								
ů.	Up to 40mm Lift	2	FC43013	\$ Ea					
	40MM ADJUSTA	λBI	LE - SHOCK ABSO	RBER					
ŏ	Up to 40mm Lift	2	BM403013	\$ Ea					

COIL SPRINGS					
MILLA	0-300Kg load	1	TDC453	\$	Pr
	U-300Kg load  CONSTANT 300Kg load	1	TDC453L	\$	Pr

AIR ASSIST - COIL INSERT					
	Coil Insert Bag - OEM Height	1	TDAA-014	\$	Kt
	Coil Insert Bag - 40mm Lift Height	1	TDAA-004	\$	Kt





FRONT							
CONTENT	DESCRIPTION	QTY	PART NO	RRP			
F	FRONT INDIVIDUAL COMPONENTS						
·L·O	Strut Top	2	MAZ-4051	\$	Ea		

REAR						
RRP	PART NO	QTY	DESCRIPTION	CONTENT		
	PART NO	QTY	DESCRIPTION	CONTENT		

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits bottom eyering	1	ADJ00305	\$	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits bottom eyering	1	ADJ00312	\$	Ea	





#### **FRONT** FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Ea Assembled struts OR Struts 2 Ea Coil Springs Pr Strut Top (Optional) 2 Ea Pr Upper Control arms (Optional) 1

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
ASSEMBLED STRUTS - FOAM CELL							
Assembl	ed struts are made up of	: 1 x	strut, 1 x coil 1 x strut to	р			
	No Appagarias	1	FOR-007-LH	\$ Ea			
	No Accessories	1	FOR-007-RH	\$ Ea			
_	With bar / bar & winch	1	FOR-008-LH	\$ Ea			
*		1	FOR-008-RH	\$ Ea			
<b>3</b>	ASSEMBLED STRUTS - 40MM ADJUSTABLE						
•	Assembled struts are m	ade	up of: 1 x strut, 1 x coil 1	x strut top			
	No Accessories	1	FOR-005-LH	\$ Ea			
· ·	No Accessories	1	FOR-005-RH	ъ са			
	With har / har 9 winch	1	FOR-006-LH	¢			
	With bar / bar & winch	1	FOR-006-RH	\$ Ea			

STRUT-FOAM CELL						
I	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404520	\$	Ea	
	STRUT -	40I	MM ADJUSTABLE			
	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404520	\$	Ea	

COIL SPRINGS						
MILLAAA	40mm Lift-No Accessories	1	TDC1006	\$	Pr	
	40mm Lift with Steel Bar or bar & Winch	1	TDC1007	\$	Pr	

UPPER CONTOL ARMS						
	Upper Control Arms	1	TDCA-003	\$	Pr	
UU	Bush Kit for TDCA-003	1	TDSK-003	\$	Ea	
000	Ball joint kit for TDCA-003	1	TDSK-004	\$	Ea	

Fitment of Tough Dog Upper Control arms to vehicles that have lifts fitted greater than 50mm may suffer from premature ball joint failure doe to droop lengths. The use of strut spacers may also affect the performance and longevity of the UCA ball joint due to the limitations of the sperical bering housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include but is not limited to jumping of the vehicle.

REAR						
REAR SUSPENSION CHECK LIST						
You need to order the following items for the front end of your vehicle.						
ii >>	Shock Absorber	2	Ea			
	Coil Spring	1	Pr			
	Coil Insert Airbags (Optional)	1	Kt			

CONTENT	DESCRIPTION	QTY	PART NO	RRP					
FOAM CELL - SHOCK ABSORBER									
ů	Up to 40mm Lift	2	FC43013	\$ Ea					
40MM ADJUSTABLE - SHOCK ABSO									
8	Up to 40mm Lift	2	BM403013	\$ Ea					

COIL SPRINGS							
	0-300Kg load	1	TDC453	\$	Pr		
	CONSTANT 300Kg load	1	TDC453L	\$	Pr		

AIR ASSIST - COIL INSERT								
	Coil Insert Bag -Standard Height	1	TDAA-014	\$	Kt			
	Coil Insert Bag -40mm lift	1	TDAA-004	\$	Kt			





FRONT								
CONTENT	DESCRIPTION	QTY	PART NO	RR	P			
F	FRONT INDIVIDUAL COMPONENTS							
<b>4</b>	Strut Top	2	FOR-4520	\$	Ea			
	Bump Stop & Boot	2	DB170/B	\$	Ea			
Note: Purchasing the Strut Top (FOR-4520) will require use of the original bumpstop and boot or purchase of a replacement bumpstop and boot (DB170/B) Contact 4way suspension to discuss.								

REAR								
CONTENT	DESCRIPTION	QTY	PART NO	RRP				
•								

FRONT R	FRONT REPLACEMENT BUSHES (QTY PER SHOCK)										
	Fits bottom eyering	1	ADJ00306	\$	Ea						

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits bottom eyering	1	ADJ00312	\$	Ea	





FRONT						RE/	۱R				
CONTENT	DESCRIPTION	ΩTY	PART NO	RRP		CONTENT	DESCRIPTION	QTY	PART NO	R	RP
ı	FOAM CELL - SHOCK ABSORBER FOAM CELL - SHOCK ABSORBER										
	Up to 40mm Lift	2	FC41450B	\$ Ea			Up to 40mm Lift	2	FC41446	\$	Ea

Note: The "Limited" comes standard with (self levelling) air shocks. These can be retained or removed as desired. If the (self levelling) air shocks are removed, the self levelling indicator light in the dash will turn on and off intermittently. The air hoses should be sealed off and fastened to the chassis for later use if needed. The Air Compressor MUST be turned off. The switch is located in theleft rear inspection console. If futher electrical work is required, please consult an automotive electrican.





FRONT									
CONTENT	DESCRIPTION	QTY	PART NO	RRP					
FOAM CEL	FOAM CELL - SHOCK ABSORBER (EX QUAD SHOCKS)								
	Up to 30mm Lift	2	FC41130B	\$ E	Ξa				

REAR									
CONTENT	DESCRIPTION	QTY	PART NO	F	RRP				
F	FOAM CELL - SHO	CK	ABSORBER						
	Up to 30mm Lift	2	FC41379	\$	Ea				

FOAM CELL - SHOCK ABSORBER (QUAD SHOCKS ONLY)							
o o	OE Height - Front of Axle	2	FC41102B	\$ E	Ξa		
	OE Height - Rear of Axle	2	FC41130B	\$ E	ā		

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)							
	Fits top pin (#1102B Only)	2	TW959	\$	Ea		
	Fits bottom eyering (#1102B Only)	1	404702	\$	Ea		

REAR REPLACEMENT BUSHES (QTY PER SHOCK)								
	Fits top eyering	1	404702	\$	Ea			
	Fits bottom eyering	1	4W-SPF420-04	\$	Ea			





### 2015-2020 EST. LIFT FRONT: 50MM | REAR: 50MM



FRONT								
CONTENT	DESCRIPTION	QTY	PART NO	RRP				
ı	FOAM CELL - SHC	CK	ABSORBER					
	Up to 50mm Lift 2 <b>FC404928</b> \$ Ea							
	40MM ADJUSTA	ABI	LE - SHOCK ABSO	RBER				
8	Up to 50mm Lift	2	BM404928	\$ Ea				

REAR								
CONTENT	DESCRIPTION	QTY	PART NO	RRP				
F	FOAM CELL - SHO	CK	ABSORBER					
	Up to 50mm Lift 2 <b>FC43034</b> \$ Ea							
I	40MM ADJUSTA	λBl	LE - SHOCK ABSO	RBER				
8	Up to 50mm Lift	2	BM403034	\$ Ea				

	COIL SPI	RIN	igs	
MILLAAAA	No accessories	1	TDC1035	\$ Pr
	With Bar or Bar & Winch	1	TDC1036	\$ Pr

LEAF SPRINGS						
Note: Bush kit fitted in springs & included in spring price						
Q	ور	0-400Kg load	2	T83	\$	Ea
		CONSTANT 400Kg load	2	T84	\$	Ea

F	REAR INDIVIDUAL	C	OMPONENTS	
$\cap$	U-Bolt Kit	2	TDUB-033	\$ Kt




FORD
F250
LIVE AXLE, QUAD REAR
2003-2006
EST. LIFT FRONT: 100MM | REAR: 100MM



### **FRONT**

### FRONT SUSPENSION CHECK LIST

You need to order the following items for the front end of your vehicle.



Shock Absorber	2	Ea
Leaf Spring	2	Ea
Leaf spring bush Kit	1	Kt
U-bolt	2	Kt
Panhard rod	1	Ea
Stabilisers (Optional)	1	Ea

CONTENT	DESCRIPTION	۵Ţ	PART NO	RRP				
	RALPH - SHOCK ABSORBER							
Ů	OE Height	2	TDR3500	\$ Ea				
	45MM ADJUSTABLE - SHOCK ABSORBER							
8	100mm Lift	2	BMX3500/4	\$ Ea				

LEAF SPRINGS					
مر یہ	100mm Lift - Up to Steel bar	2	FS026	\$	Ea
	100mm Lift - with Bar & Winch	2	FS026H	\$	Ea

STEERING DAMPER					
<u> </u>	XHD Return to Center	1	SS5250-XHD	\$	Ea
O(E	9 Stage Adjustable	1	SV5250	\$	Ea
Note: When fitted to OE Height vehicles, low ground clearance occurs					

	PANHARD	R	ODS	
•	Adjustable	1	TDPR-250	\$ Ea

F	RONT INDIVIDUAL	_ C	OMPONENTS	
	Shackle Bushes - fitted to springs, but not included in spring price	1	TDUK-064	\$ Kt
$\cap$	U-Bolt Kit	2	TDUB-033	\$ Kt

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top eyering	1	TW038-16	\$	Ea	
	Fits bottom eyering	1	TW038-12	\$	Ea	

REAR						
REAR SUSPENSIO	N CHECK LIST					
You need to order the following items	for the front end of your ve	hicle	).			
	Shock Absorber	4	Ea			
	Leaf Spring	2	Ea			
	Leaf spring bush	1	Kt			
	U-bolt	2	Kt			

CONTENT	DESCRIPTION	QTY	PART NO	RRP
45MN	MADJUSTABLE -	SH	OCK ABSORBER	
۵	OE Height - Front of rear axle	2	BMX3501	\$ Ea
	OE Height - Rear of rear axle	2	BMX3502	\$ Ea
	100mm Lift - Front of rear axle	2	BMX3501/4	\$ Ea
8	100mm Lift - Rear of rear axle	2	BMX3502/4	\$ Ea

	LEAF SPI	RIN	IGS	
مر یہ	0-500Kg load	2	FS027	\$ Ea
	CONSTANT 500Kg load	2	FS027H	\$ Ea

REAR INDIVIDUAL COMPONENTS						
	Shackle Bushes - fitted to springs, but not included in spring price	1	TDUK-064	\$	Kt	
$\cap$	U-Bolt Kit	2	TDUB-034	\$	Kt	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits top eyering	1	TW038-16	\$	Ea
	Fits bottom eyering	1	TW038-12	\$	Ea



2016-2020

EST. LIFT FRONT: OE HEIGHT | REAR: OE HEIGHT




FRONT								
CONTENT	DESCRIPTION	QTY	PART NO	R	RP			
45MN	45MM ADJUSTABLE - SHOCK ABSORBER							
	OE Height	2	ВМХ3507	\$	Ea			

REAR							
CONTENT	DESCRIPTION	QTY	PART NO		RRP		
45MM ADJUSTABLE - SHOCK ABSORBER							
	OE Height	2	BMX3508	\$	Ea		

AIR ASSIST - BELLOWS						
	Bellows Bag Kit OE Height	1	TDAA-129	\$	Kt	







CONTENT	DESCRIPTION	QTY	PART NO	RR	Р
F	FOAM CELL - SHO	OCK	ABSORBER		
	Up to 40mm Lift	2	FC42051B	\$	Ea
Note: FC42051B is to be used for all front applications					

	Up to 40mm Lift	2	FC42051B	\$	Ea		
Note: FC42051B is to be used for all front applications							

	TORSION	В	ARS			
	26mm / 926mm	1	4WTB-1546	\$	Pr	
Adjust torsion b	Adjust torsion bars after fitting shocks- Ensure a minimum of 60mm droop is maintained.					

FRONT INDIVIDUAL COMPONENTS						
	Shock Mount Strengthening kit	1	TDSK-020	\$	Ea	
Failure to fit TDSK-020 will cause top mount failure.						

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits Top pin	1	TW959	\$	Ea	
	Fits Top pin	1	TW961	\$	Ea	
	Fits bottom eyering	1	4W-SPF420-02	\$	Ea	

REAR							
REAR SUSPENSION CHECK LIST							
You need to order the following items for the front end of your vehicle.							
	Shock Absorber	2	Ea				
	Leaf Springs	2	Ea				
	Leaf Spring Bushes	1	Kt				
	U-Bolts	2	Kt				
-— i i							

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
FOAM CELL - SHOCK ABSORBER								
	Up to 40mm Lift	2	FC41232	\$ Ea				
	40MM ADJUSTABLE - SHOCK ABSORBER							
8	Up to 40mm Lift	2	BM401232	\$ Ea				


LEAF SPRINGS							
مر یه	0-300Kg load	2	FS365	\$	Ea		
	CONSTANT 300Kg load	2	FS367	\$	Ea		

REAR INDIVIDUAL COMPONENTS						
	Shackle Bush kit	1	TDUK-034	\$	Kt	
$\bigcap$	U-Bolt kit	2	TDUB-005	\$	Kt	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
8	Fit Top eyering-Foam cell shock	1	ADJ00191	\$	Ea	
	Fit Bottom eyering- Foam cell shock	1	4W-SPF420-02	\$	Ea	
Ī	Fit Top eyering- Adjustable shock	1	230100	\$	Ea	
Ī	Fit Bottom eyering- Adjustable shock	1	230002	\$	Ea	







CONTENT	DESCRIPTION	QTY	PART NO	RRP	)		
FOAM CELL - SHOCK ABSORBER							
	Up to 45mm Lift	2	FC42051B	\$	Ea		
Note: FC42051B is to be used for all front applications							

CONTENT	DESCRIPTION	QT	PART NO	RRP			
FOAM CELL - SHOCK ABSORBER							
	Up to 45mm Lift	2	FC42051B	\$ Ea			
N. 4	Note: FC400F4D is to be used for all front applications						

REAR							
REAR SUSPENSION CHECK LIST							
You need to order the following items for the rear end of your vehicle.							
	Shock Absorber	2	Ea				
	Leaf Springs	2	Ea				
	Leaf Spring Fitment kit (Based on leaf spring choice)	1	Kt				
▋▋■■□□□	Bellows Airbags (Optional)	1	Kt				

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
FOAM CELL - SHOCK ABSORBER								
	Up to 45mm Lift	2	FC41232	\$ Ea				
	40MM ADJUSTA	ABL	E - SHOCK ABSO	RBER				
8	Up to 45mm Lift	2	BM401232	\$ Ea				

TORSION BARS							
	27mm / 1028mm	1	4WTB-1440	\$	Pr		
<b>Note:</b> Adjust torsion bars after fitting shocks - ensure an minimum of 60mm droop is maintatined							

LEAF SPRINGS							
•	0-300Kg load	1	FS368C-LH	\$	Ea		
		1	FS368C-RH	\$	Ea		
	CONSTANT 300Kg load	1	FS368L-LH	\$	Ea		
		1	FS368L-RH	\$	Ea		

**Note:** 1 Left hand and 1 right hand side leaf spring pack should be ordered.

LEAF SPRING FITTMENT KIT - FOR FS368L							
	Urethane Shackle bushes	1		TDUK-069			
	U-Bolts	2	TDFK-001	TDUB-039	\$ Kt		
	Greaseable Shackles	1		TDGS-386/1			
	Greaseable Pins	1		TDGP-668			
	LEAF SPRING F	П	MENT KI	T - FOR F	S368C		
***************************************	Urethane Shackle bushes	1		TDUK-069			
	U-Bolts	2	TDFK-002	TDUB-040	\$ Kt		
	Greaseable Shackles	1	I DFK-002	TDGS-386/1	\$ Kt		
	Greaseable Pins	1		TDGP-668			
Kit includes Urethane Shackle bushes, U-Bolts, Greaseable Shackles & Pins and any other essential items required to fit leaf springs.							

AIR ASSIST - BELLOWS						
	Bellows bag - OEM Height	1	TDAA-117	\$	Kt	
	Bellows bag - 45mm lift	1	TDAA-101	\$	Kt	



## FORD RANGER PJ & PK, 2.5L & 3.0L 12/2006-10/2011 EST. LIFT FRONT: 45MM | REAR: 45MM



FRONT						
CONTENT	TENT DESCRIPTION & PART NO					
FRONT INDIVIDUAL COMPONENTS						
8	Shock Mount Strengthening kit	1	TDSK-020	\$	Ea	
Note: Failure to fit TDSK-020 will cause top mount failure.						


REAR							
CONTENT	DESCRIPTION	QTY	PART NO	RRP			
REAR INDIVIDUAL COMPONENTS							
	Shackle Bush kit	1	TDUK-069	\$	Kt		
$\cap$	U-Bolt kit - suits FS368C LH & RH only	2	TDUB-040	\$	Kt		
$\cap$	U-Bolt kit - suits FS368L LH & RH only	2	TDUB-039	\$	Kt		
	Greaseable Shackle kit	1	TDGS-386/1	\$	Kt		
	Greaseable Pin kit	1	TDGP-668	\$	Kt		

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits Top pin	1	TW959	\$	Ea	
	Fits Top pin	1	TW961	\$	Ea	
	Fits bottom eyering	1	4W-SPF420-02	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
8	Fits Top eyering - Foam cell shock	1	ADJ00191	\$	Ea	
	Fits Bottom eyering - Foam cell shock	1	4W-SPF420-02	\$	Ea	
	Fits Top eyering - Adjustable shock	1	230100	\$	Ea	
Î	Fits Bottom eyering - Adjustable shock	1	230002	\$	Ea	







		Upp	per Control arms (Optiona	ii) i Pr			
CONTENT	DESCRIPTION	QTY	PART NO	RRP			
A	SSEMBLED STRU	JTS	- FOAM CELL				
Assembled struts are made up of: 1 x strut, 1 x coil 1 x strut top							
	Un to Ctool har	1	MAZ-003-LH	\$ Ea			
	Up to Steel bar	1	MAZ-003-RH	\$ Ea			
	With bar & winch	1	MAZ-004-LH	ф Г-			
*		1	MAZ-004-RH	\$ Ea			
<b>3</b>	ASSEMBLED ST	ΓRU	TS - 40MM ADJUS	TABLE			
•	Assembled struts are r	nade	up of: 1 x strut, 1 x coil 1	x strut top			
Ţ	Un to Ctool har	1	MAZ-001-LH	\$ Ea			
	Up to Steel bar	1	MAZ-001-RH	\$ Ea			
	With har 9 winch	1	MAZ-002-LH	¢			
	With bar & winch		MAZ 000 DU	\$ Ea			

STRUT-FOAM CELL						
I	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404500	\$	Ea	
I	STRUT -	401	MM ADJUSTABLE			
	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404500	\$	Ea	

MAZ-002-RH

COIL SPRINGS						
MILLAAA	Up to Steel bar	1	TDC451	\$	Pr	
	With Steel Bar & Winch	1	TDC451HL	\$	Pr	

REAR								
REAR SUSPENSIO	REAR SUSPENSION CHECK LIST							
You need to order the following items for the rear end of your vehicle.								
	Shock Absorber	2	Ea					
	Leaf Springs	2	Ea					
	Leaf Spring Fitment Kit (Based on leaf spring choice)	1	Kt					
	Bellows Airbags (Optional)	1	Kt					

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
FOAM CELL - SHOCK ABSORBER							
ů	Up to 40mm Lift	2	FC41232	\$ Ea			
	40MM ADJUSTA	ABL	E - SHOCK ABSO	RBER			
8	Up to 40mm Lift	2	BM401232	\$ Ea			

LEAF SPI	RIN	IGS	
0-300Kg load	2	FS369C	\$ Ea
CONSTANT 300Kg load	2	FS369L	\$ Ea
CONSTANT 500Kg load	2	FS369LL	\$ Ea





FRONT						
CONTENT	DESCRIPTION	ΩTY	PART NO	RRP		

REAR							
CONTENT	DESCRIPTION	QTY	PAR <sup>*</sup>	Г NO	RRP		
LEAF S	PRING FITMENT I	KIT	- FITS FS	369L & L	.L		
	Urethane Shackle bushes	1		TDUK-070			
	U-Bolts	2		TDUB-039			
$\cap$	Greaseable Shackles	1	TDFK-003	TDGS-390	\$ Kt		
1 1	Greaseable Pins	1	1	TDGP-668			
+++	Transmission Spacer	1		TDSP-007			
<del>-</del>	LEAF SPRING F	ŧΙΤ	MENT KIT	-FITS F	S369C		
	Urethane Shackle bushes	1		TDUK-070			
	U-Bolts	2		TDUB-040			
	Greaseable Shackles	1	TDFK-004	TDGS-390	\$ Kt		
88888	Greaseable Pins	1		TDGP-668			
	Transmission Spacer	1		TDSP-007			

UPPER CONTROL ARMS							
しばり	Upper Control Arms	1	TDCA-003	\$	Pr		
	Bush kit for TDCA-003	1	TDSK-003	\$	Ea		
	Ball Joint kit for- TDCA-003	1	TDSK-004	\$	Ea		

Note: Fitment of Tough Dog upper control arms to vehicles that have lifts fitted greater than 50mm may suffer from premature ball joint failure due to longer droop lengths. The use of strut spacers may also effect the performance and longevity of the UCA ball joint due to the limitations of the spherical bearing housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include but is not limited to jumping of the vehicle.

FI	RONT INDIVIDU	AL CO	MPONENTS	
<b>.E.O</b>	Strut Top	2	MAZ-4051	\$ Ea

AIR ASSIST - BELLUWS									
	Bellows Bag kit - Standard Height	1	TDAA-116	\$	Kt				
	Bellows Bag kit - 40mm lift	1	TDAA-102	\$	Kt				

F	REAR INDIVIDUAL COMPONENTS								
	Urethane Shackle Bush kit	1	TDUK-070	\$	Kt				
$\cap$	U-Bolt kit - Suits FS369C only	2	TDUB-040	\$	Kt				
Ω	U-Bolt kit - Suits FS369L & LL only	2	TDUB-039	\$	Kt				
	Greaseable Shackle kit	1	TDGS-390	\$	Kt				
······	Greaseable Pin kit	1	TDGP-668	\$	Kt				
TT88888	Transmission Spacer kit	1	TDSP-007	\$	Kt				
	Note: Must be fitted to al lift kits.								

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
Ì	Fits Bottom Eyering	1	ADJ00305	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)								
8	Fits Top Eyering - Foam cell shock	1	ADJ00191	\$	Ea			
	Fits Bottom eyering - Foam cell shock	1	4W-SPF420-02	\$	Ea			
	Fits Top Eyering - Adjustable shock	1	230100	\$	Ea			
Ī	Fits Bottom eyering - Adjustable shock	1	230002	\$	Ea			






### **FRONT** FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Ea Assembled struts OR 2 Struts Ea Coil Springs 1 Pr Strut Top (Optional) 2 Ea Upper Control arms (Optional) Pr 1

CONTENT	DESCRIPTION	QTY	PART NO	RRP						
ASSEMBLED STRUTS - FOAM CELL										
Assembled struts are made up of: 1 x strut, 1 x coil 1 x strut top										
	Up to Stool har	1	FOR-003-LH	\$ Ea						
	Up to Steel bar	1	FOR-003-RH	р са						
	With Steel Bar & Winch	1	FOR-004-LH	\$ Ea						
***		1	FOR-004-RH	ъ са						
3	ASSEMBLED STRUTS - 40MM ADJUSTABLE									
•	Assembled struts are m	nade	up of: 1 x strut, 1 x coil 1	x strut top						
	Un to Stool har	1	FOR-001-LH	\$ Ea						
Ū	Up to Steel bar	1	FOR-001-RH	ъ са						
	With Steel Bar &	1	FOR-002-LH	\$ Ea						
	Winch		FOR-002-RH	р са						

STRUT-FOAM CELL							
	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404520	\$	Ea		
I	STRUT - 4	40I	MM ADJUSTABLE				
	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404520	\$	Ea		

COIL SPRINGS						
MIAAAA	Up to Steel Bar	1	TDC455	\$	Pr	
	With Steel Bar & Winch	1	TDC455HL	\$	Pr	



CONTENT	DESCRIPTION	QTY	PART NO	RRP						
1	FOAM CELL - SHOCK ABSORBER									
ě	Up to 40mm Lift	2	FC41232	\$ Ea						
	40MM ADJUSTA	٩BI	LE - SHOCK ABSO	RBER						
	Up to 40mm Lift	2	BM401232	\$ Ea						

LEAF SPRINGS							
	0-300Kg load	2	FS369C	\$	Ea		
	CONSTANT 300Kg load	2	FS369L	\$	Ea		
	CONSTANT 500Kg load	2	FS369LL	\$	Ea		

LEAF SPRING FITMENT KIT - FITS FS369L & LL									
	Urethane Shackle bushes			TDUK-070					
$\cap$	U-Bolts			TDUB-039					
	Greaseable Shackles	1	1 TDFK-003	TDFK-003	TDGS-390	\$	Kt		
	Greaseable Pins				TDGP-668				
TTeeses	Transmission Spacer			TDSP-007					





FRONT						
CONTEN	T	DESCRIPTION	ΩT.	PART NO	RRP	

REAR							
CONTENT	DESCRIPTION	QTY	PAR <sup>*</sup>	RRP			
LEAF SPRING FITMENT KIT - FITS FS369C							
	Urethane Shackle bushes			TDUK-070			
$\cap$	U-Bolts			TDUB-040			
	Greaseable Shackles	1	TDFK-004	TDGS-390	\$ Kt		
	Greaseable Pins			TDGP-668			
	Transmission Spacer			TDSP-007			

UPPER CONTROL ARMS						
	Upper Control Arms	1	TDCA-003	\$	Pr	
IJIJ	Bush kit for TDCA-003	1	TDSK-003	\$	Ea	
000	Ball Joint kit for- TDCA-003	1	TDSK-004	\$	Ea	

Note: Fitment of Tough Dog upper control arms to vehicles that have lifts fitted greater than 50mm may suffer from premature ball joint failure due to longer droop lengths. The use of strut spacers may also effect the performance and longevity of the UCA ball joint due to the limitations of the spherical bearing housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include but is not limited to jumping of the vehicle.

AIR ASSIST - BELLOW AIR BAGS					
22	Bellows Bag kit - Standard Height	1	TDAA-116	\$	Kt
	Bellows Bag kit - 40mm lift	1	TDAA-102	\$	Kt

FRONT INDIVIDUAL COMPONENTS						
·F·O	Strut Top excluding Bump Stop & Boot	2	FOR-4520	\$	Ea	
	Bumpstop & Boot	2	DB170/B	\$	Ea	
Note: Purchasing the Strut Top (FOR-4520) will require use of the original						

Note: Purchasing the Strut Top (FOR-4520) will require use of the original bumpstop and boot or purchase of a replacement bumpstop and boot (DB170/B)

Contact 4way suspension to discuss.

F	REAR INDIVIDUAL	C	OMPONENTS		
	Urethane Shackle Bush kit	1	TDUK-070	\$	Kt
$\cap$	U-Bolt kit - Suits FS369C only	2	TDUB-039	\$	Kt
$\cap$	U-Bolt kit - Suits FS369L &LL only	2	TDUB-040	\$	Kt
	Greaseable Shackle kit	1	TDGS-390	\$	Kt
	Greaseable Pin kit	1	TDGP-668	\$	Kt
	Transmission Spacer kit	1	TDSP-007	\$	Kt
Note: Must be fitted to al lift kits.					

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)							
Ì	Fits Bottom Eyering	1	ADJ00306	\$	Ea		

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
8	Fits Top Eyering - Foam cell shock	1	ADJ00191	\$	Ea	
	Fits Bottom eyering - Foam cell shock	1	4W-SPF420-02	\$	Ea	
	Fits Top Eyering - Adjustable shock	1	230100	\$	Ea	
Î	Fits Bottom eyering - Adjustable shock	1	230002	\$	Ea	





### TOUGH DOG GVM UPGRADE CAN ONLY BE ORDERED THROUGH A TOUGH DOG APPROVED GVM DEALER

### **GVM SUSPENSION UPGRADE KIT - VTA - 050816**

PRE REGISTRATION - FEDERAL APPROVAL							
CONTENT	DESCRIPTION	PART	RRP				
4X2, 4X4	4X2, 4X4 SINGLE, XTRA CAB PX111 (ALL MODELS)						
			FOR-003				
OEM	FRONT		FC41232				
GVM 3200KG	UP TO STEEL BAR		TDSP-007				
			FS369LL				
		TDGVM-017	TDUK-070	\$ Kt			
3510KG TOUGH DOG	REAR <u>CONSTANT</u> 600kg Minimum Load		TDGP-668				
			TDGS-390				
GVM			TDUB-039				
			TDFI-019				
	FRONT		FOR-004				
OEM			FC41232				
GVM 3200KG	WITH STEEL BAR & WINCH		TDSP-007				
0200110	Will Con-		FS369LL				
		TDGVM-021	TDUK-070	\$ Kt			
	REAR		TDGP-668				
3510KG TOUGH DOG	CONSTANT		TDGS-390				
GVM	600kg Minimum Load		TDUB-039				
			TDFI-017				

POST REGISTRATION - STATE APPROVAL						
CONTENT	DESCRIPTION	PART	PART NO			
4X2, 4X4	4X2, 4X4 SINGLE, XTRA CAB PX111 (ALL MODELS)					
			FOR-003		]	
OEM	FRONT		FC41232			
GVM 3200KG	UP TO STEEL BAR		TDSP-007			
0200110			FS369LL			
		TDGVM-018	TDUK-070	\$ K	t	
074040	REAR <u>CONSTANT</u> 600kg Minimum Load		TDGP-668			
3510KG TOUGH DOG			TDGS-390			
GVM			TDUB-039			
			TDFI-018			
	FRONT		FOR-004		1	
OEM			FC41232			
GVM 3200KG	WITH STEEL BAR & WINCH		TDSP-007			
0200110	, milon		FS369LL			
		TDGVM-022	TDUK-070	\$ K	t	
25421/2	REAR		TDGP-668			
3510KG TOUGH DOG	CONSTANT		TDGS-390			
GVM	600kg Minimum Load		TDUB-039			
			TDFI-018			





### TOUGH DOG GVM UPGRADE CAN ONLY BE ORDERED THROUGH A TOUGH DOG APPROVED GVM DEALER

### **GVM SUSPENSION UPGRADE KIT - VTA - 050816**

PRE REGISTRATION - FEDERAL APPROVAL						
CONTENT	DESCRIPTION	PART	NO	RRP		
4X2,	4X4 DUAL CAB P	X111 (ALL M	ODELS)			
			FOR-003			
OEM	FRONT		FC41232			
GVM 3200KG	UP TO STEEL BAR		TDSP-007			
3233113			FS369LL			
3510KG TOUGH DOG GVM	TDGV	TDGVM-019	TDUK-070	\$ Kt		
	REAR CONSTANT 400kg Minimum Load		TDGP-668			
			TDGS-390			
			TDUB-039			
			TDFI-019			
			FOR-004			
OEM			FC41232			
GVM 3200KG	WITH STEEL BAR & WINCH		TDSP-007			
3233113			FS369LL			
		TDGVM-023	TDUK-070	\$ Kt		
	REAR		TDGP-668			
3510KG TOUGH DOG	CONSTANT		TDGS-390			
GVM	400kg Minimum Load		TDUB-039			
			TDFI-019			

POST REGISTRATION - STATE APPROVAL					
CONTENT	DESCRIPTION	PART	RRP		
4X2,	4X4 DUAL CAB P	X111 (ALL M	ODELS)		
			FOR-003		
OEM	FRONT		FC41232		
GVM 3200KG	UP TO STEEL BAR		TDSP-007		
			FS369LL		
		TDGVM-020	TDUK-070	\$ Kt	
25401/0	REAR		TDGP-668		
3510KG TOUGH DOG	CONSTANT 400kg Minimum Load		TDGS-390		
GVM			TDUB-039		
			TDFI-020		
			FOR-004		
OEM	FRONT		FC41232		
GVM 3200KG	WITH STEEL BAR & WINCH		TDSP-007		
			FS369LL		
		TDGVM-024	TDUK-070	\$ Kt	
25401/0	REAR		TDGP-668		
3510KG TOUGH DOG	CONSTANT		TDGS-390		
GVM	400kg Minimum Load		TDUB-039		
	Minimum Load		TDFI-020		





FRONT							
CONTENT	DESCRIPTION	QTY	PART NO	RRP			
COIL SPRINGS							
	With Bar & Winch Only - OE Height	1	TDC1022	\$ F	⊃r		

REAR							
CONTENT	DESCRIPTION	QTY	PART NO		RRP		
COIL SPRINGS							
	150-300Kg load - OE Height	1	TDC1023	\$	Pr		


Note: The Ford Ranger Raptor features Shock Absorber from fox suspension, which are an internal bypass style shock absorber and are therefore height sensitive in their ride control. When additional accessories like front steel bars, or rear tub accessories are fitted, the ride height of the vehicle is altered, which in turn alters the performance of the shock absorber.

Tough dog coil springs are designed to return the vehicle to the original ride height to maintain the ride quality and should therefore only be fitted in the event that the appropriate level of accessory or other permanent load is present to ensure that the vehicle's ride is not adversely affected.









CONTENT	DESCRIPTION	QTY	PART NO	RRP	
F	OAM CELL - SHO	OCK	ABSORBER		
	Up to 45mm Lift	2	FC42019B	\$ Ea	а
FC	C42019B is to be used f	or all	front applications		

FC42019B is to be used for all front applications								
	TORSION BARS							
	30mm / 1145mm	1	4WTB-1559	\$	Pr			
Note: Adjust torsion have after fitting shocks, ensure an minimum of COmm								



CONTENT	DESCRIPTION	QTY	PART NO	RRP			
NIT	NITROGEN GAS - SHOCK ABSORBER						
	OE Height	2	BD1382T	\$ Ea			
	45mm Lift	2	BD1388T	\$ Ea			
Ů	FOAM CELL - SHOCK ABSORBER						
	OE Height	2	FC41382	\$ Ea			
I	45mm Lift	2	FC41388	\$ Ea			
	40MM ADJUSTA	BL	E-SHOCK ABSO	RBER			
9	OE Height	2	BM401382	\$ Ea			
	45mm Lift	2	BM401388	\$ Ea			

	TORSION	В	ARS					LEAF SPI	RIN	IGS	
	30mm / 1145mm	1	4WTB-1559	\$	Pr	ς	عر يو	0-300Kg load	2	FS213	\$ Ea
<b>Note:</b> Adjust tor	sion bars after fitting sh droop is mai	ock nta	s - ensure an minimum tined	of 60	mm			CONSTANT 300Kg load	2	FS213H	\$ Ea


LEAF SPRING FITMENT KIT							
	Urethane Shackle bushes	4		TDUK-065			
$\cap$	U-Bolts		TDFK-005	TDUB-039	s K		
2 d d d d d d d d d d d d d d d d d d d	Greaseable Shackles		1DFK-005	TDGS-386	\$ K		
	Greaseable Pins			TDGP-668			

REAR INDIVIDUAL COMPONENTS							
	Urethane Shackle Bush Kit	1	TDUK-065	\$	Kt		
$\cap$	U-Bolt Kit	2	TDUB-039	\$	Kt		
	Greasable Shackle Kit	1	TDGS-386	\$	Kt		
	Greasable Pin Kit	1	TDGP-668	\$	Kt		

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)							
	Fits top pin	2	TW959	\$	Ea		
	Fits bottom eyering	1	412772	\$	Ea		

REAR RE	REAR REPLACEMENT BUSHES (QTY PER SHOCK)									
	Fits top & bottom eyering	2	404702	\$	Ea					





					Ш
CONTENT	DESCRIPTION	QTY	PART NO	R	RP
	FOAM CELL - SHO	OCŁ	( ABSORBER		
	Up to 30mm Lift	2	FC42019B	\$	Ea
F	C42019B is to be used fo	or all	front applications		

REAR						
REAR SUSPENSIO	N CHECK LIST					
You need to order the following items	s for the rear end of your ve	hicle.				
Ů SS	Shock Absorber	2	Ea			
	Coil Spring	1	Pr			

CONTENT	DESCRIPTION	QTY	PART NO	RRP
ا	FOAM CELL - SHC	Cł	( ABSORBER	
	Up to 30mm Lift	2	FC41460	\$ Ea
	40MM ADJUSTA	λBI	LE - SHOCK ABSO	RBER
8	Up to 30mm Lift	2	BM401460	\$ Ea

TORSION BARS						
-	30mm/1145mm	1	4WTB-1559	\$	Pr	
<b>Note:</b> Adjust torsion bars after fitting shocks - ensure an minimum of 60mm droop is maintained.						

FRONT R	EPLACEMENT BU	SH	ES (QTY PER SH	lock	()
	Fits top pin	2	TW959	\$	Ea
	Fite bottom overing	1	412772	Ф	E2

COIL SPRINGS						
MIAAAA	0-300Kg load	1	TDC045	\$	Pr	
	0-300Kg load  CONSTANT 300Kg load	1	TDC047	\$	Pr	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top pin	2	TW959	\$	Ea	
	Fits bottom eyering	1	TW038-16	\$	Ea	



### GREAT WALL

2016-2020 EST. LIFT FRONT: 40MM | REAR: 40MM



## FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber 2 Ea Torsion Bar 1 Pr

CONTENT	DESCRIPTION	QTY	PART NO	RF	RP	
	FOAM CELL - SHO	OCŁ	ABSORBER			
	Up to 40mm Lift	2	FC42019B	\$	Ea	
FC42019B is to be used for all front applications						

REAR								
REAR SUSPENSION	REAR SUSPENSION CHECK LIST							
You need to order the following items	s for the rear end of your ve	hicle.						
	Shock Absorber	2	Ea					
	Leaf Springs	2	Ea					
	Leaf Spring Fitment Kit	1	Kt					

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
NITROGEN GAS - SHOCK ABSORBER							
۵	Up to 40mm Lift	2	BD1382T	\$ Ea			
	FOAM CEL	FOAM CELL - SHOCK ABSORBER					
	Up to 40mm Lift	2	FC41382	\$ Ea			
	40MM ADJUSTA	40MM ADJUSTABLE - SHOCK ABSORBER					
8	Up to 40mm Lift	2	BM401382	\$ Ea			

TORSION BARS						
-	30mm/1145mm	1	4WTB-1559	\$	Pr	
<b>Note:</b> Adjust torsion bars after fitting shocks - ensure an minimum of 60mm droop is maintained.						

LEAF SPRINGS						
مر یه	0-300Kg load	2	FS213	\$	Ea	
	CONSTANT 300Kg load	2	FS213H	\$	Ea	

LEAF SPRING FITMENT KIT							
	Urethane Shackle Bush Kit			TDUK-065			
$\cap$	U-Bolt Kit			TDUB-017			
***************************************	Greasable Shackle Kit	1	TDFK-006	TDGS-386	\$ K		
	Greasable Pin Kit			TDGP-668			
•	Handbrake Relocation Kit			TDSP-025			

REAR INDIVIDUAL COMPONENTS						
	Urethane Shackle Bush Kit	1	TDUK-065	\$	Kt	
$\bigcap$	U-Bolt Kit	2	TDUB-017	\$	Kt	
	Greasable Shackle Kit	1	TDGS-386	\$	Kt	
	Greasable Pin Kit	1	TDGP-668	\$	Kt	
• • •	Handbrake Relocation Kit	1	TDSP-025	\$	Kt	
Note: Must be fitted to al lift kits.						

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top pin	2	TW959	\$	Ea	
	Fits bottom eyering	1	412772	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits top & bottom eyering	2	404702	Ea	



### THIS PAGE IS INTENTIONALLY BLANK



## FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Assembled struts 2 Ea OR Struts 2 Ea Coil Springs 1 Pr Strut Top (Optional) 2 Ea

CONTENT	DESCRIPTION	QTY	PART NO	RR	Р				
ASSEMBLED STRUTS - FOAM CELL									
Assemble	Assembled struts are made up of: 1 x strut, 1 x coil 1 x strut top								
*	No Accessories	2	GWM-003	\$	Ea				
	With Bar / Bar & Winch	2	GWM-004	\$	Ea				
<b>*</b>	ASSEMBLED STRUTS - 40MM ADJUSTABLE								
•	Assembled struts are m	ade	up of: 1 x strut, 1 x coil 1	x strut	top				
8	No Accessories	2	GWM-001	\$	Ea				
	With Bar / Bar & Winch	2	GWM-002	\$	Ea				

STRUT-FOAM CELL						
I	Up to 50mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404931	\$	Ea	
I	STRUT - 40MM ADJUSTABLE					
	Up to 50mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404931	\$	Ea	

COIL SPRINGS					
MIAAAA	No accessories	1	TDC1047	\$	Pr
	with Bar or Bar & Winch	1	TDC1048	\$	Pr

REAR									
REAR SUSPENSIO	REAR SUSPENSION CHECK LIST								
You need to order the following items for the rear end of your vehicle.									
	Shock Absorber	2	Ea						
	Leaf Springs	2	Ea						
	Leaf Spring Fitment Kit (Based on leaf spring choice)	1	Kt						
	Bellows Airbags (Optional)	1	Kt						

CONTENT	DESCRIPTION	QTY	PART NO	RRP					
FOAM CELL - SHOCK ABSORBER									
Å	Up to 40mm Lift	2	FC43040	\$ Ea					
	40MM ADJUSTA	<b>AB</b> L	LE - SHOCK ABSO	RBER					
8	Up to 40mm Lift	2	BM403040	\$ Ea					

LEAF SPRINGS						
	0-300 kg load	2	T87C	\$	Ea	
	CONSTANT 300 kg load	2	T87L	\$	Ea	
	CONSTANT 500 kg load	2	T87LL	\$	Ea	

LEAF SPRING FITMENT KIT - FITS T87LL								
	Urethane Shackle bushes	1		TDUK-088				
$\bigcap$	U-Bolts	2		TDUB-039				
	Greaseable Shackles	1	TDFK-007	TDGS-390	\$ K	<b>&lt;</b> t		
	Greaseable Pins	1		TDGP-668				
•	Centre bearing kit	1		TDSP-027				





REAR								
CONTENT	DESCRIPTION	QTY	PAR'	PART NO			PART NO	
LEAF	LEAF SPRING FITMENT KIT - FITS T87C / L							
	Urethane Shackle bushes			TDUK-088				
$\bigcap$	U-Bolts			TDUB-040				
13 to 12 to	Greaseable Shackles	1	TDFK-008	TDGS-390	\$ Kt			
	Greaseable Pins			TDGP-668				
•	Centre bearing kit			TDSP-027				


AIR ASSIST - BELLOWS					
22	Bellows Bag Kit - OEM Height	1	TDAA-132	\$	Kt
	Bellows Bag Kit - 40mm Lift	1	TDAA-133	\$	Kt

FRONT INDIVIDUAL COMPONENTS						
<b>1</b>	Strut Top	2	GWM-4931	\$	Ea	

REAR IINDIVIDUAL COMPONENTS							
	Urethane Shackle Bush Kit	1	TDUK-088	\$	Kt		
$\cap$	U-Bolt Kit - T87C & T87L Only	2	TDUB-040	\$	Kt		
$\cap$	U-Bolt Kit - T87LL Only	2	TDUB-039	\$	Kt		
	Greasable Shackle Kit	1	TDGS-390	\$	Kt		
	Greasable Pin Kit	1	TDGP-668	\$	Kt		
•	Centre bearing kit	1	TDSP-027	\$	Ea		
<b>Note:</b> Must be fitted with all kits.							







REAR							
REAR SUSPENSION CHECK LIST							
You need to order the following items for the rear end of your vehicle.							
	Shock Absorber  Coil Spring	2	Ea				
iiss	Con Spring	•	1-1				

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
FOAM CELL - SHOCK ABSORBER								
8	Up to 40mm Lift	2	FC42019B	\$ Ea				
FC42019B is to be used for all front applications								

CONTENT	DESCRIPTION	QTY	PART NO	RRP	
FOAM	M CELL - SHOCK A	ABS	SORBER (EYE/EYE)		
	Up to 40mm Lift	2	FC41200	\$	Ea
2	FOAM CELL - S	НО	CK ABSORBER (P	IN/EYE	)
	Up to 40mm Lift	2	FC41201B	\$	Ea
	40MM ADJUSTA	ABI (E	_E - SHOCK ABSO YE/EYE)	RBER	
	Up to 40mm Lift	2	BM401200	\$	Ea
8	40MM ADJUSTA	ABI (F	LE - SHOCK ABSO PIN/EYE)	RBEF	2
	Up to 40mm Lift	2	BM401201	\$	Ea
Note: Check mounts before ordering for eye/eye or Pin/eye.					

TORSION BARS						
-	30mm/1145mm	1	4WTB-1559	\$	Pr	
<b>Note:</b> Adjust torsion bars after fitting shocks - ensure an minimum of 60mm droop is maintained.						


	COIL SPF	SIN	igs	
	0-300Kg load OE Height (10/95-99 Only)	1	TDC290	\$ Pr
	CONSTANT 300Kg load	1	TDC267	\$ Pr
	CONSTANT 300Kg load	1	TDC267H	\$ Pr

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top pin	2	TW959	\$	Ea	
	Fits bottom eyering	1	412772	\$	Ea	



### HOLDEN JACKAROO, ISUZU TROOPER UBS13, 16, 52, 52I 11/1981-1986 EST. LIFT FRONT: 45MM | REAR: 45MM





REAR							
REAR SUSPENSION CHECK LIST							
You need to order the following items for the rear end of your vehicle.							
	Shock Absorber	2	Ea				
0	Leaf Springs	2	Ea				
	Urethane shackle bush kit	1	Kt				
	U-Bolt kit	2	Kt				
<b>8 8</b> — <b>←</b> 1 1	Greaseable Pin kit	1	Kt				

CONTENT	DESCRIPTION	ΩTY	PART NO	RRP			
NITROGEN GAS - SHOCK ABSORBER							
	Up to 45mm Lift	2	BD2057T	\$ Ea			
	FOAM CELI	:	SHOCK ABSORBI	≣R			
8	Up to 45mm Lift	2	FC42057B	\$ Ea			
FC42057B is to be fitted to all applications where a Foam Cell or Adjustable shock is fitted to the rear.							

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
NITROGEN GAS - SHOCK ABSORBER								
	OE Height	2	BD1382T	\$ Ea				
	45mm Lift	2	BD1388T	\$ Ea				
	FOAM CELL - SHOCK ABSORBER							
	OE Height	2	FC41382	\$ Ea				
I	45mm Lift	2	FC41388	\$ Ea				
	40MM ADJUSTA	BL	E-SHOCK ABSO	RBER				
	OE Height	2	BM401382	\$ Ea				
	45mm Lift	2	BM401388	\$ Ea				

TORSION BARS						
	26mm/926mm	1	4WTB-1546	\$	Pr	
<b>Note:</b> Adjust torsion bars after fitting shocks - ensure an minimum of 60mm droop is maintained.						

LEAF SPRINGS							
مر به	0-300Kg load	2	FS113	\$	Ea		
	CONSTANT 300Kg load	2	FS113H	\$	Ea		

REAR INDIVIDUAL COMPONENTS						
	Urethane Shackle Bush Kit	1	TDUK-004	\$	Kt	
$\cap$	U-Bolt Kit	2	TDUB-006	\$	Kt	
······································	Greasable Pin Kit	1	TDGP-668	\$	Kt	


FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits top pin	2	TW959	\$	Ea
	Fits bottom eyering	1	412772	\$	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top & bottom eyering	2	404702	\$	Ea	



### HOLDEN JACKAROO, ISUZU TROOPER UBS16, 17, 52, 55 11/1986-1992 EST. LIFT FRONT: 45MM | REAR: 45MM





REAR							
REAR SUSPENSION	REAR SUSPENSION CHECK LIST						
You need to order the following items for the rear end of your vehicle.							
<b>&amp; &amp; o o</b>	Shock Absorber	2	Ea				
	Leaf Springs	2	Ea				
	Urethane shackle bush kit	1	Kt				
	U-Bolt kit	2	Kt				
8 8	Greaseable Pin kit	1	Kt				

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
NI	NITROGEN GAS - SHOCK ABSORBER							
	Up to 45mm Lift	2	BD2057T	\$	Ea			
	FOAM CEL	L - :	SHOCK ABSORBE	ΞR				
8	Up to 45mm Lift	2	FC42057B	\$	Ea			
FC42057B is to be fitted to all applications where a Foam Cell or Adjustable shock is fitted to the rear.								

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
NIT	NITROGEN GAS - SHOCK ABSORBER							
	OE Height	2	BD1105T	\$ Ea				
	45mm lift	2	BD1106TB	\$ Ea				
	FOAM CELL - SHOCK ABSORBER							
	OE Height	2	FC41105	\$ Ea				
I	45mm lift	2	FC41106	\$ Ea				
	40MM ADJUSTA	\BI	E - SHOCK ABSO	RBER				
	OE Height	2	BM401105	\$ Ea				
	45mm lift	2	BM401106	\$ Ea				

	TORSION BARS						
•	•	26mm / 997mm	1	4WTB-1548	\$	Pr	
	<b>Note:</b> Adjust torsion bars after fitting shocks - ensure an minimum of 60mm droop is maintained.						

	LEAF SPI	٦IN	IGS	
مر به	0-300Kg load	2	FS113	\$ Ea
	CONSTANT 300Kg load	2	FS113H	\$ Ea


REAR INDIVIDUAL COMPONENTS						
	Urethane Shackle Bush Kit	1	TDUK-004	\$	Kt	
$\bigcap$	U-Bolt Kit	2	TDUB-006	\$	Kt	
**************************************	Greasable Pin Kit	1	TDGP-668	\$	Kt	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top pin	2	TW959	\$	Ea	
	Fits bottom eyering	1	412772	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits bottom eyering	1	404702	\$	Ea	
	Fits top pin	2	TW959	\$	Ea	







REAR							
REAR SUSPENSIO	N CHECK LIST						
You need to order the following items for the rear end of your vehicle.							
ii ss	Shock Absorber	2	Ea				
	Coil Springs	1	Pr				

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
FOAM CELL - SHOCK ABSORBER								
	Up to 40mm Lift	2	FC42019B	\$ Ea				
FC	FC42019B is to be used for all front applications							

CONTENT	DESCRIPTION	QTY	PART NO	RRP	
F	FOAM CELL - SHO	CK	ABSORBER		
Å	Up to 40mm Lift	2	FC41200	\$ E	а
	40MM ADJUSTA	\BI	E - SHOCK ABSO	RBER	
8	Up to 40mm Lift	2	BM401200	\$ E	Еа

TORSION BARS						
	29.3mm/1220mm	1	4WTB-1549	\$	Pr	
Note: Adjust torsion bars after fitting shocks - ensure an minimum of 60mm droop is maintained.						

COIL SPRINGS - UBS 25, 69								
	0-300Kg load	1	TDC267	\$	Pr			
	CONSTANT 300Kg load	1	TDC267H	\$	Pr			
MILLAAA	CONSTANT 500Kg load	1	TDC267HH	\$	Pr			
	COIL SPRINGS	<b>3</b> - I	UBS 26, 73 WIDE E	BODY				
	0-300Kg load	1	TDC267H	\$	Pr			
	CONSTANT 300Kg load	1	TDC267HH	\$	Pr			

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)							
	Fits top pin	2	TW959	\$	Ea		
	Fits bottom eyering	1	412772	\$	Ea		

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits bottom eyering	1	415024	\$	Ea	





FRONT						
CONTENT	DESCRIPTION	QTY	PART NO	RRP		

REAR								
CONTENT	DESCRIPTION	QTY	PART NO	RR	P			
NI	NITROGEN GAS - SHOCK ABSORBER							
	OE Height	2	BD1382T	\$	Ea			
	40mm Lift	2	BD1388T	\$	Ea			
Å	FOAM CELL - SHOCK ABSORBER							
	OE Height	2	FC41382	\$	Ea			
I	40mm Lift	2	FC41388	\$	Ea			
	40MM ADJUSTA	\BI	E - SHOCK ABSC	RBE	R			
	OE Height	2	BM401382	\$	Ea			
	40mm Lift	2	BM401388	\$	Ea			

TORSION BARS						
	26mm / 927mm - 01/81-83 only	1	4WTB-1536	\$	Pr	
	26mm / 926mm - 83-88 only	1	4WTB-1546	\$	Pr	
Note: Adjust tor	Note: Adjust torsion bars after fitting shocks - ensure an minimum of 60mm droop is maintained.					

LEAF SPRINGS						
	0-300Kg load	2	FS113	\$	Ea	
	CONSTANT 300Kg load	2	FS113H	\$	Ea	
	CONSTANT 500Kg load	2	FS113HM	\$	Ea	

REAR INDIVIDUAL COMPONENTS							
	Urethane Shackle Bush Kit	1	TDUK-004	\$	Kt		
$\bigcap$	U-Bolt Kit	2	TDUB-006	\$	Kt		
	Greasable Shackle Kit	1	TDGS-386	\$	Kt		
<u>S</u>	Greasable Pin Kit	1	TDGP-668	\$	Kt		

REAR REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits top & bottom eyering	2	404702	\$	Ea




# FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber 2 Ea Torsion Bar 1 Pr

CONTENT	DESCRIPTION	QTY	PART NO	R	RP
NI	ROGEN GAS - S	HO	CK ABSORBER		
	Up to 40mm Lift	2	BD2057T	\$	Ea

	IUKSIUI	I D/	AKS				
	26mm / 997mm - 36mm Spline	1	4WTB-1548	\$	Pr		
_	27mm / 998mm - 33mm Spline	1	4WTB-1566	\$	Pr		
Check Spline and Diameter prior to ordering. Adjust torsion bars after fitting shocks - ensure an minimum of 60mm droop is maintained.							

BD2057T is to be used for all front applications

## REAR REAR SUSPENSION CHECK LIST You need to order the following items for the rear end of your vehicle. Shock Absorber 2 Ea



for the rear end of your venicle.						
Shock Absorber	2	Ea				
Leaf Springs	2	Ea				
Urethane shackle bush kit	1	Kt				
U-Bolt kit	2	Kt				
Greaseable Pin kit	1	Kt				
Greaseable Shackle kit	1	Kt				

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
NIT	NITROGEN GAS - SHOCK ABSORBER							
	OE Height	2	BD1382T	\$	Ea			
	40mm Lift	2	BD1388T	\$	Ea			
	FOAM CEL	L -:	SHOCK ABSORBE	₽R				
	OE Height	2	FC41382	\$	Ea			
	40mm Lift	2	FC41388	\$	Ea			
8	40MM ADJUSTA	ABI	E - SHOCK ABSO	RBER				
	OE Height	2	BM401382	\$	Ea			
	40mm Lift	2	BM401388	\$	Ea			

	LEAF SPI	RIN	IGS		
Check number of leaves - Rare Special Editions have heavier factory leaf packs					acks
	0-300Kg load	2	FS113	\$	Ea
	CONSTANT 300Kg load	2	FS113H	\$	Ea
_	CONSTANT 500Kg load	2	FS113HM	\$	Ea

REAR INDIVIDUAL COMPONENTS						
	Urethane Shackle Bush Kit	1	TDUK-065	\$	Kt	
$\cap$	U-Bolt Kit	2	TDUB-005	\$	Kt	
	Greasable Shackle Kit	1	TDGS-386	\$	Kt	
	Greasable Pin Kit	1	TDGP-668	\$	Kt	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)							
	Fits top pin	2	TW959	\$	Ea		
	Fits bottom eyering	1	412772	\$	Ea		

REAR REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits top & bottom eyering	2	404702	\$	Ea





## FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber 2 Ea Torsion Bar 1 Pr

REAR								
REAR SUSPENSION	REAR SUSPENSION CHECK LIST							
You need to order the following items	You need to order the following items for the rear end of your vehicle.							
	Shock Absorber	2	Ea					
	Leaf Springs	2	Ea					
	Leaf Spring Fitment Kit	1	Kt					
	Bellows Air Bags (Optional)	1	Kt					

CONTENT	DESCRIPTION	QTY	PART NO	RRP					
FOAM CELL - SHOCK ABSORBER									
	Up to 45mm Lift	2	FC42019B	\$ Ea					
FC42019B is to	FC42019B is to be fitted to all applications where a Foam Cell or Adjustable shock is fitted to the rear.								

CONTENT	DESCRIPTION	QTY	PART NO	RRF	•			
NIT	NITROGEN GAS - SHOCK ABSORBER							
	OE Height	2	BD1382T	\$	Ea			
	45mm Lift	2	BD1388T	\$	Ea			
ľ	FOAM CEL	L - \$	SHOCK ABSORB	ER				
	OE Height	2	FC41382	\$	Ea			
	45mm Lift	2	FC41388	\$	Ea			
	40MM ADJUSTA	ABL	E-SHOCK ABSO	RBE	र			
	OE HEight	2	BM401382	\$	Ea			
	45mm Lift	2	BM401388	\$	Ea			

TORSION BARS						
	30mm/1145mm	1	4WTB-1559	\$	Pr	
<b>Note:</b> Adjust torsion bars after fitting shocks - ensure an minimum of 60mm droop is maintained.						

LEAF SPRINGS						
مر به	0-300Kg load	2	FS213	\$	Ea	
	CONSTANT 300Kg load	2	FS213H	\$	Ea	

AIR ASSIST - BELLOWS						
	Bellows Bag kit - 45mm lift	1	TDAA-103	\$	Kt	

LEAF SPRING FITMENT KIT							
	Urethane Shackle Bush Kit			TDUK-065			
$\cap$	U-Bolt Kit	,	TDEK 00E	TDUB-039	Φ 1/4		
	Greasable Shackle Kit	1	TDFK-005	TDGS-386	\$ Kt		
	Greasable Pin Kit			TDGP-668			







REAR								
CONTENT	DESCRIPTION	QTY	PART NO R					
REAR INDIVIDUAL COMPONENTS								
	Urethane Shackle Bush Kit	1	TDUK-065	\$ K	<b>&lt;</b> t			
$\cap$	U-Bolt Kit	2	TDUB-039	\$ K	<t< th=""></t<>			
	Greasable Shackle Kit	1	TDGS-386	\$ K	<b>&lt;</b> t			
••••••••••••••••••••••••••••••••••••••	Greasable Pin Kit	1	TDGP-668	\$ K	<b>&lt;</b> t			

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top pin	2	TW959	\$	Ea	
	Fits bottom eyering	1	412772	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top & bottom eyering	2	404702	\$	Ea	





## FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Assembled struts 2 Ea OR Struts 2 Ea Coil Springs 1 Pr Strut Top (Optional) 2 Ea

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
ASSEMBLED STRUTS - FOAM CELL								
Assemble	ed struts are made up of	1 x	strut, 1 x coil 1 x strut to	ор				
	Up to Steel Bar	2	HOL-003	\$	Ea			
*	With Steel Bar & Winch	2	HOL-004	\$	Ea			
<b>**</b>	ASSEMBLED ST	RU	TS - 40MM ADJUS	STA	BLE			
•	Assembled struts are made up of: 1 x strut, 1 x coil 1 x strut top							
8	Up to Steel Bar	2	HOL-001	\$	Ea			
	With Steel Bar & Winch	2	HOL-002	\$	Ea			
	STRUT - FO	ΑN	CELL					
İ	Up to 40mm Lift - Strut Only/ No Coil/ No Strut Top	2	FC404200		Ea			
I	STRUT - 4	40I	MM ADJUSTABLE					
	Up to 40mm Lift - Strut Only/ No Coil/ No Strut Top	2	BM404200	\$	Ea			

REAR								
REAR SUSPENSION CHECK LIST								
You need to order the following items for the rear end of your vehicle.								
	Shock Absorber	2	Ea					
	Leaf Springs	2	Ea					
	Leaf Spring Fitment kit	1	Kt					
▎▐▐▋█▔█⋂┅┿	Bellows Airbags (Optional)	1	Kt					
88								

CONTENT	DESCRIPTION	QTY	PART NO	RRP		
NIT	ROGEN GAS - SH	100	CK ABSORBER			
	Up to 40mm Lift	2	BD1382T	\$ Ea		
<u> </u>	FOAM CELL - SHOCK ABSORBER					
	Up to 40mm Lift	2	FC41382	\$ Ea		
8	40MM ADJUSTA	\Bl	LE - SHOCK ABSO	RBER		
	Up to 40mm Lift	2	BM401382	\$ Ea		

	COIL SPI	RIN	igs	
MILLAAAA	Up to Steel Bar - 40mm lift	1	TDC270	\$ Pr
	With Steel Bar & Winch - 40mm lift	1	TDC974	\$ Pr

LEAF SPI	RIN	IGS	
0-300 kg load	2	FS214C	\$ Ea
CONSTANT 300Kg load	2	FS214L	\$ Ea
CONSTANT 500Kg load	2	FS214LL	\$ Ea

LEAF SPRING FITMENT KIT								
	Urethane Shackle bushes			TDUK-071				
$\cap$	U-Bolts		TDFK-009	TDUB-016	\$ Kt			
	Greaseable Shackles		1DFK-003	TDGS-391	\$ Kt			
	Greaseable Pins			TDGP-668				







REAR  CONTENT DESCRIPTION ☐ PART NO RRP									
CONTENT	RRP								
	AIR ASSIST - BELLOWS								
22	Bellows Bag Kit - OEM Height	1	TDAA-118	\$ Kt					
	Bellows Bag Kit - 40mm Lift	1	TDAA-104	\$ Kt					

FRONT INDIVIDUAL COMPONENTS							
Ŧ.O	Strut Top	2	ISU-4929	\$	Ea		

REAR INDIVIDUAL COMPONENTS								
	Urethane Shackle Bush Kit	1	TDUK-071	\$	Kt			
$\cap$	U-Blt Kit	2	TDUB-016	\$	Kt			
	Greasable Shackle Kit	1	TDGS-391	\$	Kt			
	Greasable Pin Kit	1	TDGP-668	\$	Kt			

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)								
	Fits bottom eyering	1	ADJ300/40A	\$	Ea			

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top & bottom eyering	2	404702	\$	Ea	



### MMU142, GH1700




### **FRONT** FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. 2 Ea Assembled struts OR Struts 2 Ea Coil Springs Pr Strut Top (Optional) 2 Ea

CONTENT	DESCRIPTION	QTY	PART NO	RRP						
ASSEMBLED STRUTS - FOAM CELL										
Assemble	Assembled struts are made up of: 1 x strut, 1 x coil 1 x strut top									
	Up to Steel Bar	2	HOL-003	\$	Ea					
<b></b>	With Steel Bar & Winch	2	HOL-004	\$	Ea					
<b>\$</b>	ASSEMBLED ST	RU	TS - 40MM ADJUS	STA	BLE					
	Assembled struts are made up of: 1 x strut, 1 x coil 1 x strut top									
Ţ	Up to Steel Bar	2	HOL-001	\$	Ea					
	With Steel Bar & Winch	2	HOL-002	\$	Ea					
	STRUT - FO	ΑN	CELL							
I	Up to 40mm Lift - Strut Only/ No Coil/ No Strut Top	2	FC404200	\$	Ea					
I	STRUT - 4	40I	MM ADJUSTABLE							
Ţ	Up to 40mm Lift - Strut Only/ No Coil/ No Strut Top	2	BM404200	\$	Ea					

			outer top (optional)					
CONTENT	DESCRIPTION	QTY	PART NO	RI	RP			
А	SSEMBLED STRU	TS	- FOAM CELL					
Assembled struts are made up of: 1 x strut, 1 x coil 1 x strut top								
	Up to Steel Bar	2	HOL-003	\$	Ea			
<u>نف</u>	With Steel Bar & Winch	2	HOL-004	\$	Ea			
•	ASSEMBLED ST	RU	TS - 40MM ADJUS	TAE	LE			
•	Assembled struts are m	nade	up of: 1 x strut, 1 x coil 1	x strut	top			
Ţ	Up to Steel Bar	2	HOL-001	\$	Ea			
	With Steel Bar & Winch	2	HOL-002	\$	Ea			
	STRUT - FO	ΑM	CELL					
I	Up to 40mm Lift - Strut Only/ No Coil/ No Strut	2	FC404200	\$	Ea			

	COIL SP	RIN	IGS	
MIAAAA	Up to Steel Bar - 40mm lift	1	TDC270	\$ Pr
	With Steel Bar & Winch - 40mm lift	1	TDC974	\$ Pr



CONTENT	DESCRIPTION	QTY	PART NO	RRP				
NITROGEN GAS - SHOCK ABSORBER								
	Up to 40mm Lift	2	BD1382T	\$ Ea				
	FOAM CEL	<u>_</u> -:	SHOCK ABSORBE	R				
	Up to 40mm Lift	2	FC41382	\$ Ea				
8	40MM ADJUSTA	λBI	LE - SHOCK ABSO	RBER				
	Up to 40mm Lift	2	BM401382	\$ Ea				

	LEAF SPRINGS							
		0-300 kg load	2	FS214C	\$	Ea		
٩		CONSTANT 300Kg load	2	FS214L	\$	Ea		
		CONSTANT 500Kg load	2	FS214LL	\$	Ea		

LEAF SPRING FITMENT KIT										
	Urethane Shackle bushes			TDUK-071						
$\cap$	U-Bolts			TDUB-016						
	Greaseable Shackles	1	TDFK-010	TDGS-391	\$ I	Kt				
	Greaseable Pins			TDGP-668						
	Hand Brake Bracket			TDSK-021						



## HOLDEN COLORADO RG MMU142, GH1700 06/2016 EST. LIFT FRONT: 40MM | REAR: 40MM





REAR									
CONTENT DESCRIPTION E PART NO RRP									
	AIR ASSIST - BELLOWS								
22	Bellows Bag Kit - OEM Height	1	TDAA-118	\$	Kt				
	Bellows Bag Kit - 40mm Lift	1	TDAA-104	\$	Kt				

FRONT INDIVIDUAL COMPONENTS						
<b>4</b> 0	Strut Top	2	ISU-4929	\$	Ea	


F	REAR INDIVIDUAL COMPONENTS							
	Urethane Shackle Bush Kit	1	TDUK-071	\$	Kt			
$\cap$	U-Bolt Kit	2	TDUB-016	\$	Kt			
T	Greasable Shackle Kit	1	TDGS-391	\$	Kt			
**************************************	Greasable Pin Kit	1	TDGP-668	\$	Kt			
	Handbrake relocation bracket - required for MY17 (06/16) On	1	TDSK-021	\$	Ea			

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits bottom eyering	1	ADJ300/40A	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)							
	Fits top & bottom eyering	2	404702	\$	Ea		







CONTENT	DESCRIPTION	QΤΥ	PART NO	F	RRP			
ASSEMBLED STRUTS - FOAM CELL								
Assemble	ed struts are made up of:	1 x	strut, 1 x coil 1 x strut to	ор				
*	Up to Steel Bar	2	HOL-003	\$	Ea			
	With Steel Bar & Winch	2	HOL-004	\$	Ea			
3	ASSEMBLED ST	RU	TS - 40MM ADJUS	STA	BLE			
•	Assembled struts are made up of: 1 x strut, 1 x coil 1 x strut top							
8	Up to Steel Bar	2	HOL-001	\$	Ea			
	With Steel Bar & Winch	2	HOL-002	\$	Ea			
	STRUT - FO	ΔM	CELL					
i	Up to 40mm Lift - Strut Only/ No Coil/ No Strut Top	2	FC404200	\$	Ea			
I	STRUT - 4	40N	MM ADJUSTABLE					
	Up to 40mm Lift - Strut Only/ No Coil/ No Strut Top	2	BM404200	\$	Ea			

REAR								
REAR SUSPENSION CHECK LIST								
You need to order the following items for the rear end of your vehicle.								
<b>الْ الْ الْ الْ الْ الْ الْ الْ الْ الْ </b>	Shock Absorber	2	Ea					
∥≸≸	Coil Springs	1	Pr					
You need to order the following items	Coil Insert Airbags (Optional)	1	Kt					

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
NIT	ROGEN GAS - SH	100	CK ABSORBER				
	Up to 40mm Lift	2	BD1125T	\$ Ea			
<u> </u>	FOAM CELL - SHOCK ABSORBER						
	Up to 40mm Lift	2	FC41125	\$ Ea			
8	40MM ADJUSTA	\BI	LE - SHOCK ABSO	RBER			
	Up to 40mm Lift	2	BM401125	\$ Ea			

	COIL SP	RIN	IGS	
MIAAAA	Up to Steel bar	1	TDC270	\$ Pr
	With Steel Bar & Winch	1	TDC974	\$ Pr

COIL SPRINGS					
	0-300Kg load	1	TDC271	\$	Pr
	CONSTANT 300Kg load	1	TDC271H	\$	Pr


AIR ASSIST - COIL INSERT						
	Coil Insert bag - OEM Height	1	TDAA-013	\$	Kt	
	Coil Insert bag - 40mm lift	1	TDAA-005	\$	Kt	

FRONT INDIVIDUAL COMPONENTS					
<b>-1</b> -0	Strut Top	2	ISU-4929	\$	Ea

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
Ť	Fits bottom eyering	1	ADJ300/40A	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits top pin	2	TW959	\$	Ea
	Fits bottom eyering	1	TW040-14	\$	Ea





	REA	R			
	REAR SUSPENSION	N (	CHECK LIST		
You need to or	rder the following item	s fo	r the rear end of your v	ehic	le.
	<b>\$\$</b>		Shock Absorber	2	2 Ea
			Coil Springs	1	Pr
CONTENT	DESCRIPTION	QTY	PART NO	R	RP
ŀ	OAM CELL - SHO	CK	ABSORBER		
۵	OE Height	2	FC41120B	\$	Ea
	45mm Lift	2	FC41121B	\$	Ea
•	40MM ADJUSTA	BL	E - SHOCK ABSO	RBI	ER
	OE Height	2	BM401120	\$	Ea
8	45mm Lift	2	BM401121	\$	Ea

	TORSION	В	ARS							
	27.5mm/1275mm	1	4WTB-1725	\$	Pr					
<b>Note:</b> Adjust tor	Note: Adjust torsion bars after fitting shocks - ensure an minimum of 60mm droop is maintained.									


COIL SPRINGS					
MILLAAA	0-300Kg load	1	TDC680	\$	Pr
	0-300Kg load  CONSTANT 300Kg load	1	TDC632SL	\$	Pr

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)								
	Fits top pin	2	402267	\$	Ea			
	Fits bottom eyering	1	412773	\$	Ea			

REAR REPLACEMENT BUSHES (QTY PER SHOCK)								
	Fits top pin	2	402267	\$	Ea			
	Fits bottom eyering	1	ADJ00191	\$	Ea			







REAR									
REAR SUSPENSIO	N CHECK LIST								
You need to order the following items	You need to order the following items for the rear end of your vehicle.								
	Shock Absorber	2	Ea						
	Leaf Springs	2	Ea						
	Leaf Spring Fitment kit	1	Kt						
	Bellows Airbags (Optional)	1	Kt						

CONTENT	DESCRIPTION	QTY	PART NO	RRP					
F	FOAM CELL - SHO	Ck	ABSORBER						
	Up to 45mm Lift	2	FC42019B	\$ Ea					
FC42019B is to	FC42019B is to be fitted to all applications where a Foam Cell or Adjustable shock is fitted to the rear.								

CONTENT	DESCRIPTION	QTY	PART NO	RRP					
NIT	NITROGEN GAS - SHOCK ABSORBER								
	OE Height	2	BD1382T	\$ E	а				
_	45mm Lift	2	BD1388T	\$ E	а				
Å	FOAM CEL	FOAM CELL - SHOCK ABSORBER							
	OE Height	2	FC41382	\$ E	Ēa				
	45mm Lift	2	FC41388	\$ E	а				
	40MM ADJUSTA	ABI	E - SHOCK ABSC	RBER					
O	OE Height	2	BM401382	\$ E	а				
	45mm Lift	2	BM401388	\$ E	а				

TORSION BARS								
-	30mm/1145mm	1	4WTB-1559	\$	Pr			
Note: Adjust torsion bars after fitting shocks - ensure an minimum of 60mm droop is maintained.								

LEAF SPRINGS							
مر به	0-300Kg load	2	FS213	\$	Ea		
	CONSTANT 300Kg load	2	FS213H	\$	Ea		

LEAF SPRING FITMENT KIT									
	Urethane Shackle Bush Kit		TDUB	TDUK-065					
$\cap$	U-Bolt Kit	1		TDUB-039	Φ 1/4				
$\Box$	Greasable Shackle Kit	1	TDFK-005	TDGS-386	\$ Kt				
	Greasable Pin Kit			TDGP-668					

AIR ASSIST - BELLOWS								
	Bellows Bag Kit - 45mm Lift	1	TDAA-103	\$	Kt			







REAR							
CONTENT	DESCRIPTION	QTY	PART NO	RRP			
REAR INDIVIDUAL COMPONENTS							
	Urethane Shackle Bush Kit	1	TDUK-065	\$ Kt			
$\cap$	U-Bolt Kit	2	TDUB-039	\$ Kt			
	Greasable Shackle Kit	1	TDGS-386	\$ Kt			
	Greasable Pin Kit	1	TDGP-668	\$ Kt			

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top pin	2	TW959	\$	Ea	
	Fits bottom eyering	1	412772	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top & bottom eyering	2	404702	\$	Ea	



## D-MAX MY12 05/2012-04/2016 & 4/2016-8/2020



# FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Assembled struts 2 Ea OR Struts 2 Ea Coil Springs 1 Pr Strut Top (Optional) 2 Ea

CONTENT	DESCRIPTION	QTY	PART NO	F	RRP			
ASSEMBLED STRUTS - FOAM CELL								
Assemble	ed struts are made up of	1 x	strut, 1 x coil 1 x strut t	ор				
	Pertol / Diesel Alloy Bar	2	HOL-003	\$	Ea			
	Pertol / Diesel Steel Bar	2	HOL-004	\$	Ea			
*	Pertol / Diesel Steel Bar & Winch	2	HOL-006	\$	Ea			
₹	ASSEMBLED ST	RU	TS - 40MM ADJUS	STA	BLE			
•	Assembled struts are made up of: 1 x strut, 1 x coil 1 x strut top							
Ţ	Petrol / Diesel Up to Alloy Bar	2	HOL-001	\$	Ea			
	Petrol / Diesel Steel Bar	2	HOL-002	\$	Ea			
	Pertol / Diesel Steel Bar & Winch	2	HOL-005	\$	Ea			
	STRUT - FO	ΑM	CELL					
Ī	Up to 40mm Lift - Strut Only/ No Coil/ No Strut Top	2	FC404200	\$	Ea			
I	STRUT -	40N	MM ADJUSTABLE					
Ţ	Up to 40mm Lift - Strut Only/ No Coil/ No Strut Top	2	BM404200	\$	Ea			

REAR							
REAR SUSPENSION CHECK LIST							
You need to order the following items for the rear end of your vehicle.							
	Shock Absorber	2	Ea				
	Leaf Springs	2	Ea				
	Leaf Spring fitment kit (Based on leaf spring choice)	1	Kt				
▋▋▋█▔▔⋂╼┅┿	Bellows Airbags (Optional)	1	Kt				
<b>▼</b>							

CONTENT	DESCRIPTION	QTY	PART NO	RRP		
NITROGEN GAS - SHOCK ABSORBER						
	Up to 40mm lift	2	BD1382T	\$ Ea		
	FOAM CELL - SHOCK ABSORBER					
	Up to 40mm Lift	2	FC41382	\$ Ea		
Ī	Super Soft Ride	2	FC43032	\$ Ea		
	40MM ADJUSTA	AΒΙ	LE - SHOCK ABSO	RBER		
	Up to 40mm Lift	2	BM401382	\$ Ea		

COIL SPRINGS					
	No Accessories 40mm lift	1	TDC270	\$	Pr
	Steel Bar 40mm lift	1	TDC974	\$	Pr
	Steel Bar / Bar & winch 40mm lift	1	TDC974H	\$	Pr

LEAF SPI	RIN	IGS	
0-300kg load	2	FS214C	\$ Ea
CONSTANT 300kg load	2	FS214L	\$ Ea
CONSTANT 500kg load	2	FS214LL	\$ Ea





FRONT							
CONTENT	DESCRIPTION	ΩTY	PART NO	RRP			

REAR						
CONTENT	DESCRIPTION	QTY	PAR <sup>*</sup>	Г NO	RRP	
LEAF SPF	RING FITMENT KIT	ī - I	FITS 04/20	016 TO 8/2	2020	
	Urethane Shackle bushes	1		TDUK-071		
$\cap$	U-Bolts		TDFK-009	TDUB-016	\$ Kt	
	Greaseable Shackles		1 D1 K-003	TDGS-391	ψ Kt	
	Greaseable Pins			TDGP-668		
LEAF SP	RING FITMENT KI	Γ- F	ITS 05/20	12 TO 4/2	2016	
	Urethane Shackle bushes			TDUK-071		
$\cap$	U-Bolts			TDUB-016		
	Greaseable Shackles	1	TDFK-010	TDGS-391	\$ Kt	
	Greaseable Pins			TDGP-668		
	Handbrake Relocation Kit			TDSK-021		

AIR ASSIST - BELLOWS						
22	Bellows Bag Kit - OEM Height	1	TDAA-118	\$	Kt	
	Bellows Bag Kit - 40mm Lift	1	TDAA-104	\$	Kt	

FRONT INDIVIDUAL COMPONENTS						
<b>1</b>	Strut Top	2	ISU-4929	\$	Ea	

REAR INDIVIDUAL COMPONENTS							
	Urethane Shackle Bush Kit	1	TDUK-071	\$	Kt		
$\cap$	U-Bolt Kit	2	TDUB-016	\$	Kt		
	Greasable Shackle Kit	1	TDGS-391	\$	Kt		
	Greasable Pin Kit	1	TDGP-668	\$	Kt		
	Handbrake relocation bracket	1	TDSK-021	\$	Ea		
Note: TDSK-021 Must be fitted to all Kits from 05/2012 to 04/2016. For 4/2016 to 08/2020 Not required.							

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)							
Ì	Fits bottom eyering	1	ADJ300/40A	\$	Ea		

REAR REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits top & bottom eyering	2	404702	\$	Ea
	Fits top & bottom eyering #3032 Super soft only	2	TW038-16	\$	Ea



### **FRONT** FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Ea Assembled struts OR 2 Struts Ea Coil Springs Pr 1 Strut Top (Optional) 2 Ea

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
ASSEMBLED STRUTS - FOAM CELL								
Assemble	ed struts are made up of	1 x	strut, 1 x coil 1 x strut to	ор				
	No Accessories - 40mm lift	2	ISU-003	\$	Ea			
	Steel Bar / Bar & winch - 40mm lift	2	ISU-004	\$	Ea			
<b>*</b>	ASSEMBLED ST	RU	ITS - 40MM ADJUS	STA	BLE			
•	Assembled struts are m	ade	up of: 1 x strut, 1 x coil 1	x str	ut top			
8	No Accessories - 40mm lift	2	ISU-001	\$	Ea			
	Steel Bar / Bar & winch - 40mm lift	2	ISU-002		Ea			
	STRUT - FO	ΑN	CELL					
Ī	Up to 40mm Lift - Strut Only/ No Coil/ No Strut Top	2	FC404929		Ea			
I	STRUT - 4	40I	MM ADJUSTABLE					
Ţ	Up to 40mm Lift - Strut Only/ No Coil/ No Strut Top	2	BM404929	\$	Ea			

	OCEMBLED CERL		EQAM OF L				
ASSEMBLED STRUTS - FOAM CELL							
Assemble	Assembled struts are made up of: 1 x strut, 1 x coil 1 x strut top						
*	No Accessories - 40mm lift	2	ISU-003	\$	Ea		
	Steel Bar / Bar & winch - 40mm lift	2	ISU-004	\$	Ea		
<b>3</b>	ASSEMBLED ST	RU	TS - 40MM ADJUS	TAE	BLE		
#	Assembled struts are m	ade	up of: 1 x strut, 1 x coil 1	x stru	t top		
8	No Accessories - 40mm lift	2	ISU-001	\$	Ea		
	Steel Bar / Bar & winch - 40mm lift	2	ISU-002	\$	Ea		
	STRUT - FO	ΔN	CELL				
I	Up to 40mm Lift - Strut Only/ No Coil/ No Strut Top	2	FC404929	\$	Ea		
1	STRUT -	40I	MM ADJUSTABLE				
Ţ	Up to 40mm Lift - Strut Only/ No Coil/ No Strut Top	2	BM404929	\$	Ea		

	COIL SP	RIN	IGS	
MILLAAA	No Accessories - 40mm lift	1	TDC974	\$ Pr
	Bar/ Winch	1	TDC974H	\$ Pr



REAR							
REAR SUSPENSION CHECK LIST							
You need to order the following items for the rear end of your vehicle.							
	Shock Absorber	2	Ea				
	Leaf Springs	2	Ea				
	Leaf Spring fitment kit	1	Kt				
▎▐▐▐▆▔▔⋂▃▃	Bellows Airbags (Optional)	1	Kt				

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
FOAM CELL - SHOCK ABSORBER								
٥	Up to 40mm lift	2	FC43035	\$ Ea				
	40MM ADJUSTA	ABI	LE - SHOCK ABSO	RBER				
8	Up to 40mm lift	2	BM403035	\$ Ea				

LEAF SPI	RIN	IGS	
0-300kg load	2	FS215C	\$ Ea
CONSTANT 300Kg load	2	FS214L	\$ Ea
CONSTANT 500Kg load	2	FS214LL	\$ Ea

LEAF SPRING FITMENT KIT - FITS FS215C								
	Urethane Shackle bushes	1 -		TDUK-085				
$\cap$	U-Bolts			TDUB-016	Φ 14			
	Greaseable Shackles		1   1	1 <b>TDFK-011</b>	TDGS-902	\$ K	(t	
••••8 <b>•••</b>	Greaseable Pins			TDGP-668				





FRONT						
CONTENT	DESCRIPTION	ΩTY	PART NO	RRP		

REAR								
CONTENT	DESCRIPTION	۵T	PAR <sup>*</sup>	T NO	RRP			
LEAF S	LEAF SPRING FITMENT KIT - FITS FS214L & LL							
	Urethane Shackle bushes			TDUK-085				
$\cap$	U-Bolts			TDUB-016				
	Greaseable Shackles	1	TDFK-012	TDGS-902	\$ Kt			
<u>©</u>	Greaseable Pins			TDGP-668				
	Handbrake Relocation Kit			TDSK-021				

AIR ASSIST - BELLOWS						
22	Bellows bag kit - 40mm lift	1	TDAA-131	\$	Kt	
	Bellows bag kit - OEM height	1	TDAA-130	\$	Kt	

FRONT INDIVIDUAL COMPONENTS						
Tro	Strut Top	2	ISU-4929	\$	Ea	

REAR INDIVIDUAL COMPONENTS						
	Urethane Shackle Bush Kit	1	TDUK-085	\$	Kt	
$\cap$	U-Bolt Kit	2	TDUB-016	\$	Kt	
	Greasable Shackle Kit	1	TDGS-391	\$	Kt	
**************************************	Greasable Pin Kit	1	TDGP-668	\$	Kt	
	Handbrake relocation bracket	1	TDSK-021	\$	Ea	
Fits only with L/LL Springs.						

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					
Î	Fits bottom eyering	1	ADJ300/40A	\$	Ea

Fits top & bottom eyering 2 TW038-16 \$ Ea	REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
		· ·	2	TW038-16	\$	Ea	





## TOUGH DOG GVM UPGRADE CAN ONLY BE ORDERED THROUGH A TOUGH DOG APPROVED GVM DEALER

## **GVM SUSPENSION UPGRADE KIT - VTA - 051585**

PRE F	PPROVAL	-							
CONTENT	DESCRIPTION	PART	RRP						
4X2, 4X4 SINGLE, SPACE CAB-SX, LS-U									
OEM			ISU-003						
GVM	FRONT ALL APPLICATIONS		FC43037						
			FS215XHD						
		TDGVM-027	TDUK-085	\$ Kt					
3695KG TOUGH DOG GVM	REAR CONSTANT	I DG V IVI-UZ1	TDGP-668	\$ Kt					
			TDGS-902						
	400kg Minimum Load		TDUB-016						
	Minimum Load		TDFI-023						

POST REGISTRATION - STATE APPROVAL									
CONTENT	DESCRIPTION	PART	RRP						
4X2, 4X4 SINGLE, SPACE CAB-SX, LS-U									
OEM			ISU-003						
GVM 3000KG	FRONT ALL APPLICATIONS		FC43037						
TO 3100KG			FS215XHD						
		TDGVM-028	TDUK-085	\$ Kt					
3695KG TOUGH DOG GVM	REAR CONSTANT 400kg Minimum Load	I DG V IVI-UZO	TDGP-668	\$ Kt					
			TDGS-902						
			TDUB-016						
			TDFI-024						





## TOUGH DOG GVM UPGRADE CAN ONLY BE ORDERED THROUGH A TOUGH DOG APPROVED GVM DEALER

## **GVM SUSPENSION UPGRADE KIT - VTA - 051585**

PRE F	REGISTRATION - F	EDERAL AF	PROVAL	.			
CONTENT	DESCRIPTION	PART	RRP				
4X2, 4X4 DUAL CAB-SX, LS-M,LS-U, X-TERRAIN							
OEM		ISU-003					
GVM 3000KG	FRONT ALL APPLICATIONS		FC43037				
TO 3100KG			FS215XHD				
		TD 0\/44 000	TDUK-085	ф 1/4			
3695KG TOUGH DOG GVM	REAR CONSTANT	TDGVM-029	TDGP-668	\$ Kt			
			TDGS-902				
	300kg Minimum Load		TDUB-016				
	Winimum Load		TDFI-025				

POST REGISTRATION - STATE APPROVAL								
CONTENT	DESCRIPTION	PART	RRP					
4X2, 4X4 DUAL CAB-SX, LS-M,LS-U, X-TERRAIN								
OEM			ISU-003					
GVM 3000KG	FRONT		FC43037					
TO	ALL APPLICATIONS		FS215XHD					
3100KG		TDGVM-030	TDUK-085	\$ Kt				
	REAR CONSTANT 300kg Minimum Load	1 DG V IVI-030	TDGP-668	\$ Kt				
3695KG TOUGH DOG GVM			TDGS-902					
			TDUB-016					
			TDFI-026					



08/2014-07/2021 EST. LIFT FRONT: 40MM | REAR: 40MM



## **FRONT** FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Assembled struts Ea OR Struts 2 Ea

<b>ŦŦ</b>	<b>##</b>		Coil Springs	1	Pr			
8 8	1100		Strut Top (Optional)	2	Ea			
CONTENT	DESCRIPTION	QTY	PART NO	RR	Р			
ASSEMBLED STRUTS - FOAM CELL								
Assembl	ed struts are made up of	: 1 x	strut, 1 x coil 1 x strut to	р				
	No Bar or Alloy Bar	2	HOL-003	\$	Ea			
	Steel bar	2	HOL-004	\$	Ea			
	Steel bar or Bar & Winch	2	HOL-006	\$	Ea			
	ASSEMBLED STRUTS - 40MM ADJUSTABLE							
\$	Assembled struts are n	nade	up of: 1 x strut, 1 x coil 1 >	k strut t	юр			
	No Bar or Alloy Bar	2	HOL-001	\$	Ea			
	Steel bar	2	HOL-002	\$	Ea			
	Steel bar or Bar & Winch	2	HOL-005	\$	Ea			

FC404200

BM404200

Ea

Ea

\$

COIL SPRINGS					
	No Bar or Alloy Bar	1	TDC270	\$	Pr
	Steel bar	1	TDC974	\$	Pr
	Steel bar or Bar & Winch	1	TDC974H	\$	Pr

**STRUT-FOAM CELL** 

2

2

**STRUT - 40MM ADJUSTABLE** 

Up to 40mm Lift -Strut Only / No Coil / No Strut Top

Up to 40mm Lift -Strut Only / No Coil / No Strut Top

REAR							
REAR SUSPENSION CHECK LIST							
You need to order the following items for the rear end of your vehicle.							
ii 33	Shock Absorber	2	Ea				
	Coil Springs	1	Pr				
	Coil Insert Airbags (Optional)	1	Kt				

CONTENT	DESCRIPTION	QTY	PART NO	RRP		
NIT	ROGEN GAS - SH	100	CK ABSORBER			
	Up to 40mm lift	2	BD1125T	\$ Ea		
FOAM CELL - SHOCK ABSORBER						
	Up to 40mm lift	2	FC41125	\$ Ea		
ŏ	40MM ADJUSTA	\BI	E - SHOCK ABSO	RBER		
	Up to 40mm lift	2	BM401125	\$ Ea		

COIL SPRINGS						
	0-300kg load	1	TDC272	\$	Pr	
	CONSTANT 300kg load	1	TDC272H	\$	Pr	

AIR ASSIST - COIL INSERT						
	Coil insert bag - 40mm lift	1	TDAA-005	\$	Kt	
	Coil insert bag - OEM height	1	TDAA-013	\$	Kt	



## ISUZU MU-X





FRONT							
CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP			
FRONT INDIVIDUAL COMPONENTS							
	Strut Top	2	ISU-4929	\$	Ea		


REAR						
CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP		
CONTENT	DESCRIPTION	ğ	PART NO	RRI		

FRONT RE	EPLACEMENT BUSHI	ES (	QTY PER SH	оск)
	Fits bottom eyering	1	ADJ300/40A	\$ Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top pin	2	TW959	\$	Ea	
	Fits bottom eyering	1	TW040-14	\$	Ea	







REAR						
REAR SUSPENSION CHECK LIST						
You need to order the following items	s for the rear end of your ve	hicle.				
ii 33	Shock Absorber	2	Ea			
	Coil Springs	1	Pr			
	Coil Insert Airbags (Optional)	1	Kt			

CONTENT	DESCRIPTION	QTY	PART NO		RRP				
ASSEMBLED STRUTS - FOAM CELL									
Assemble	Assembled struts are made up of: 1 x strut, 1 x coil 1 x strut top								
<u>*</u>	With No Accessories	2	ISU-006	\$	Ea				
	With Steel Bar or Bar & Winch	2	ISU-004	\$	Ea				
	ASSEMBLED ST	RU	TS - 40MM ADJUS	STA	BLE				
#	Assembled struts are made up of: 1 x strut, 1 x coil 1 x strut top								
8	With No Accessories	2	ISU-005	\$	Ea				
	With Steel Bar or Bar & Winch	2	ISU-002	\$	Ea				
	STRUT - FO	ΑN	CELL						
Ĭ	Up to 40mm Lift - Strut Only / No Coil / No Strut Top	2	FC404929	\$	Ea				
1	STRUT -	401	MM ADJUSTABLE						
Ţ	Up to 40mm Lift - Strut Only / No Coil / No Strut Top	2	BM404929	\$	Ea				

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
NITROGEN GAS - SHOCK ABSORBER								
	Up to 40mm lift	2	BD1125T	\$ Ea				
	FOAM CELL - SHOCK ABSORBER							
	Up to 40mm lift	2	FC41125	\$ Ea				
8	40MM ADJUSTABLE - SHOCK ABSORBER							
	Up to 40mm lift	2	BM401125	\$ Ea				

COIL SPRINGS					
MIAAAA	With No Accessories	1	TDC983	\$	Pr
	With No Accessories With Steel Bar or Bar & Winch	1	TDC974H	\$	Pr

	COIL SPF	RIN	IGS	
	0-300kg load	1	TDC272	\$ Pr
	CONSTANT 300kg load	1	TDC272H	\$ Pr

AIR ASSIST - COIL INSERT							
	Coil insert bag - 40mm lift	1	TDAA-005	\$	Kt		
	Coil insert bag - OEM height	1	TDAA-013	\$	Kt		

FRONT INDIVIDUAL COMPONENTS							
Æ.O	Strut Top	2	ISU-4929	\$	Ea		

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)								
Î	Fits bottom eyering	1	ADJ300/40A	\$	Ea			
	Fils bollom eyening	<u> </u>	AD3300/40A	φ				

RE	REAR REPLACEMENT BUSHES (QTY PER SHOCK)								
		Fits top pin	2	TW959	\$	Ea			
1		Fits bottom eyering	1	TW040-14	\$	Ea			



THIS PAGE IS INTENTIONALLY BLANK





Transmission spacers

## **FRONT** FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber 2 Ea Coil Spring 1 Pr Steering Damper (Optional) Ea

CONTENT	DESCRIPTION	QTY	PART NO	RRP	
F	FOAM CELL - SHO	OCK	ABSORBER		
•	OE Height	2	FC41063	\$	Ea
	35mm lift	2	FC41068	\$	Ea
	40MM ADJUSTA	ABI	LE - SHOCK ABSC	RB	ER
	OE Height	2	BM401063	\$	Ea
8	35mm lift	2	BM401068	\$	Ea

COIL SPRINGS					
MIAAAA	Up to Steel bar	1	TDC333	\$	Pr
	Steel bar & Winch	1	TDC352	\$	Pr

STEERING DAMPERS							
~ <del>~~~~~~~~</del>	Return-to-Center Damper	1	SS5922-P/S	\$	Ea		
O@	9 Stage Adjustable damper	1	SV5922	\$	Ea		

REAR										
REAR SUSPENSION CHECK LIST										
You need to order the following items	You need to order the following items for the rear end of your vehicle.									
	Shock Absorber	2	Ea							
	Leaf Springs	2	Ea							
	Urethane Shackle bush kit	1	Kt							
	U-Bolt kit	2	Kt							
• • — i i	Transmission spacers	1	Kt							

CONTENT	DESCRIPTION	QTY	PART NO	RRP					
F	FOAM CELL - SHOCK ABSORBER								
<u> </u>	OE Height	2	FC41241	\$	Ea				
	35mm lift	2	FC41249	\$	Ea				
	40MM ADJUSTA	ABI	LE - SHOCK ABSO	RBE	R				
	OE Height	2	BM401241	\$	Ea				
8	35mm lift	2	BM401249	\$	Ea				

LEAF SPRINGS								
مر ب	0-300kg load	1	FS025H-LH	\$	Ea			
	0-300kg load	1	FS025H-RH	\$	Ea			
Note: 1 Left ha	nd and 1 right hand side	lea	f spring pack should be	orde	red			

REAR INDIVIDUAL COMPONENTS								
	Urethane Shackle bush kit	1	TDUK-027	\$	Kt			
$\bigcap$	U-Bolt kit	2	TDUB-027	\$	Kt			
• • •	Transmission spacers	1	TDSP-002	\$	Kt			
<b>Note:</b> Must be fitted with all kits.								

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)								
	Fits top pin	2	TW959	\$	Ea			
Note: Bar pin style bushes not user serviceable.								

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Rear bottom eyering	1	404702	\$	Ea	
<b>Note:</b> Bar pin style bushes not user serviceable.						



## JEEP GRAND CHEROKEE WG, WJ & ZG 06/1999-2005 & 04/1996-1999 EST. LIFT FRONT: 30MM | REAR: 30MM



## FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber 2 Ea Coil Spring 1 Pr Steering Damper (Optional) 1 Ea

CONTENT	DESCRIPTION	QTY	PART NO	RRP
F	FOAM CELL - SHO	CK	ABSORBER	
	Up to 30mm Lift	2	FC41068	\$ Ea
•	40MM ADJUSTA	ABI	E - SHOCK ABSO	RBER
8	Up to 30mm Lift	2	BM401068	\$ Ea

	COIL SPI	RIN	IGS	
MIAAAA	ZG 04/1996-1999 Only	1	TDC358	\$ Pr
	WG, WJ 06/1999- 2005 Only	1	TDC360	\$ Pr

	STEERING DAMPERS						
o <del></del>	Return To Centre Damper - ZG Only	1	SS5922-P/S	\$	Ea		
06	9 Stage Adjustable Damper - ZG Only	1	SV5922	\$	Ea		
<u></u>	Return To Centre Damper - WG, WJ Only	1	SS5924-P/S	\$	Ea		
·	9 Stage Adjustable Damper - WG, WJ Only	1	SV5924	\$	Ea		

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits bottom eyering	2	TW959	\$	Ea	
<b>Note:</b> Bar pin style bushes not user serviceable.						

REA	R				
REAR SUSPENSION CHECK LIST					
You need to order the following items	s for the rear end of your ve	hicle.			
	Shock Absorber	2	Ea		
iiss	Coil Springs	1	Pr		

CONTENT	DESCRIPTION	QTY	PART NO	RR	Р	
FOAM CELL - SHOCK ABSORBER						
۵	Up to 30mm Lift - ZG Only	2	FC41444	\$	Ea	
	Up to 30mm Lift - WG, WJ Only	2	FC41190	\$	Ea	
	40MM ADJUSTA	ABL	E - SHOCK ABSO	RBE	R	
	Up to 30mm Lift - ZG Only	2	BM401444	\$	Ea	
8	Up to 30mm Lift - WG, WJ Only	2	BM401190	\$	Ea	

	COIL SPF	RIN	IGS	
MIAAAA	0-300Kg load ZG 04/1996-1999 Only	1	TDC359	\$ Pr
WVVVV	0-300Kg load ZG 04/1996-1999 Only 0-300Kg load - WG, WJ 06/1999-2005 Only	1	TDC361	\$ Pr

REAR REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits bottom eyering	1	404702	\$	Ea
<b>Note:</b> Bar pin style bushes not user serviceable.					



## **CHEROKEE** WK2 2011-2015



## EST. LIFT FRONT: 40MM | REAR: 40MM

FROI	NT					
FRONT SUSPENSION	FRONT SUSPENSION CHECK LIST					
You need to order the following items	for the front end of your ve	ehicle				
╟繋	Shock Absorber	2	Ea			
	Coil Springs	1	Pr			

REAR						
REAR SUSPENSION	REAR SUSPENSION CHECK LIST					
You need to order the following items for the rear end of your vehicle.						
╟繋	Shock Absorber  Coil Springs	2	Ea Pr			
iiss	SS.: Spillige					

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
FOAM CELL - SHOCK ABSORBER							
	All models	2	FC404930	\$ Ea			

CONTENT	DESCRIPTION	QTY	PART NO	RRP					
F	FOAM CELL - SHOCK ABSORBER								
	All Models	2	FC43038	\$ Ea					

COIL SPRINGS							
<b>A</b> • • • • • •	3.6 V6 Petrol	1	TDC1038	\$	Pr		
	3.0 Diesel	1	TDC1040	\$	Pr		
	5.7 V8 Pertol	1	TDC1042	\$	Pr		

This kit is not compatible with the Nivomat (Self leveling suspension) models. Standard shocks have an OD of 51mm, where the Nivomat shocks have an OD of 63mm.

Note: The rear of a vehicle with Nivomats may sag whilst the vehicle is parked because the Nivomat shocks are mechanical and the vehicle needs to be moving in order for the pump to build pressure and level the vehicle. Even though our shocks may fit, it is not recommended that the Nivomats are replaced with traditional Shock Absorber.

COIL SPRINGS						
	0-300Kg load - V6/V8 Petrol	1	TDC1039	\$	Pr	
WVVVV <b>F</b>	0-300Kg load - Diesel	1	TDC1041	\$	Pr	







## **FRONT** FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber Ea Pr Coil Springs 1 Transmission Spacer 1 Ea

		Ste	eering Damper (Optional	) 1	Ea		
CONTENT	DESCRIPTION	QTY	PART NO	RR	RP		
NITROGEN GAS - SHOCK ABSORBER							
<u> </u>	OE Height	2	BD1063T	\$	Ea		
	45mm Lift	2	BD1068T	\$	Ea		
40MM ADJUSTABLE - SHOCK ABSORBER							
	OE Height	2	BM401063	\$	Ea		

CONTENT	DESCRIPTION	g	PART NO	K	KP			
NITROGEN GAS - SHOCK ABSORBER								
<u> </u>	OE Height	2	BD1063T	\$	Ea			
	45mm Lift	2	BD1068T	\$	Ea			
•	40MM ADJUSTA	λBI	LE - SHOCK ABSO	RBE	ER			
	OE Height	2	BM401063	\$	Ea			
8	45mm Lift	2	BM401068	\$	Ea			

COIL SPRINGS						
	Up to Steel Bar	1	TDC354	\$	Pr	

STEERING DAMPERS							
<b>~──₩₩₩</b> ₽ <sup>±</sup> ŧ	Return To Centre	1	SS5922-P/S	\$	Ea		
OE	9 Stage Adjustable Damper	1	SV5922	\$	Ea		

TRANSMISSIO	N S	SPACERS	
Transmission Spacer - Manual / Auto 10/1996-2003 Only	1	TDSP-001	\$ Ea
Transmission Spacer - Auto 2003-2007 Only	1	TDSP-005	\$ Ea
Transmission Spacer - Manual 2003-2007 Only	1	TDSP-006	\$ Ea

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)							
	Fits top pin	2	TW959	\$	Ea		
Note: Bar pin style buses are not user servicable.							

REA	R		
REAR SUSPENSION	N CHECK LIST		
You need to order the following item	s for the rear end of your ve	hicle.	
ii 33	Shock Absorber	2	Ea
	Coil Springs	1	Pr

CONTENT	DESCRIPTION	QTY	PART NO	RR	Р			
NITROGEN GAS - SHOCK ABSORBER								
٥	OE Height	2	BD1443T	\$	Ea			
	45mm Lift	2	BD1461T	\$	Ea			
	40MM ADJUSTA	BL	E - SHOCK ABSO	RBE	R			
	OE Height	2	BM401443	\$	Ea			
8	45mm Lift	2	BM401461	\$	Ea			

COIL SPRINGS							
	0-300Kg load	1	TDC355	\$	Pr		







### **FRONT** FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber Ea Pr Coil Springs 1 Steering Damper (Optional) Ea Panhard Rod (Optional) 1 Ea

REA	R		
REAR SUSPENSIO	N CHECK LIST		
You need to order the following items for the rear end of your vehicle.			
<b>1133</b>	Shock Absorber	2	Ea
	Coil Springs	1	Pr

CONTENT	DESCRIPTION	QTY	PART NO	RRP
40M	M ADJUSTABLE -	SH	OCK ABSORBER	
	All models	2	BM401069	\$ Ea

CONTENT	DESCRIPTION	QTY	PART NO	R	RRP
40MM	MADJUSTABLE -	SH	OCK ABSORBER		
	All models	2	BM401463	\$	Ea

COIL SPRINGS - SWB						
	Up to Steel Bar - Petrol	1	TDC331	\$	Pr	
MILLARA	Steel Bar & Winch - Petrol	1	TDC332	\$	Pr	
	Up to Steel Bar - Diesel	1	TDC332	\$	Pr	
	Steel Bar & Winch - Diesel	1	TDC338	\$	Pr	

COIL SPRINGS - SWB					
MIAAAA	0-300Kg load	1	TDC340	\$	Pr
	CONSTANT 300Kg load	1	TDC339	\$	Pr

	COIL SPRINGS - LWB					
M 1 1 1 1 1 1	Up to Steel Bar - Petrol	1	TDC337	\$	Pr	
	Steel Bar & Winch - Petrol	1	TDC338	\$	Pr	
	Up to Steel Bar - Diesel	1	TDC338	\$	Pr	
	Steel Bar & Winch - Diesel	1	TDC342	\$	Pr	

COIL SPRINGS - LWB						
M	0-300Kg load	1	TDC339	\$	Pr	
	CONSTANT 300Kg load	1	TDC341	\$	Pr	

STEERING DAMPERS					
·	9 Stage Adjustable	1	SV5926	\$	Ea

	PANHARD	R	ODS	
~	Adjustable	1	TDPR-017	\$ Ea
	Replacement bush for panhard rod	1	TDUK-035	\$ Ea

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits top pin	2	TW959	\$	Ea
	Fits bottom eye	1	4W-SPF420-02	\$	Ea





## **FRONT** FRONT SUSPENSION CHECK LIST der the following items for the front end of

You need to or	der the following items	s to	r the front end of your v	ehicle	
0 0			Shock Absorber	2	Ea
			Coil Springs	1	Pr
77	<b>₹</b> ₹	Sto	eering Damper (Optional)	1	Ea
	<b>≾</b> ≾	F	Panhard Rod (Optional)	1	Ea
8 8		Lov	ver Control Arm (Optional)	1	Pr
CONTENT	DESCRIPTION	QTY	PART NO	RRI	•

CONTENT	DESCRIPTION	QTY	PART NO	RRP
ı	FOAM CELL - SHO	CK	ABSORBER	
°	All exc. Rubicon	2	FC43028	\$ Ea
•	40MM ADJUSTA	۱BI	LE - SHOCK ABSO	RBER
8	All exc. Rubicon	2	BM403028	\$ Ea

COIL SPRINGS					
	Up to Steel Bar	1	TDC1018	\$	Pr
WVVV <b>F</b>	Steel Bar & Winch	1	TDC1019	\$	Pr

STEERING DAMPERS					
O(	9 Stage Adjustable	1	SV5929	\$	Ea

LOWER CONTROL ARM						
0	Lower Control Arm	1	TDCA-010	\$	Ea	
Fitment of Tough Dog front lower control arms are recommended to restore wheel alignment castor settings						

	PANHARD	R	ODS	
·	Adjustable Panhard Rod	1	TDPR-022	\$ Ea
	Replacement Panhard Rod Bush	1	TDUK-035	\$ Ea

REAR								
REAR SUSPENSION	REAR SUSPENSION CHECK LIST							
You need to order the following items for the rear end of your vehicle.								
╟繋	Shock Absorber	2	Ea					
	Coil Springs	1	Pr					

CONTENT	DESCRIPTION	QTY	PART NO	RRP
F	FOAM CELL - SHO	CK	ABSORBER	
	All exc. Rubicon	2	FC43029	\$ Ea
	40MM ADJUSTA	BL	E - SHOCK ABSO	RBER
8	All exc. Rubicon	2	BM403029	\$ Ea

COIL SPRINGS						
	0-150Kg load	1	TDC1020	\$	Pr	
	150-300Kg load	1	TDC1021	\$	Pr	







# FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber 2 Ea Coil Springs 1 Pr Panhard Rod (Optional) 1 Ea Steering Damper (Optional) 1 Ea Lower Control Arms (Optional) 1 Ea

8 8		Lov	wer Control Arms (Optiona	al) 1	Ea		
CONTENT	DESCRIPTION	QTY	PART NO	RR	Р		
FOAM CELL - SHOCK ABSORBER							
o o	Up to 50mm Lift	2	FC43028	\$	Ea		
	40MM ADJUSTABLE - SHOCK ABSORBER						
	Up to 50mm Lift	2	BM403028	\$	Ea		

	COIL SP	RIN	IGS	
MILAAA	Up to Steel Bar	1	TDC1043	\$ Pr
	With Steel Bar & Winch	1	TDC1044	\$ Pr

LOWER CONTROL ARMS						
0	Lower Control Arms	1	TDCA-010	\$	Ea	
Fitment of Tough Dog front lower control arms are recommended to restore wheel alignment castor settings						

STEERING DAMPERS					
OE	9 Stage Adjustable	1	SV5929	\$	Ea

PANHARD RODS					
	Adjustable	1	TDPR-022	\$	Ea
	Replacement bush for panhard rod	1	TDUK-035	\$	Ea

REAR								
REAR SUSPENSION	REAR SUSPENSION CHECK LIST							
You need to order the following items for the rear end of your vehicle.								
	Shock Absorber	2	Ea					
<b>                                    </b>	Coil Springs	1	Pr					
	Sway Bar Links	1	Ea					
ll <b>≾</b> ≾	Panhard Rod (Optional)	1	Ea					
	Coil Insert Airbag (Optional)	1	Kt					

CONTENT	DESCRIPTION	QTY	PART NO	RRP
	FOAM CELL - SHO	CK	ABSORBER	
	Up to 40mm Lift	2	FC43039	\$ E
	40MM ADJUSTA	ABL	E - SHOCK ABSO	RBER
ŏ	Up to 40mm Lift	2	BM403039	\$ E

COIL SPRINGS						
MILLAAAA	0-150Kg load	1	TDC1045	\$	Pr	
	150-300Kg load	1	TDC1046	\$	Pr	

PANHARD RODS					
o———	Adjustable	1	TDPR-026	\$	Ea

AIR ASSIST - COIL INSERT						
	Coil Insert bag - 40mm lift	1	TDAA-029	\$	Kt	
	Coil insert Bag - OE Height	1	TDAA-026	\$	Kt	

REAR INDIVIDUAL COMPONENTS						
oo	Sway Bar Links	1	TDSP-022	\$	Ea	
Note: Required for all lifts						



## 80,88 SWB, 109 LWB SERIES I, II, IIA & III 1953-1983



FRONT						
CONTENT	DESCRIPTION	QTY	PART NO	RI	₹P	
NI	TROGEN GAS - SI	HO	CK ABSORBER			
	Up to 50mm Lift All Models	2	BD2000T	\$	Ea	
	FOAM CEL	L -:	SHOCK ABSORBI	ER		
	Up to 50mm Lift All Models	2	FC42000	\$	Ea	

REAR								
CONTENT	DESCRIPTION	QTY	PART NO	RRP				
NIT	NITROGEN GAS - SHOCK ABSORBER							
<u> </u>	SWB Series II, III, IIA, III	2	BD3005T	\$	Ea			
	LWB Series II, III	2	BD1399T	\$	Ea			
	FOAM CELI	;	SHOCK ABSORBE	ER				
	SWB Series II, III, IIA, III	2	FC43005	\$	Ea			
8	LWB Series II, III	2	FC41399	\$	Ea			

STEERING DAMPERS						
	Heavy Duty	1	EXT5000	\$	Ea	
<u> </u>	Return-to Center - Series 1 Only	1	SS5000-M/S	\$	Ea	
O(	9 Stage adjustable - Series II, IIA & III Only	1	SV5000	\$	Ea	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					<b>(</b> )
	Fits Top & Bottom eyering	2	4W-SPF390	\$	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top & bottom eyering - #3005 P/n	2	4W-SPF390	\$	Ea	
	Fits Top eyering - #1399 P/n	1	4W-SPF390	\$	Ea	
	Fits bottom pin - #1399 P/n	2	TW959	\$	Ea	





# FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber Coil Springs 1 Pr Steering Damper (Optional) 1 Ea Panhard Rod (Optional) 1 Ea

CONTENT	DESCRIPTION	QTY	PART NO	RRP		
FOAM CELL - SHOCK ABSORBER						
	Up to 30mm Lift All Models	2	FC41049	\$ E	Еа	
	40MM ADJUSTA	ABL	E - SHOCK ABSO	RBER		
	Up to 30mm Lift All Models	2	BM401049	\$ E	ā	
	45MM ADJUSTA	ABI	LE- SHOCK ABSO	RBER		
•	Up to 30mm Lift All Models	2	BMX1049/2	\$ E	а	
	RALPH -	SH	OCK ABSORBER			
	Up to 30mm Lift All Models	2	TDR1049B	\$ E	а	

REAR							
REAR SUSPENSIO	REAR SUSPENSION CHECK LIST						
You need to order the following items for the rear end of your vehicle.							
اً ا	Shock Absorber	2	Ea				
	Coil Springs	1	Pr				

CONTENT	DESCRIPTION	Ğ Ţ	PART NO	RRI	P
F	FOAM CELL - SHO	CK	ABSORBER		
	Up to 30mm Lift - Conical Lower Bushes	2	FC41397	\$	Ea
	Flat 45mm Diameter Lower Bush	2	FC41398	\$	Ea
	40MM ADJUSTA	BL	E - SHOCK ABSO	RBEI	₹
0	Up to 30mm Lift - Conical Lower Bushes	2	BM401397	\$	Ea
	Flat 45mm Diameter Lower Bush	2	BM401398	\$	Ea
	45MM ADJUSTA	λBI	LE- SHOCK ABSO	RBEF	ર
	Up to 30mm Lift - Conical Lower Bushes	2	BMX1397/2	\$	Ea
0	Flat 45mm Diameter Lower Bush	2	BMX1398/2	\$	Ea
	RALPH -	SH	OCK ABSORBER		
	Up to 30mm Lift - Conical Lower Bushes	2	TDR1397	\$	Ea
	Flat 45mm Diameter Lower Bush	2	TDR1398	\$	Ea

**Note:** <u>Conical Lower Bushes</u> - Fit selected part number If the lower rubber bushes are conical in shape & fit into a metal housing.

**Note:** <u>Flat 45mm in Diamater Lower Bushes</u> - Fit selected part number if the lower rubber bushes are flat & approx. 45mm in diameter.

	COIL SPE	RIN	IGS	
	Up to Steel Bar - Petrol	1	TDC511	\$ Pr
	Steel Bar & Winch - Petrol	1	TDC508H	\$ Pr
WVVV <b>Y</b>	Up to Steel Bar - Diesel	1	TDC513	\$ Pr
	Steel Bar & Winch - Diesel	1	TDC508H	\$ Pr

STEERING DAMPER					
	Heavy Duty	1	EXT5009	\$	Ea
<u>~</u> ±	Return-to Center	1	SS5009-P/S	\$	Ea
○ <b>○</b>	9 Stage Adjustable	1	SV5009	\$	Ea

COIL SPRINGS					
MIAAAA	0-300Kg load	1	TDC512	\$	Pr
www.	CONSTANT 300Kg load	1	TDC512HH	\$	Pr





FRONT								
CONTENT	DESCRIPTION	۵T	PART NO	RRP				
	PANHARD RODS							
o ==->	Adjustable (14mm ID sleeve) - to Chassis #2A626645	1	TDPR-002	\$	Ea			
	Replacement Bush kit - TDPR-002	1	TDUK-028	\$	Kt			
	Adjustable (16mm ID sleeve) - to Chassis #2626646	1	TDPR-018	\$	Ea			
	Replacement Bush kit - TDPR-018	1	TDUK-029	\$	Kt			

REAR					
CONTENT	DESCRIPTION	QTY	PART NO	RRP	

FRONT INDIVIDUAL COMPONENTS						
	2 Degress Castor Bush Kit with 38mm Wide Arms with 48mm tube length	1	TDUK-059	\$	Kt	
	Radius Rod to Chassis Bush Kit Fits 38mm Wide Arms	1	TDUK-060	\$	Kt	
	2 Degress Castor Bush Kit with 44mm Wide Arms with 54mm tube length	1	TDUK-061	\$	Kt	
	Radius Rod to Chassis Bush Kit Fits 44mm Wide Arms	1	TDUK-062	\$	Kt	

FRONT RE	EPLACEMENT BU	SH	ES (QTY PER SH	ock	()
	Fit Top Eyering	4	TW957	\$	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fit Top Eyering #1398	2	ADJ00191	\$	Ea	
	Fit Bottom Pin #1398	1	TW957	\$	Ea	
	Fit Top Eyering #1397	1	415024	\$	Ea	
	Fit Bottom Pin #1397	2	TW967	\$	Ea	



## LANDROVER DEFENDER 90 SERIES 1992-2016 EST. LIFT FRONT: 30MM | REAR: 30MM



## FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber 2 Ea Coil Springs 1 Pr Panhard Rod (Optional) 1 Ea Steering Damper (Optional) 1 Ea

CONTENT	DESCRIPTION	QTY	PART NO	RR	Р	
F	FOAM CELL - SHOCK ABSORBER					
	Up to 30mm Lift	2	FC41049	\$	Ea	
	40MM ADJUSTA	ABL	E - SHOCK ABSO	RBE	R	
	Up to 30mm Lift	2	BM401049	\$	Ea	
	45MM ADJUSTA	ABL	E - SHOCK ABSO	RBE	R	
8	Up to 30mm Lift	2	BMX1049/2	\$	Ea	
	RALPH -	SH	OCK ABSORBER			
	Up to 30mm Lift	2	TDR1049B	\$	Ea	

REAR						
REAR SUSPENSIO	N CHECK LIST					
You need to order the following items for the rear end of your vehicle.						
ii ss	Shock Absorber  Coil Springs	2	Ea			
iiss	Con opinigs	ı				

CONTENT	DESCRIPTION	Ē	PART NO	RR	P
F	FOAM CELL - SHO	CK	ABSORBER		
	Up to 30mm Lift - Conical Lower Bushes	2	FC41397	\$	Ea
	Flat 45mm Diameter Lower Bush	2	FC41398	\$	Ea
	40MM ADJUSTA	BL	E - SHOCK ABSO	RBEI	₹
0	Up to 30mm Lift - Conical Lower Bushes	2	BM401397	\$	Ea
	Flat 45mm Diameter Lower Bush	2	BM401398	\$	Ea
	45MM ADJUSTA	BL	.E - SHOCK ABSC	RBE	R
	Up to 30mm Lift - Conical Lower Bushes	2	BMX1397/2	\$	Ea
0	Flat 45mm Diameter Lower Bush	2	BMX1398/2	\$	Ea
	RALPH -	SH	OCK ABSORBER		
	Up to 30mm Lift - Conical Lower Bushes	2	TDR1397	\$	Ea
	Flat 45mm Diameter Lower Bush	2	TDR1398	\$	Ea

**Note:** <u>Conical Lower Bushes</u> - Fit selected part number If the lower rubber bushes are conical in shape & fit into a metal housing.

**Note:** Flat 45mm in Diamater Lower Bushes - Fit selected part number if the lower rubber bushes are flat & approx. 45mm in diameter.

	COIL SPI	RIN	IGS	
	Up to Steel Bar - Petrol	1	TDC505	\$ Pr
	With Steel Bar & Winch - Petrol	1	TDC535	\$ Pr
	Up to Steel Bar - Diesel	1	TDC535	\$ Pr
	With Steel Bar & Winch - Diesel	1	TDC504	\$ Pr

STEERING DAMPER					
	Heavy Duty	1	EXT5009	\$	Ea
<u>~</u> ±.	Return-to Center	1	SS5009-P/S	\$	Ea
O(	9 Stage Adjustable	1	SV5009	\$	Ea

COIL SPF	RIN	igs	
 0-300Kg load	1	TDC518	\$ Pr
CONSTANT 300Kg load	1	TDC518H	\$ Pr
CONSTANT 500Kg load		TDC504	\$ Pr



## LANDROVER DEFENDER 90 SERIES 1992-2016 EST. LIFT FRONT: 30MM | REAR: 30MM



FRONT						
CONTENT	DESCRIPTION	QTY	PART NO	RRP		
	PANHARD	R	ODS			
o === o	Adjustable (14mm ID sleeve) - to Chassis #2A626645	1	TDPR-002	\$	Ea	
	Replacement Bush kit - TDPR-002	1	TDUK-028	\$	Kt	
	Adjustable (16mm ID sleeve) - to Chassis #2626646	1	TDPR-018	\$	Ea	
	Replacement Bush kit - TDPR-018	1	TDUK-029	\$	Kt	

REAR						
CONTENT	DESCRIPTION	QTY	PART NO	RRP		

F	FRONT INDIVIDUAL COMPONENTS					
	2 Degress Castor Bush Kit with 38mm Wide Arms with 48mm tube length	1	TDUK-059	\$	Kt	
	Radius Rod to Chassis Bush Kit Fits 38mm Wide Arms	1	TDUK-060	\$	Kt	
	2 Degress Castor Bush Kit with 44mm Wide Arms with 54mm tube length	1	TDUK-061	\$	Kt	
	Radius Rod to Chassis Bush Kit Fits 44mm Wide Arms	1	TDUK-062	\$	Kt	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fit Top Eyering	4	TW957	\$	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
8	Fit Top Eyering #1398	2	ADJ00191	\$	Ea	
	Fit Bottom Pin #1398	1	TW957	\$	Ea	
8	Fit Top Eyering #1397	1	415024	\$	Ea	
	Fit Bottom Pin #1397	2	TW967	\$	Ea	



## LANDROVER DEFENDER 110, 130 SERIES 1992-2016 EST. LIFT FRONT: 30MM | REAR: 30MM



## FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber 2 Ea Coil Springs 1 Pr Panhard Rod (Optional) 1 Ea Steering Damper (Optional) 1 Ea

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
F	FOAM CELL - SHOCK ABSORBER							
	Up to 30mm Lift	2	FC41049	\$	Ea			
	40MM ADJUSTA	ABL	E - SHOCK ABSO	RBER				
	Up to 30mm Lift	2	BM401049	\$	Ea			
	45MM ADJUSTA	ABL	E - SHOCK ABSO	RBER				
8	Up to 30mm Lift	2	BMX1049/2	\$	Ea			
	RALPH -	SH	OCK ABSORBER					
	Up to 30mm Lift	2	TDR1049B	\$	Ea			

REAR						
REAR SUSPENSION CHECK LIST						
You need to order the following items for the rear end of your vehicle.						
Ů	Shock Absorber	2	Ea			
	Coil Springs	1	Pr			

CONTENT	DESCRIPTION	Ğ Ţ	PART NO	RRI	Р
F	FOAM CELL - SHO	CK	ABSORBER		
	Up to 30mm Lift - Conical Lower Bushes	2	FC41397	\$	Ea
	Flat 45mm Diameter Lower Bush	2	FC41398	\$	Ea
	40MM ADJUSTA	BL	E - SHOCK ABSO	RBEI	₹
0	Up to 30mm Lift - Conical Lower Bushes	2	BM401397	\$	Ea
	Flat 45mm Diameter Lower Bush	2	BM401398	\$	Ea
	45MM ADJUSTA	BL	E - SHOCK ABSO	RBE	₹
	Up to 30mm Lift - Conical Lower Bushes	2	BMX1397/2	\$	Ea
0	Flat 45mm Diameter Lower Bush	2	BMX1398/2	\$	Ea
	RALPH -	SH	OCK ABSORBER		
	Up to 30mm Lift - Conical Lower Bushes	2	TDR1397	\$	Ea
	Flat 45mm Diameter Lower Bush	2	TDR1398	\$	Ea

**Note:** <u>Conical Lower Bushes</u> - Fit selected part number If the lower rubber bushes are conical in shape & fit into a metal housing.

**Note:** <u>Flat 45mm in Diamater Lower Bushes</u> - Fit selected part number if the lower rubber bushes are flat & approx. 45mm in diameter.

	COIL SPF	RIN	IGS	
	Up to Steel Bar-Petrol	1	TDC520	\$ Pr
WWW.	With Steel Bar & Winch-Petrol	1	TDC514	\$ Pr

STEERING DAMPER					
	Heavy Duty	1	EXT5009	\$	Ea
<u>~</u> ±	Return-to Center	1	SS5009-P/S	\$	Ea
OE	9 Stage Adjustable	1	SV5009	\$	Ea

COIL SPRINGS						
	0-300Kg load - 110 Series	1	TDC536	\$	Pr	
	0-500Kg load - 130 Series	1	TDC523	\$	Pr	
	CONSTANT 500Kg load - 130 Series	1	TDC522H	\$	Pr	



## LANDROVER DEFENDER 110, 130 SERIES 1992-2016 EST. LIFT FRONT: 30MM | REAR: 30MM



FRONT						
CONTENT	DESCRIPTION	QTY	PART NO	RRP		
PANHARD RODS						
o === o	Adjustable (14mm ID sleeve) - to Chassis #2A626645	1	TDPR-002	\$	Ea	
	Replacement Bush kit - TDPR-002	1	TDUK-028	\$	Kt	
	Adjustable (16mm ID sleeve) - to Chassis #2626646	1	TDPR-018	\$	Ea	
	Replacement Bush kit - TDPR-018	1	TDUK-029	\$	Kt	

REAR							
CONTENT	DESCRIPTION	QTY	PART NO	RRP			

F	FRONT INDIVIDUAL COMPONENTS					
	2 Degress Castor Bush Kit with 38mm Wide Arms with 48mm tube length	1	TDUK-059	\$	Kt	
	Radius Rod to Chassis Bush Kit Fits 38mm Wide Arms	1	TDUK-060	\$	Kt	
	2 Degress Castor Bush Kit with 44mm Wide Arms with 54mm tube length	1	TDUK-061	\$	Kt	
	Radius Rod to Chassis Bush Kit Fits 44mm Wide Arms	1	TDUK-062	\$	Kt	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fit Top Eyering	4	TW957	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
8	Fit Top Eyering #1398	2	ADJ00191	\$	Ea	
	Fit Bottom Pin #1398	1	TW957	\$	Ea	
8	Fit Top Eyering #1397	1	415024	\$	Ea	
	Fit Bottom Pin #1397	2	TW967	\$	Ea	





# FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber 2 Ea Coil Springs 1 Pr Panhard Rod (Optional) 1 Ea Steering Damper (Optional) 1 Ea

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
FOAM CELL - SHOCK ABSORBER							
	Up to 30mm Lift	2	FC41049	\$ Ea			
	40MM ADJUSTA	<b>ABL</b>	E - SHOCK ABSO	RBER			
ů.	Up to 30mm Lift	2	BM401049	\$ Ea			
	45MM ADJUSTA	ABL	E - SHOCK ABSO	RBER			
8	Up to 30mm Lift	2	BMX1049/2	\$ Ea			
	RALPH -	SH	OCK ABSORBER				
	Up to 30mm Lift	2	TDR1049B	\$ Ea			

REAR							
REAR SUSPENSION CHECK LIST							
You need to order the following items for the rear end of your vehicle.							
Ů	Shock Absorber	2	Ea				
iiss	Coil Springs	'	FI				

CONTENT	DESCRIPTION	Ğ Ţ	PART NO	RRI	•
F	FOAM CELL - SHO	CK	ABSORBER		
	Up to 30mm Lift - Conical Lower Bushes	2	FC41397	\$	Ea
	Flat 45mm Diameter Lower Bush	2	FC41398	\$	Ea
	40MM ADJUSTA	BL	E - SHOCK ABSO	RBEF	₹
	Up to 30mm Lift - Conical Lower Bushes	2	BM401397	\$	Ea
Î	Flat 45mm Diameter Lower Bush	2	BM401398	\$	Ea
	45MM ADJUSTA	BL	E - SHOCK ABSO	RBEF	₹
	Up to 30mm Lift - Conical Lower Bushes	2	BMX1397/2	\$	Ea
8	Flat 45mm Diameter Lower Bush	2	BMX1398/2	\$	Ea
	RALPH -	SH	OCK ABSORBER		
	Up to 30mm Lift - Conical Lower Bushes	2	TDR1397	\$	Ea
	Flat 45mm Diameter Lower Bush	2	TDR1398	\$	Ea

**Note:** <u>Conical Lower Bushes</u> - Fit selected part number If the lower rubber bushes are conical in shape & fit into a metal housing.

**Note:** <u>Flat 45mm in Diamater Lower Bushes</u> - Fit selected part number if the lower rubber bushes are flat & approx. 45mm in diameter.

	COIL SPI	RIN	IGS	
MIAAAA	Up to Steel bar	1	TDC505	\$ Pr
	Steel Bar & Winch	1	TDC504	\$ Pr

STEERING DAMPER							
<b>—</b>	Heavy Duty	1	EXT5000	\$	Ea		
· <del>************************************</del>	Return-to Center	1	SS5000-P/S	\$	Ea		
O:	9 Stage Adjustable	1	SV5000	\$	Ea		

PANHARD RODS					
o === o	Adjustable (14mm ID sleeve) - Up to Chassis #2A626645	1	TDPR-002	\$	Ea
	Replacement Bush kit - TDPR-002	1	TDUK-028	\$	Ea

COIL SPRINGS						
MIAAAA	0-300Kg load	1	TDC518	\$	Pr	
	CONSTANT 300Kg load	1	TDC518H	\$	Pr	





FRONT								
CONTENT	DESCRIPTION	۵T	PART NO	RRP				
FRONT INDIVIDUAL COMPONENTS								
	2 Degress Castor Bush Kit with 38mm Wide Arms with 48mm tube length	1	TDUK-059	\$ Kt				
	Radius Rod to Chassis Bush Kit Fits 38mm Wide Arms	1	TDUK-060	\$ Kt				
	2 Degress Castor Bush Kit with 44mm Wide Arms with 54mm tube length	1	TDUK-061	\$ Kt				
	Radius Rod to Chassis Bush Kit Fits 44mm Wide Arms	1	TDUK-062	\$ Kt				

	REAR							
CONTENT	DESCRIPTION	QTY	PART NO	RRP				
				·				

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fit Top & bottom pin	4	TW957	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)							
	Fit Top eyering #1397	1	415024	\$	Ea		
	Fit Bottom Pin #1397	2	TW967	\$	Ea		
8	Fit Top eyering #1398	1	ADJ00191	\$	Ea		
	Fit Bottom pin #1398	2	TW957	\$	Ea		



## LANDROVER DISCOVERY SERIES II & III SII - 03/1999-04/2005, SIII - 04/2005-2009

ST. LIFT FRONT: 35MM | REAR: 35MM



### **FRONT** FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber (Series II) 2 Ea Coil Springs (Series II & III) 1 Pr Steering Damper (Optional) 1 Ea CONTENT **DESCRIPTION PART NO** RRP **FOAM CELL - SHOCK ABSORBER** Up to 35mm Lift Series II Only FC41043 Ea 40MM ADJUSTABLE - SHOCK ABSORBER

	REAR								
	REAR SUSPENSION CHECK LIST								
You need to o	You need to order the following items for the rear end of your vehicle.								
	<b>\$\$</b>	SI	nock Absorber (Series II)	2	Ea				
0 0		Co	Coil Springs (Series II & III)		Pr				
CONTENT	DESCRIPTION	QTY	PART NO	RRI	P				
	DESCRIPTION FOAM CELL - SHO			RRI	P				
			ABSORBER	RRI	P Ea				
	Up to 35mm Lift Series II Only	2	ABSORBER	\$	Ea				
	Up to 35mm Lift Series II Only	2	FC41396 LE - SHOCK ABSO	\$	Ea				

COIL SPRINGS - SERIES II ONLY						
MILLAAA	Up to Steel bar	1	TDC530	\$	Pr	
	Steel Bar & Winch	1	TDC530H	\$	Pr	

2

BM401043

\$

Ea

Up to 35mm Lift Series II Only

COIL SPRINGS - SERIES II ONLY						
MILLAAA	0-300Kg load	1	TDC508	\$	Pr	
WVVV	0-300Kg load  CONSTANT 300Kg load	1	TDC508H	\$	Pr	

COIL SPRINGS - SERIES III ONLY - 40MM LIFT						
MIAAAA	Up to Steel bar	1	TDC545	\$	Pr	
	Steel Bar & Winch	1	TDC545H	\$	Pr	

COIL SPRINGS - SERIES III ONLY - 40MM LIFT						
MILLAAA	0-300Kg load	1	TDC546	\$	Pr	
	0-300Kg load  CONSTANT 300Kg load	1	TDC546H	\$	Pr	

STEERING DAMPER							
	Heavy Duty Replacement	1	EXT5003	\$	Ea		
<u> </u>	Return-to Center (Only power steering)	1	SS5003-P/S	\$	Ea		
•••••• <del>•</del>	9 Stage Adjustable	1	SV5003	\$	Ea		





# FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber Coil Springs 1 Pr Panhard Rod (Optional) Steering Damper (Optional) 1 Ea

REAR										
	REAR SUSPENSION CHECK LIST									
You need to or	rder the following item	s for the	rear end of your vo	ehicle.						
	<b>\$\$</b>	SI	hock Absorber	2	Ea					
			Coil Springs	1	Pr					
CONTENT	DESCRIPTION	QTY	PART NO	RRF	•					

CONTENT	DESCRIPTION	QTY	PART NO	RRP						
ı	FOAM CELL - SHOCK ABSORBER									
	Up to 35mm Lift Non Air suspension	2	FC41049	\$	Ea					
	40MM ADJUSTA	ABI	LE - SHOCK ABSO	RBEF	2					
	Up to 35mm Lift Non Air suspension	2	BM401049	\$	Ea					
	45MM ADJUSTA	ABI	E - SHOCK ABSO	RBEF	₹					
8	Up to 35mm Lift Non Air suspension	2	BMX1049/2	\$	Ea					
	RALPH -	SH	OCK ABSORBER							
	Up to 35mm Lift Non Air suspension	2	TDR1049B	\$	Ea					

CONTENT	DESCRIPTION	QTY	PART NO	RR	Р				
FOAM CELL - SHOCK ABSORBER									
	Up to 35mm Lift Non Air suspension	2	FC41398	\$	Ea				
	40MM ADJUSTA	\Βl	LE - SHOCK ABSO	RBE	R				
Ů	Up to 35mm Lift Non Air suspension	2	BM401398	\$	Ea				
	45MM ADJUSTA	BI	E - SHOCK ABSO	RBE	R				
0	Up to 35mm Lift Non Air suspension	2	BMX1398/2	\$	Ea				
	RALPH -	SH	OCK ABSORBER						
	Up to 35mm Lift Non Air suspension	2	TDR1398	\$	Ea				

	COIL SPF	RIN	igs	
•	OE Height - Petrol, Up to steel bar	1	TDC501	\$ Pr
	Diesel - Up to Steel bar	1	TDC505	\$ Pr
	With Steel bar & winch	1	TDC504	\$ Pr

	COIL SPF	RIN	IGS	
	0-300kg load	1	TDC504	\$ Pr
	CONSTANT 300kg load	1	TDC508	\$ Pr
	CONSTANT 500kg load	1	TDC508H	\$ Pr

	STEERING DAMPERS							
•	Heavy Duty Replacement	1	EXT5000	\$	Ea			
<u> </u>	Return to Center (Power Steering Only)	1	SS5000-P/S	\$	Ea			
• <u> </u>	9 Stage Adjustable	1	SV5000	\$	Ea			

	PANHARD RODS								
•	Adjustable (14mm ID sleeve)	1	TDPR-002	\$	Ea				
	Replacement Bush kit - TDPR-002	1	TDUK-028	\$	Kt				
~ <del>-</del>	Adjustable (16mm ID sleeve)	1	TDPR-018	\$	Ea				
	Replacement Bush kit - TDPR-018	1	TDUK-029	\$	Kt				

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)							
	Fit Top & Bottom Pin	4	TW957	\$	Ea		

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fit Bottom Pin	2	TW957	\$	Ea	
8	Fit Top Eyering	1	ADJ00191	\$	Ea	



## LANDROVER RANGE ROVER WITH AIR SUSPENSION 05/1995-2000 EST. LIFT FRONT: 35MM | REAR: 35MM



FRONT									
CONTENT	DESCRIPTION	QTY	PART NO	RRP					
	OAM CELL - SHO	CK	ABSORBER						
	Up to 35mm Lift With Air suspension	2	FC41008	\$ E	iа				
	40MM ADJUSTA	BI	E - SHOCK ABSO	RBER					
	Up to 35mm Lift With Air suspension	2	BM401008	\$ E	iа				
	45MM ADJUSTA	\BI	E - SHOCK ABSO	RBER					
8	Up to 35mm Lift With Air suspension	2	BMX1008/2	\$ E	ā				
	RALPH -	SH	OCK ABSORBER						
	Up to 35mm Lift With Air suspension	2	TDR1008B	\$ E	iа				

REAR									
CONTENT	DESCRIPTION	QTY	PART NO	RRP					
F	FOAM CELL - SHO	CK	ABSORBER						
	Up to 35mm Lift With Air suspension	2	FC41397	\$ 6	Ea				
	40MM ADJUSTA	BL	E - SHOCK ABSO	RBER					
	Up to 35mm Lift With Air suspension	2	BM401397	\$ 6	Ea				
	45MM ADJUSTA	BL	E - SHOCK ABSO	RBER					
8	Up to 35mm Lift With Air suspension	2	BMX1397/2	\$ 6	Ea				
	RALPH -	SH	IOCK ABSORBER						
	Up to 35mm Lift With Air suspension	2	TDR1397	\$ 6	Ea				

STEERING DAMPERS						
	Heavy Duty replacement	1	EXT5000	\$	Ea	
<u></u>	Return to Center (Power Steering Only)	1	SS5000-P/S	\$	Ea	
○ <b>○</b>	9 Stage Adjustable	1	SV5000		Ea	


PANHARD RODS					
·	Adjustable (14mm ID sleeve)	1	TDPR-002	\$	Ea
	Replacement Bush kit - TDPR-002	1	TDUK-028	\$	Kt

FRONT RE	EPLACEMENT BU	SH	ES (QTY PER SHO	CK)	
	Fits top & bottom pins	2	TW957	\$	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
8	Fits top eyering	1	415024	\$	Ea	
	Fits bottom pin	2	TW967	\$	Ea	







REA	R							
REAR SUSPENSIO	REAR SUSPENSION CHECK LIST							
You need to order the following items for the rear end of your vehicle.								
اً ا	Shock Absorber	2	Ea					
	Coil Springs	1	Pr					

CONTENT	DESCRIPTION	QTY	PART NO	RRP					
NIT	NITROGEN GAS - SHOCK ABSORBER								
	Up to 25mm lift	2	BD2006T	\$ Ea					

CONTENT	DESCRIPTION	QTY	PART NO	RRP
NIT	TROGEN GAS - SI	10(	CK ABSORBER	
	Up to 25mm lift	2	BD3020T	\$ Ea

COIL SPRINGS					
	25mm lift - All applications	1	TDC402	\$	Pr

	COIL SPI	RIN	IGS	
	25mm lift - All applications	1	TDC403	\$ Pr

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top pin	2	TW959	\$	Ea	
	Fits bottom eyering	1	412773	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top eyering	1	404702	\$	Ea	
	Fits bottom eyering	1	4W-SPF420-02	\$	Ea	



LDV TGO

2017 ON EST. LIFT FRONT: 40MM | REAR: 40MM



## FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Assembled struts 2 Ea OR Struts 2 Ea Coil Springs 1 Pr

Strut Top (Optional)

2 Ea

CONTENT	DESCRIPTION	ΣTΥ	PART NO	R	RRP				
Α	SSEMBLED STRU	TS	- FOAM CELL						
Assembled struts are made up of: 1 x strut, 1 x coil 1 x strut top									
	No bar or Alloy bar	2	LDV-004	\$	Ea				
	With Steel bar	2	LDV-005	\$	Ea				
	With Steel bar & winch	2	LDV-006	\$	Ea				
•	ASSEMBLED STRUTS - 40MM ADJUSTABLE								
•	Assembled struts are made up of: 1 x strut, 1 x coil 1 x strut top								
8	No bar or Alloy bar	2	LDV-001	\$	Ea				
	With Steel bar	2	LDV-002	\$	Ea				
	With Steel bar & winch	2	LDV-003	\$	Ea				
	STRUT - FO	ΑN	CELL						
Ī	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404926	\$	Ea				
I	STRUT - 40MM AD								
	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404926	\$	Ea				

REAR								
REAR SUSPENSIO	REAR SUSPENSION CHECK LIST							
You need to order the following items	You need to order the following items for the rear end of your vehicle.							
	Shock Absorber	2	Ea					
	Leaf Springs	2	Ea					
	Leaf Spring Fitment kit	1	Kt					
	Bellows Airbags (Optional)	1	Kt					

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
F	FOAM CELL - SHOCK ABSORBER							
	Up to 40mm Lift	2	FC43032	\$ Ea				
	40MM ADJUSTA	ABI	LE - SHOCK ABSO	RBER				
8	Up to 40mm Lift	2	BM403032	\$ Ea				

	COIL SPI	RIN	IGS	
	No bar or Alloy bar	1	TDC270	\$ Pr
	With Steel bar	1	TDC974	\$ Pr
<b>600000</b>	With Steel bar & winch	1	TDC974H	\$ Pr

LEAF SPRINGS						
	0-300kg load	2	FS214C	\$	Ea	
	CONSTANT 300kg load	2	FS214L	\$	Ea	
	CONSTANT 500kg load	2	FS214LL	\$	Ea	





2017 ON EST. LIFT FRONT: 40MM | REAR: 40MM



FRONT					
CONTENT	DESCRIPTION	ΣTΥ	PART NO	RRP	

REAR						
CONTENT	DESCRIPTION	QTY	PAR	T NO	RRP	
	LEAF SPRING F	-IT	MENT KI	Γ		
	Urethane Shackle bushes			TDUK-071		
$\bigcap$	U-Bolts			TDUB-016		
***************************************	Greaseable Shackles	1	TDFK-013	TDGS-391	\$ Kt	
	Greaseable Pins		1 D1 K-013	TDGP-668	ψ Kt	
•	Transmission Spacer			TDSP-020		
<b>7</b>	Headlight Levelling Relocator			TDSP-019		

AIR ASSIST - BELLOWS					
	Bellows bag kit - 40mm lift	1	TDAA-126	\$	Kt
	Bellows bag kit - OEM height	1	TDAA-125	\$	Kt

FRONT INDIVIDUAL COMPONENTS						
<b>-E</b> •0	Strut Top	2	ISU-4929	\$	Ea	

REAR INDIVIDUAL COMPONENTS						
	Urethane Shackle bushes	1	TDUK-071	\$	Kt	
$\bigcap$	U-Bolts	2	TDUB-016	\$	Kt	
## ## ## ## ## ## ## ## ## ## ## ## ##	Greaseable shackle kit	1	TDGS-391	\$	Kt	
	Greaseable pin kit	1	TDGP-668	\$	Kt	
•	Centre bearing spacer kit	1	TDSP-020	\$	Ea	
	Note: Must be fitt	ted	to all kits.			
<b>7</b>	Headlight Levelling Relocator	1	TDSP-019	\$	Ea	
	Note: Must be fitt	ted	to all kits.			





### 09/2021 ON EST. LIFT FRONT: 40MM | REAR: 40MM

# FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Assembled struts 2 Ea OR Struts 2 Ea Coil Springs 1 Pr Strut Top (Optional) 2 Ea

CONTENT	DESCRIPTION	QTY	PART NO	F	RRP		
ASSEMBLED STRUTS - FOAM CELL							
Assemble	ed struts are made up of	: 1 x	strut, 1 x coil 1 x strut t	ор			
	No bar or Alloy bar	2	LDV-004	\$	Ea		
	With Steel bar	2	LDV-005	\$	Ea		
241	With Steel bar & winch	2	LDV-006	\$	Ea		
•	ASSEMBLED ST	RU	TS - 40MM ADJUS	STA	BLE		
	Assembled struts are made up of: 1 x strut, 1 x coil 1 x strut top						
Ţ	No bar or Alloy bar	2	LDV-001	\$	Ea		
	With Steel bar	2	LDV-002	\$	Ea		
	With Steel bar & winch	2	LDV-003	\$	Ea		
	STRUT - FO	ΑN	CELL				
Ī	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404926	\$	Ea		
I	STRUT -	40I	MM ADJUSTABLE				
	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404926	\$	Ea		

REAR								
REAR SUSPENSION CHECK LIST								
You need to order the following items	You need to order the following items for the rear end of your vehicle.							
	Shock Absorber	2	Ea					
	Leaf Springs	2	Ea					
	Leaf Spring Fitment kit	1	Kt					
	Bellows Airbags (Optional)	1	Kt					

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
FOAM CELL - SHOCK ABSORBER							
8	Up to 40mm Lift	2	FC43032	\$ Ea			
	40MM ADJUSTA	\BI	E - SHOCK ABSO	RBER			
8	Up to 40mm Lift	2	BM403032	\$ Ea			

COIL SPRINGS									
	No bar or Alloy bar	1	TDC270	\$	Pr				
	With Steel bar	1	TDC974	\$	Pr				
	With Steel bar & winch	1	TDC974H	\$	Pr				

LEAF SPRINGS								
	0-300kg load	2	FS214C	\$	Ea			
	CONSTANT 300kg load	2	FS214L	\$	Ea			
	CONSTANT 500kg load	2	FS214LL	\$	Ea			





	FRO	ONT		
CONTENT	DESCRIPTION	ΩTY	PART NO	RRP

REAR												
CONTENT	DESCRIPTION	QTY	PAR <sup>*</sup>	T NO	RRP							
LEAF SPRING FITMENT KIT												
	Urethane Shackle bushes			TDUK-071								
$\cap$	U-Bolts	1	TDFK-009	TDUB-016	\$ Kt							
	Greaseable Shackles	1	1DFK-009	TDGS-391	\$ Kt							
	Greaseable Pins			TDGP-668								

AIR ASSIST -	BE	LLOWS	
Bellows bag kit - OEM height	1	TDAA-118	\$ Kt
Bellows bag kit - 40mm lift	1	TDAA-104	\$ Kt

FRONT INDIVIDUAL COMPONENTS							
<b>-E</b> :0	Strut Top	2	ISU-4929	\$	Ea		

REAR INDIVIDUAL COMPONENTS									
	Urethane Shackle bushes	1	TDUK-071	\$	Kt				
$\bigcap$	U-Bolts	2	TDUB-016	\$	Kt				
## ## ## ## ## ## ## ## ## ## ## ## ##	Greaseable shackle kit	1	TDGS-391	\$	Kt				
	Greaseable pin kit	1	TDGP-668	\$	Kt				



### MAZDA B2500, B2600, B4000 PC, PD, PE, PG, PH 1986-2006 EST. LIFT FRONT: 40MM | REAR: 40MM



### **FRONT** FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber Ea Pr **Torsion Bar** 1 Shock strengthening bracket 1 Ea CONTENT **DESCRIPTION PART NO** RRP FOAM CELL - SHOCK ABSORBER Up to 40mm lift 2 FC42051B Ea

REAR											
REAR SUSPENSION CHECK LIST											
You need to order the following items for the rear end of your vehicle.											
$\stackrel{\circ}{\mathbb{A}} \stackrel{\circ}{\mathbb{A}} \circ$	0		Shock Absorber	2	Ea						
			Leaf Springs	2	Ea						
			rethane Shackle bush kit	1	Kt						
			U-Bolts	2	Kt						
8 8	- <del>-</del> ! !										
CONTENT	DESCRIPTION	۲	DART NO	DDI	)						
CONTENT	DESCRIPTION	QTY		RRF	)						
	DESCRIPTION	_		RRF	)						
		_	ABSORBER	RRF	Ea						
	OAM CELL - SHO	2	ABSORBER	\$	Ea						
	OAM CELL - SHO	2	FC41232 S	\$	Ea						

	TORSIO	ΝB	AR					
-	26mm / 926mm	1	4WTB-1546	\$	Pr			
Note: Adjust tor	Note: Adjust torsion bars after fitting shocks - ensure an minimum of 60mm droop is maintained							

Note: FC42051B is to be fitted to all applications where a Foam Cell or Adjustable shock is fitted to the rear

	LEAF SP	RI	NG	
مر به	0-300kg load	2	FS365	\$ Ea
	CONSTANT 300kg load	2	FS367	\$ Ea

FI	RONT INDIVIDUA	L C	OMPONENTS	
	Shock mount strengthening kit	1	TDSK-020	\$ Ea
Note: F	ailure to fit TDSK-020 w	ill c	ause top mount failure.	

REAR INDIVIDUAL COMPONENTS									
	Urethane Shackle bush kit	1	TDUK-034	\$	Kt				
$\cap$	U-Bolt kit	2	TDUB-005	\$	Kt				

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)								
	Fits top pin	1	TW959	\$	Ea			
	Fits top pin	1	TW961	\$	Ea			
Ť	Fits bottom eyering- #42057 Only	1	4W-SPF420-05	\$	Ea			
	Fits bottom eyering - #42051 Only	1	4W-SPF420-02	\$	Ea			

REAR REPLACEMENT BUSHES (QTY PER SHOCK)									
8	Fits top eyering Foam cell	1	ADJ00191	\$	Ea				
	Fits bottom eyering Foam cell	1	4W-SPF420-02	\$	Ea				
	Fits top eyering Adjustable	1	230100	\$	Ea				
Ĭ	Fits bottom eyering Adjustable	1	230002	\$	Ea				



### THIS PAGE IS INTENTIONALLY BLANK



#### MAZDA BT-50 B2500, B3000 11/2006-10/2011 EST. LIFT FRONT: 45MM | REAR: 45M



### **FRONT** FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber Ea Pr **Torsion Bar** 1 Shock strengthening bracket Ea CONTENT **DESCRIPTION PART NO** RRP FOAM CELL - SHOCK ABSORBER Up to 45mm Lift 2 FC42051B Ea Note: FC42051B is to be fitted to all applications where a Foam Cell or Adjustable shock is fitted to the rear

	RE/	۱R			
	REAR SUSPENSION	ON (	CHECK LIST		
You need to or	rder the following item	s fo	r the rear end of your v	ehicle/	
<b>&amp; &amp; o</b>	0		Shock Absorber	2	Ea
a.	9		Leaf Springs	2	Ea
		(Ba	Leaf Spring Fitment Kit ased on Leaf Spring Choice	) 1	Kt
		- 1	ellows Airbags (Optional)		Kt
		1			
8 8	* <del>****</del> ** ii ii				
CONTENT	DESCRIPTION	<u>L</u>	PART NO	RR	P
CONTENT	DESCRIPTION	OCK TΩ	PART NO	RR	P
	DESCRIPTION FOAM CELL - SHO	ZE OCK		RR	P
		E CK	ABSORBER	RR \$	P Ea
	FOAM CELL - SHO	2	ABSORBER FC41232	\$	Ea
	FOAM CELL - SHO	2	ABSORBER	\$	Ea
	FOAM CELL - SHO	2	FC41232 LE - SHOCK ABSO	\$	Ea

TORSION BAR						
	27mm / 1028mm	1	4WTB-1440	\$	Pr	
Note: Adjust torsion bars after fitting shocks - ensure an minimum of 60mm droop is maintained						

	LEAF SP	RI	NG		
	0-300kg load	1	FS368C-LH	\$	Ea
مر به		1	FS368C-RH	\$	Ea
	CONSTANT 300kg load	1	FS368L-LH	\$	Ea
		1	FS368L-RH	\$	Ea
Note: 1 Left hand and 1 right hand side leaf spring pack should be ordered					

LEAF SPRING FITMENT KIT - FITS FS368L						
	Urethane Shackle bushes	1		TDUK-069		
	U-Bolts		TDFK-001	TDUB-039	\$ Kt	
$\cap$	Greaseable Shackles			TDGS-386/1	Ψ	
1 1	Greaseable Pins			TDGP-668		
•	LEAF SPRING F	FITMENT KIT - FITS FS368C				
	Urethane Shackle bushes			TDUK-069		
	U-Bolts	1	1 TDEK 000	TDUB-040		
		l 1	TDEK-002		¢ k+	
	Greaseable Shackles	1	TDFK-002	TDGS-386/1	\$ Kt	

	AIR ASSIST	-BE	LLOWS	
22	Bellows bag kit - OEM height	1	TDAA-117	\$ Kt
	Bellows bag kit - 45mm lift	1	TDAA-101	\$ Kt



MAZDA BT-50 B2500, B3000 11/2006-10/2011 EST. LIFT FRONT: 45MM | REAR: 45MM



FRONT						
CONTENT DESCRIPTION					RRP	
F	RONT INDIVIDUA	L C	OMPONENTS			
	Shock mount strengthening kit 1 TDSK-020 \$ E					
Note: Failure to fit TDSK-020 will cause top mount failure.						

	REAR						
CONTENT DESCRIPTION E PART NO RRP							
F	REAR INDIVIDUAL	C	OMPONENTS				
	Urethane Shackle bush kit	1	TDUK-069	\$	Kt		
$\cap$	U-Bolt kit - FS368C Only	2	TDUB-040	\$	Kt		
$\cap$	U-Bolt kit - FS368L Only	2	TDUB-039	\$	Kt		
	Greaseable Shackle kit	1	TDGS-386/1	\$	Kt		
	Greaseable Pin kit	1	TDGP-668	\$	Kt		

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top pin	1	TW959	\$	Ea	
	Fits top pin	1	TW961	\$	Ea	
Ť	Fits bottom eyering - #42057 Only	1	4W-SPF420-05	\$	Ea	
	Fits bottom eyering - #42051 Only	1	4W-SPF420-02	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top eyering Foam cell	1	ADJ00191	\$	Ea	
	Fits bottom eyering Foam cell	1	4W-SPF420-02	\$	Ea	
	Fits top eyering Adjustable	1	230100	\$	Ea	
Î	Fits bottom eyering Adjustable	1	230002	\$	Ea	





### FT FRONT: 40MM | REAR: 40MM

#### **FRONT** FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Assembled struts Ea OR 2 Struts Ea Coil Springs Pr 1 Strut Top (Optional) 2 Ea Upper Control Arms (Optional) 1 Pr

REAR SUSPENSION	ON CHECK LIST		
You need to order the following item	s for the rear end of your ve	hicle.	
	Shock Absorber	2	Ea
َ مُسِ بُهُ الْ	Leaf Springs	2	Ea
0	Leaf Spring Fitment Kit (Based on Leaf Spring Choice)	1	Kt
	Bellows Airbags (Optional)	1	Kt
	<b>&gt;</b>		

**REAR** 

CONTENT	DESCRIPTION	QTY	PART NO	RRP		
Α	SSEMBLED STRU	TS	- FOAM CELL			
Assemble	ed struts are made up of	:1 x	strut, 1 x coil 1 x strut to	op		
	Up to Steel Bar	1	MAZ-003-LH	-\$ Ea		
	op to oteer bar	1	MAZ-003-RH	Ψ La		
	With Steel Bar and	1	MAZ-004-LH	-\$ Ea		
	Winch	1	MAZ-004-RH	у Са		
	ASSEMBLED ST	RU	TS - 40MM ADJUS	STABLE		
\$	Assembled struts are made up of: 1 x strut, 1 x coil 1 x strut top					
8	Up to Steel Bar	1	MAZ-001-LH	-\$ Ea		
		1	MAZ-001-RH	Ψ La		
	With Steel Bar and	1	MAZ-002-LH	-\$ Ea		
	Winch	1	MAZ-002-RH	Ψ La		
	STRUT - FO	ΑM	CELL			
Ī	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404500	\$ Ea		
Ī	STRUT -	40N	MM ADJUSTABLE			
Ţ	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404500	\$ Ea		

CONTENT	DESCRIPTION	QT.	PART NO	RRP
F	OAM CELL - SHC	CK	ABSORBER	
	Up to 40mm Lift	2	FC41232	\$ Ea
	40MM ADJUSTA	ABI	LE - SHOCK ABSO	RBER
ŏ	Up to 40mm Lift	2	BM401232	\$ Ea

	COIL SPF	RIN	IGS	
MIAAAA	Up to Steel Bar	1	TDC451	\$ Pr
	With Steel bar or bar and winch	1	TDC451HL	\$ Pr

LEAF SPI	RIN	IGS	
0-300kg load	2	FS369C	\$ Ea
CONSTANT 300kg load	2	FS369L	\$ Ea
CONSTANT 500kg load	2	FS369LL	\$ Ea





FRONT						
CONTENT	DESCRIPTION	QTY	PART NO	RRP		

FRONT						
CONTENT	DESCRIPTION	PART NO			RRP	
LEAF S	PRING FITMENT I	ΚIT	- FITS FS	6369L & L	.L	
	Urethane Shackle bushes			TDUK-070		
	U-Bolts			TDUB-039		
	Greaseable Shackles	1	TDFK-003	TDGS-390	\$ Kt	
l I	Greaseable Pins			TDGP-668		
<b>+</b>	Transmission Spacer Kit			TDSP-007		
10 da	LEAF SPRING F	ΉT	MENT KIT	T - FITS F	S369C	
	Urethane Shackle bushes			TDUK-070		
	U-Bolts			TDUB-040		
	Greaseable Shackles	1	TDFK-004	TDGS-390	\$ Kt	
T 88888	Greaseable Pins			TDGP-668		
	Transmission Spacer Kit			TDSP-007		

UPPER CONTROL ARMS					
	Upper Control Arm	1	TDCA-003	\$	Pr
UU	Bush kit for TDCA-003	1	TDSK-003	\$	Ea
	Ball Joint kit for TDCA-003	1	TDSK-004	\$	Ea

Note: Fitment of Tough Dog upper control arms to vehicles that have lifts fitted greater than 50mm may suffer from premature ball joint failure due to longer droop lengths. The use of strut spacers may also effect the performance and longevity of the UCA ball joint due to the limitations of the spherical pairing housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include but is not limited to jumping of the vehicle.

	AIR ASSIST -	BE	LLOWS	
عد	Bellows Bags Kit - OEM Height	1	TDAA-116	\$ Kt
	Bellows Bags Kit - 40mm Lift	1	TDAA-102	\$ Kt

FRONT INDIVIDUAL COMPONENTS						
Æ.O	Strut Top	2	MAZ-4051	\$	Ea	

F	REAR INDIVIDUAL COMPONENTS							
	Urethane shackle bush kit	1	TDUK-070	\$	Kt			
$\bigcap$	U-Bolt kit - FS369C Only	2	TDUB-040	\$	Kt			
$\bigcap$	U-Bolt kit - FS369L & FS369LL Only	2	TDUB-039	\$	Kt			
	Greaseable shackle kit	1	TDGS-390	\$	Kt			
	Greaseable pin kit	1	TDGP-668	\$	Kt			
Tesses	Transmission Spacer kit	1	TDSP-007	\$	Ea			
Note: Must be fitted to all Kits.								

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits bottom eyering	1	ADJ00305	\$	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
8	Fits top eyering Foam Cell	1	ADJ00191	\$	Ea	
	Fits bottom eyering Foam Cell	1	4W-SPF420-02	\$	Ea	
Ì	Fits top eyering Adjustable	1	230100	\$	Ea	
	Fits bottom eyering Adjustable	1	230002	\$	Ea	



MAZDA
BT-50
TF
08/2020 ON
EST. LIFT FRONT: 40MM | REAR: 40MM



# FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Assembled struts 2 Ea OR Struts 2 Ea Coil Springs 1 Pr Strut Top (Optional) 2 Ea

CONTENT	DESCRIPTION	QTY	PART NO	F	RRP			
ASSEMBLED STRUTS - FOAM CELL								
Assemble	ed struts are made up of	: 1 x	strut, 1 x coil 1 x strut to	ор				
	No Accessories	1	ISU-003	\$	Ea			
*	With Steel Bar or Bar and Winch	1	ISU-004	\$	Ea			
•	ASSEMBLED ST	RU	TS - 40MM ADJUS	STA	BLE			
	Assembled struts are m	ade	up of: 1 x strut, 1 x coil 1	x strı	ut top			
8	No Accessories	1	ISU-001	\$	Ea			
	With Steel Bar or Bar and Winch	1	ISU-002	\$	Ea			
	STRUT - FO	ΑM	CELL					
Ī	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404929	\$	Ea			
I	STRUT -	40N	MM ADJUSTABLE					
	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404929	\$	Ea			

REAR								
REAR SUSPENSION	REAR SUSPENSION CHECK LIST							
You need to order the following items for the rear end of your vehicle.								
	Shock Absorber	2	Ea					
	Leaf Springs	2	Ea					
	Leaf Spring Fitment kit	1	Kt					
	Bellows Airbags (Optional)	1	Kt					

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
F	FOAM CELL - SHOCK ABSORBER						
å	Up to 40mm Lift	2	FC43035	\$ Ea			
	40MM ADJUSTA	ABI	E - SHOCK ABSO	RBER			
8	Up to 40mm Lift	2	BM403035	\$ Ea			

	COIL SPE	RIN	IGS	
MIAAAA	No Accessories	1	TDC974	\$ Pr
	With Steel Bar or Bar & Winch	1	TDC974H	\$ Pr

LEAF SPI	RIN	IGS	
0-300kg load	2	FS215C	\$ Ea
CONSTANT 300KG load	2	FS214L	\$ Ea
CONSTANT 500KG load	2	FS214LL	\$ Ea



MAZDA
BT-50
TF
08/2020 ON
EST. LIFT FRONT: 40MM | REAR: 40MM



	FRO	TNC		
CONTENT	DESCRIPTION	TT	PART NO	RRP

	FROI	T			
CONTENT	DESCRIPTION	QTY	PAR <sup>*</sup>	T NO	RRP
LEAF	SPRING FITMEN	Τŀ	KIT - FITS	FS215C	
	Urethane Shackle bushes			TDUK-085	
	U-Bolts	1	TDFK-011	TDUB-016	\$ Kt
	Greaseable Shackles	1	161 K-011	TDGS-902	φ Kt
!!	Greaseable Pins			TDGP-668	
*	LEAF SPRING FIT	ГМ	ENT KIT -	FITS FS2	14L & LL
10 <del>1</del> (21	Urethane Shackle bushes			TDUK-085	
	U-Bolts			TDUB-016	
	Greaseable Shackles	1	TDFK-012	TDGS-902	\$ Kt
	Greaseable Pins			TDGP-668	
	Handbrake Relocation Kit			TDSK-021	

	AIR ASSIST -	BE	LLOWS	
22	Bellows bag kit - OEM height	1	TDAA-130	\$ Kt
	Bellows bag kit - 40mm lift	1	TDAA-131	\$ Kt

FRONT INDIVIDUAL COMPONENTS						
<b>1</b> .0	Strut Top	2	ISU-4929	\$	Ea	

REAR INDIVIDUAL COMPONENTS					
	Urethane Shackle bush kit	1	TDUK-085	\$	Kt
$\bigcap$	U-Bolt kit	2	TDUB-016	\$	Kt
	Greaseable Shackle kit	1	TDGS-902	\$	Kt
	Greaseable Pin kit	1	TDGP-668	\$	Kt
	Handbrake Relocation Bkt - Only with FS214L & FS214LL	1	TDSK-021	\$	Ea

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					
Î	Fits bottom eyering	1	ADJ300/40A	\$	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)					
	Rear top & bottom eyering	2	TW038-16	\$	Ea





### TOUGH DOG GVM UPGRADE CAN ONLY BE ORDERED THROUGH A TOUGH DOG APPROVED GVM DEALER

### **GVM SUSPENSION UPGRADE KIT - VTA - 051584**

PRE REGISTRATION - FEDERAL APPROVAL						
CONTENT	DESCRIPTION	PART	RRP			
	4X2, 4X4 SINGLE,	SPACE CAE	-XT			
OEM			ISU-003			
GVM 3000KG	FRONT		FC43037			
TO	ALL APPLICATIONS		FS215XHD			
3100KG		TDGVM-031	TDUK-085	\$ Kt		
	REAR	I DOVINI-031	TDGP-668			
3695KG TOUGH DOG	CONSTANT		TDGS-902			
GVM	400kg Minimum Load		TDUB-016			
	Willing Load		TDFI-023			

POST REGISTRATION - STATE APPROVAL						
CONTENT	DESCRIPTION	PART	RRP			
	4X2, 4X4 SINGLE, 9	SPACE CAB	3-XT			
OEM			ISU-003			
GVM 3000KG	OKG FRONT		FC43037			
TO			FS215XHD			
3100KG		TDGVM-032	TDUK-085	\$ Kt		
	DEAD	1 DG V WI-032	TDGP-668	\$ Kt		
3695KG TOUGH DOG	REAR CONSTANT		TDGS-902			
GVM	400kg Minimum Load		TDUB-016			
	wiiiiiiium Load		TDFI-024			





### TOUGH DOG GVM UPGRADE CAN ONLY BE ORDERED THROUGH A TOUGH DOG APPROVED GVM DEALER

### **GVM SUSPENSION UPGRADE KIT - VTA - 051584**

PRE REGISTRATION - FEDERAL APPROVAL								
CONTENT	DESCRIPTION	PART	RRP					
4X2, 4X4 DUAL CAB-XT, XTR, GT								
OEM			ISU-003					
GVM 3000KG	FRONT ALL APPLICATIONS		FC43037					
TO			FS215XHD					
3100KG		TD 0\/44 000	TDUK-085	\$ Kt				
	DEAD	TDGVM-033	TDGP-668	Φ Κι				
3695KG	REAR CONSTANT 300kg Minimum Load		TDGS-902					
TOUGH DOG GVM			TDUB-016					
	wimimum Load		TDFI-025					

POST REGISTRATION - STATE APPROVAL								
CONTENT	DESCRIPTION	PART NO RRE						
4X2, 4X4 DUAL CAB-XT, XTR, GT								
OEM			ISU-003					
GVM 3000KG	FRONT		FC43037					
TO	ALL APPLICATIONS		FS215XHD					
3100KG		TDGVM-034	TDUK-085	\$ Kt				
	DEAD	1 DG V WI-034	TDGP-668	\$ Kt				
3695KG TOUGH DOG	CONSTANT		TDGS-902					
GVM 300kg		TDUB-016						
	Minimum Load		TDFI-026					



### MERCEDES-BENZ

12/2017 ON EST. LIFT FRONT: 35MM | REAR: 35MM



#### **FRONT** FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. 2 Ea Assembled struts OR 2 Struts Ea Coil Springs Pr Strut Top (Optional) Ea Upper Control Arms (Optional) 1 Pr

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
Α	SSEMBLED STRU	TS	- FOAM CELL				
Assemble	ed struts are made up of	1 x	strut, 1 x coil 1 x strut to	ор			
	No Accessories	2	MEC-003	\$	Ea		
*	With Steel Bar or Bar and Winch	2	MEC-004	\$	Ea		
<b>3</b>	ASSEMBLED ST	RU	TS - 40MM ADJUS	STABI	LE		
•	Assembled struts are made up of: 1 x strut, 1 x coil 1 x strut top						
Ĭ	No Accessories	2	MEC-001	\$	Ea		
	With Steel Bar or Bar and Winch	2	MEC-002	\$	Ea		
	STRUT - FO	ΑN	CELL				
Ī	Up to 35mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404925	\$	Ea		
I	STRUT -	40ľ	MM ADJUSTABLE				
	Up to 35mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404925	\$	Ea		

REAR						
REAR SUSPENSION CHECK LIST						
You need to order the following items for the rear end of your vehicle.						
ii 22	Shock Absorber	2	Ea			
	Coil Springs	1	Pr			
ii ss	Panhard Rod (Optional)	1	Ea			
	Coil Insert Airbags (Optional)	1	Kt			

CONTENT	DESCRIPTION	QTY	PART NO	RRP
F	OAM CELL - SHO	CK	ABSORBER	
0	Up to 35mm Lift	2	FC41369	\$ Ea
	40MM ADJUSTA	\Βl	LE - SHOCK ABSO	RBER
8	Up to 35mm Lift	2	BM401369	\$ Ea

COIL SPRINGS					
MILLAAAA	No Accessories	1	TDC1008	\$	Pr
	With Steel Bar or Bar & Winch	1	TDC1009	\$	Pr

COIL SPRINGS					
	0-300kg load	1	TDC774	\$	Pr
	CONSTANT 300kg load	1	TDC774H	\$	Pr
	CONSTANT 500kg load		TDC774VHL	\$	Pr

	PANHARD	R	ODS	
o———	Adjustable panhard rod	1	TDPR-300	\$ Ea



### MERCEDES-BENZ

12/2017 ON EST. LIFT FRONT: 35MM | REAR: 35MM



FRONT						
CONTENT	DESCRIPTION	QTY	PART NO		RRP	
UPPER CONTROL ARMS						
	Upper Control Arms	1	TDCA-007	\$	Pr	
UU	Bush kit for TDCA-007	1	TDSK-011	\$	Ea	
	Ball Joint kit for TDCA-007	1	TDSK-012	\$	Ea	

Note: Fitment of Tough Dog upper control arms to vehicles that have lifts fitted	
greater than 50mm may suffer from premature ball joint failure due to longer	
droop lengths. The use of strut spacers may also effect the performance and	
longevity of the UCA ball joint due to the limitations of the spherical bearing	
housing being breached or bound at full suspension droop. There will be no	
housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving	
conditions that will include but is not limited to jumping of the vehicle.	

REAR							
CONTENT	CONTENT DESCRIPTION				RRP		
	AIR ASSIST - COIL INSERT						
	Coil insert bag kit - OE Height only	1	TDAA-016	\$	Kt		
	Coil insert bag kit - 35mm lift	1	TDAA-007	\$	Kt		


FRONT INDIVIDUAL COMPONENTS						
·L·O	Strut Top	2	NIS-3030	\$	Ea	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Front bottom eyering	1	ADJ300/40A	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)							
	Rear top eyering	1	404702	\$	Ea		
	Rear bottom eyering	1	TW042-14	\$	Ea		







	RE/	\R			
	REAR SUSPENSION	ON (	CHECK LIST		
You need to o	rder the following item	s fo	r the rear end of your v	ehicle	
<b>A A O</b>	0		Shock Absorber	2	Ea
			Leaf Springs	2	Ea
			Urethane Bush kit	1	Kt
			U-Bolt kits	2	Kt
			Anti Inversion kit	1	Ea
		<b> </b> >-			
CONTENT	DESCRIPTION	QTY	PART NO	RRI	P
	DESCRIPTION TROGEN GAS - SH	_		RRI	P
		_	CK ABSORBER	RRI	
	TROGEN GAS - SI Up to 35mm Lift	2	CK ABSORBER	\$	
	TROGEN GAS - SI Up to 35mm Lift	2	CK ABSORBER BD1382T SHOCK ABSORBE	\$	Ea
	TROGEN GAS - SI  Up to 35mm Lift  FOAM CEL  Up to 35mm Lift	2 L - 3	CK ABSORBER BD1382T SHOCK ABSORBE	R F	Ea
	TROGEN GAS - SI  Up to 35mm Lift  FOAM CEL  Up to 35mm Lift	2 L - 3	BD1382T SHOCK ABSORBE FC41382 LE - SHOCK ABSO	R F	Ea



LEAF S	PRING	S	
0-300kg load	2	FS021	\$ Ea

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)							
	Front top pin	2	TW959	\$	Ea		
	Front bottom eyering	1	412772	\$	Ea		

REAR INDIVIDUAL COMPONENTS								
	Urethane shackle bush kit	1	TDUK-066/31	\$	Kt			
$\cap$	U-bolt kit	2	TDUB-006	\$	Kt			
	Anti inversion bracket kit	1	TDSK-023	\$	Ea			
	<b>Note:</b> Must be fitted to all kits.							

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Rear top eyering	2	404702	\$	Ea	




### THIS PAGE IS INTENTIONALLY BLANK



### MITSUBISHI CHALLENGER PA II (COIL REAR) 06/2000-2007 EST. LIFT FRONT: 35MM | REAR: 35MM





REAR										
REAR SUSPENSION CHECK LIST										
You need to order the following items for the rear end of your vehicle.										
	<b>\$\$</b>		Shock Absorber	2	Ea					
0 0			Coil Spring	1	Pr					
CONTENT	DESCRIPTION	QTY	PART NO	RR	Р					
F	OAM CELL - SHO	CK	ABSORBER							
° C	Up to 35mm Lift	2	FC41439	\$	Ea					
	40MM ADJUSTA	λBI	E - SHOCK ABSO	RBE	R					
ŏ	Up to 35mm Lift	2	BM401439	\$	Ea					

	TORSION BAR							
•	-	27.5mm / 1307mm	1	4WTB-0203	\$	Pr		
	Note: Adjust torsion bars after fitting shocks - ensure an minimum of 60mm droop is maintained							

COIL SPRINGS						
MIAAAA	0-300kg load	2	TDC640	\$	Pr	
WVVVV	0-300kg load  CONSTANT 300Kg load	2	TDC632SL	\$	Pr	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)							
	Front top pin	2	TW959	\$	Ea		
	Front bottom eyering	1	412772	\$	Ea		

REAR REPLACEMENT BUSHES (QTY PER SHOCK)							
	Rear top eyering	1	404702	\$	Ea		
	Rear bottom eyering	1	TW038-16	\$	Ea		





# FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Assembled struts 2 Ea OR Struts 2 Ea Coil Springs 1 Pr Strut Top (Optional) 2 Ea

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
ASSEMBLED STRUTS - FOAM CELL								
Assemble	ed struts are made up of	1 x	strut, 1 x coil 1 x strut to	р				
	Up to Steel bar	2	MIT-060/03	\$	Ea			
	With Steel Bar & Winch	2	MIT-060/04	\$	Ea			
<b>\$</b>	ASSEMBLED STRUTS - 40MM ADJUSTABLE							
•	Assembled struts are m	ade	up of: 1 x strut, 1 x coil 1	x strut	top			
Ţ	Up to Steel bar	2	MIT-060/01	\$	Ea			
	With Steel Bar & Winch	2	MIT-060/02	\$	Ea			

	STRUT-FOAM CELL					
I	Up to 25mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404800	\$	Ea	
I	STRUT - 4	40I	MM ADJUSTABLE			
	Up to 25mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404800	\$	Ea	

COIL SPRINGS						
MILLAAAA	Up to bar	1	TDC670	\$	Pr	
	With Bar & Winch	1	TDC670H	\$	Pr	

FRONT INDIVIDUAL COMPONENTS						
<b>Æ</b> •0	Strut Top	2	MIT-4040	\$	Ea	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)							
Ì	Front bottom eyering	1	ADJ300/50	\$	Ea		

REAR							
REAR SUSPENSIO	N CHECK LIST						
You need to order the following items	You need to order the following items for the rear end of your vehicle.						
ii ss	Shock Absorber	2	Ea				
	Coil Spring	1	Pr				

CONTENT	DESCRIPTION	QTY	PART NO	RRP					
FOAM CELL - SHOCK ABSORBER									
ě	Up to 25mm Lift	2	FC41440B	\$ Ea					
	40MM ADJUSTA	ABI	LE - SHOCK ABSO	RBER					
	Up to 25mm Lift	2	BM401440	\$ Ea					

COIL SPRINGS						
	0-300kg load	1	TDC636L	316 Pr		
	CONSTANT 300kg load	1	TDC636HL	326 Pr		
Use of CONSTANT load springs without load will result in tailshaft vibration						

REAR REPLACEMENT BUSHES (QTY PER SHOCK)							
	Rear top eyering	1	404702	\$	Ea		
	Rear bottom eyering	1	TW038-16	\$	Ea		





FRONT						
CONTENT	DESCRIPTION	QTY	PART NO	RRP		

REAR							
CONTENT	DESCRIPTION	QTY	PART NO	RRP			
NITROGEN GAS - SHOCK ABSORBER							
	OE Height	2	BD1382T	\$ Ea			
	40mm Lift	2	BD1388T	\$ Ea			
ľ	FOAM CELL - SHOCK ABSORBER						
	OE Height	2	FC41382	\$ Ea			
I	40mm Lift	2	FC41388	\$ Ea			
	40MM ADJUSTA	\BI	E - SHOCK ABSO	RBER			
	OE Height	2	BM401382	\$ Ea			
	40mm Lift	2	BM401388	\$ Ea			

TORSION BARS							
	26mm /1277.5mm	1	4WTB-1726	\$	Pr		
<b>Note:</b> Adjust torsion bars after fitting shocks - ensure an minimum of 60mm droop is maintained							

REAR INDIVIDUAL COMPONENTS						
	Urethane Shackle bush kit	1	TDUK-021/35	\$	Kt	
$\cap$	U-Bolt kit	2	TDUB-006	\$	Kt	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fit top & bottom eyering	2	404702	\$	Ea	



### MITSUBISH L300 4WD SC, SD, SE, SF, SG, SH 05/1983-1994 EST. LIFT FRONT: 40MM | REAR: 40MM



FRONT							
CONTENT	DESCRIPTION	QTY	PART NO	RRP			
NI	TROGEN GAS - SI	100	CK ABSORBER				
	Up to 40mm lift	2	BD2058T	\$	Ea		
٩	FOAM CEL	L -	SHOCK ABSORE	ER			
	Up to 40mm lift	2	FC42058B	\$	Ea		
N	Note: BD2058T can be fitted to all applications.						

REAR						
CONTENT	DESCRIPTION	QTY	PART NO	RRP		
NI	TROGEN GAS - SH	100	CK ABSORBER			
	OE Height - SC, SD, SE Only	2	BD1366T			
	40mm Lift - SC, SD, SE Only	2	BD1382T	ф <b>Г</b> -		
	OE height - SF, SG, SH Only	2	BD1386T	\$ Ea		
	40mm Lift - SF, SG, SH Only	2	BD1400T			
	FOAM CEL	L - 8	SHOCK ABSORBI	<b>ER</b>		
Ů	OE Height - SC, SD, SE Only	2	FC41366			
	40mm Lift - SC, SD, SE Only	2	FC41382	-\$ Ea		
I	OE height - SF, SG, SH Only	2	FC41386	р са		
8	40mm Lift - SF, SG, SH Only	2	FC41400			
	40MM ADJUSTA	ABI	LE - SHOCK ABSO	RBER		
	OE Height - SC, SD, SE Only	2	BM401366			
	40mm Lift - SC, SD, SE Only	2	BM401382	ф Г-		
	OE height - SF, SG, SH Only	2	BM401386	\$ Ea		
	40mm Lift - SF, SG, SH Only	2	BM401400			

TORSION BARS						
	26mm / 1277.5mm - SC, SD, SE	1	4WTB-1726	\$	Pr	
Note: Adjust torsion bars after fitting shocks - ensure an minimum of 60mm droop is maintained						

REAR INDIVIDUAL COMPONENTS						
	Urethane shackle bush kit	1	TDUK-005	\$	Kt	
$\bigcap$	U-bolt kit	2	TDUB-006	\$	Kt	


REAR REPLACEMENT BUSHES (QTY PER SHOCK)							
	Front top pin	2	TW959	\$	Ea		

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top & bottom eyering #1366 & #1382	2	404702	\$	Ea	
	Fits top eyering #1386 & #1400	1	404702	\$	Ea	
0	Fits bottom pin#1386 & #1400	2	TW959	\$	Ea	



### 05/1983-1994 & 05/1991-06/1993





REAR								
REAR SUSPENSION	REAR SUSPENSION CHECK LIST							
You need to order the following items	You need to order the following items for the rear end of your vehicle.							
	Shock Absorber	2	Ea					
	Leaf Spring	2	Ea					
	Urethane Shackle Bush kit	1	Kt					
	U-Bolt kits	2	Kt					
	Greaseable Shackle kit	1	Kt					
	Greaseable Pin kit	1	Kt					

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
FOAM CELL - SHOCK ABSORBER							
	40mm lift NA-NG Only	2	FC42058B	\$ Ea			
8	40mm lift NH Only	2	FC42057B	\$ Ea			
Note: FO	Note: FC42057B & FC42058B can be fitted to all applications.						

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
F	FOAM CELL - SHOCK ABSORBER							
Î	Up to 40mm lift	2	FC41382	\$ Ea				
	40MM ADJUSTA	ABL	E - SHOCK ABSO	RBER				
8	Up to 40mm lift	2	BM401382	\$ Ea				

TORSION BAR							
	26mm / 1277.5mm	1	4WTB-1726	\$	Pr		
Note: Adjust torsion bars after fitting shocks - ensure an minimum of 60mm droop is maintained							

LEAF SPRINGS						
مر به	0-300kg load	2	FS021	\$	Ea	
	CONSTANT 300kg load	2	FS021H	\$	Ea	

STEERING DAMPERS					
○ <del>──₩₩₩₩</del> ;±	Return-to-Center - Mounts present in vehicle	1	SS5013-P/S	\$	Ea
<u>○                                    </u>	Return-to-Center - Mounts not present in vehicle	1	SS5016-P/S	\$	Ea

REAR INDIVIDUAL COMPONENTS							
	Urethane Shackle bush kit	1	TDUK-005	\$	Kt		
$\cap$	U-Bolt kit	2	TDUB-006	\$	Kt		
	Greaseable Pin kit	1	TDGP-004	\$	Kt		
	Greaseable Shackle kit	1	TDGS-900	\$	Kt		


FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top pin	2	TW959	\$	Ea	
	Fits bottom eyering (Only for FC42057B)	1	412772	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top & bottom eyering	2	404702	\$	Ea	



### MITSUBISHI PAJERO/MONTERO COIL REAR NF-NG & NH-NL 08/1988-1991 & 05/1991-2002





REAR								
REAR SUSPENSION CHECK LIST								
You need to order the following items for the rear end of your vehicle.								
ŮŮ₹₹	Shock Absorber	2	Ea					
	Coil Springs	1	Pr					

CONTENT	DESCRIPTION	QTY	PART NO	RRP
ı	FOAM CELL - SHO	CK	ABSORBER	
°	40mm lift NF-NG Only	2	FC42058B	\$ Ea
	40mm lift NH-NL Only	2	FC42057B	\$ Ea
<b>Note:</b> FC42057B	& FC42058B are to be fit Cell or Adjustable shock	ted is f	to all applications wher itted to the rear.	e a Foam

CONTENT	DESCRIPTION	QTY	PART NO	RRP		
F	FOAM CELL - SHOCK ABSORBER					
	Up to 40mm lift (NF-NG Only)	2	FC41439			
	OE Height (NH-NL Only)	2	FC41170B	\$ Ea		
	Up to 40mm lift (NH-NL Only)	2	FC41178B			
	40MM ADJUSTA	ABL	E - SHOCK ABSO	RBER		
8	Up to 40mm lift (NF-NG Only)	2	BM401439			
	OE Height (NH-NL Only)	2	BM401170	\$ Ea		
	Up to 40mm lift (NH-NL Only)	2	BM401178			

TORSION BARS						
	26mm / 1277.5mm (91-05/96)	1	4WTB-1726	\$	345	Pr
	27.5mm / 1307mm (06-96-00)	1	4WTB-0203	\$	365	Pr
Note: Adjust tor	sion bars after fitting sh droop is ma	ock: inta	s - ensure an minimum o ined	of 6	0mm	1

COIL SPRINGS					
	0-300kg load	1	TDC632SL	\$	Pr
WVVV <b>Y</b>	CONSTANT 300kg load	1	TDC632L	\$	Pr

	STEERING D	A	MPERS	
	Return-to-Center - Mounts present in vehicle	1	SS5013-P/S	\$ Ea
- mmmm-r	Return-to-Center - Mounts not present in vehicle	1	SS5016-P/S	\$ Ea

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top pin	2	TW959	\$	Ea	
	Fits bottom eyering (Only for FC42057B)	1	412772	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top pin	2	402267	\$	Ea	
	Fits bottom eyering	1	TW038-16	\$	Ea	





# FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Assembled struts 2 Ea OR Struts 2 Ea Coil Springs 1 Pr Strut Top (Optional) 2 Ea

CONTENT	DESCRIPTION	QTY	PART NO		RRP			
A	SSEMBLED STRU	TS	- FOAM CELL					
Assemble	ed struts are made up of	: 1 x	strut, 1 x coil 1 x strut t	ор				
	With Steel Bar - Petrol	2	MIT-050/04	\$	Ea			
	With Steel Bar - Diesel	2	MIT-050/05	\$	Ea			
_	With Steel bar & Winch	2	MIT-050/06	\$	Ea			
	OE Height	2	MIT-050/07	\$	Ea			
•	ASSEMBLED STRUTS - 40MM ADJUSTABLE							
	Assembled struts are made up of: 1 x strut, 1 x coil 1 x strut top							
·	With Steel Bar - Petrol	2	MIT-050/01	\$	Ea			
	With Steel Bar - Diesel	2	MIT-050/02	\$	Ea			
	With Steel bar & Winch	2	MIT-050/03	\$	Ea			
	STRUT - FO	AN	CELL					
Ī	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404300	\$	Ea			
1	STRUT -	40ľ	MM ADJUSTABLE					
	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404300	\$	Ea			

REA	R						
REAR SUSPENSION	N CHECK LIST						
You need to order the following items	You need to order the following items for the rear end of your vehicle.						
<b>11 33</b>	Shock Absorber	2	Ea				
	Coil Spring	1	Pr				
	Coil Insert Airbags (Optional)	1	Kt				

CONTENT	DESCRIPTION	QTY	PART NO	RRP
ŀ	FOAM CELL - SHO	CK	ABSORBER	
	Up to 40mm Lift	2	FC41148	\$ Ea

COIL SPRINGS - LWB						
	OE Height	1	TDC631	\$	Pr	
	With Steel bar - Petrol	1	TDC633	\$	Pr	
	With Steel bar - Diesel	1	TDC633L	\$	Pr	
	With Steel Bar & Winch	1	TDC633H	\$	Pr	

COIL SPRINGS - LWB							
	0-300kg load - OE Height	1	TDC635S	\$	Pr		
	CONSTANT 300kg load	1	TDC635	\$	Pr		
	0-300kg load	1	TDC635	\$	Pr		
	CONSTANT 300kg load	1	TDC635H	\$	Pr		
	CONSTANT 500kg load	1	TDC635HH	\$	Pr		







REAR						
CONTENT	DESCRIPTION	QTY	PART NO	RRP		
COIL SPRINGS - SWB						
MIAAAA	0-300kg load	1	TDC635S	\$	Pr	
	CONSTANT 300Kg load	1	TDC635	\$	Pr	

AIR ASSIST - COIL INSERT					
	Coil Insert bag - OEM Height	1	TDAA-012	\$	Kt
	Coil Insert bag - 40mm lift	1	TDAA-006	\$	Kt

FRONT INDIVIDUAL COMPONENTS					
<b>1</b>	Strut Top	2	MIT-4038	\$	Ea

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					
	Front bottom eyering	1	ADJ300/40A	\$	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits top pin	2	TW959	\$	Ea
	Fits bottom eyering	1	4W-BS101CH	\$	Ea



MITSUBISHI
PAJERO SPORT
QE, QF
2015 ON
EST. LIFT FRONT: 20MM | REAR: 20MM



#### **FRONT** FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Ea Assembled struts OR 2 Struts Ea Coil Springs 1 Pr Strut Top (Optional) Ea Upper Control Arms (Optional) 1 Pr

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
ASSEMBLED STRUTS - FOAM CELL							
Assemble	ed struts are made up of	: 1 x	strut, 1 x coil 1 x strut to	pp			
	With No Bar / Alloy Bar	2	MIT-061/05	\$ Ea			
	With Steel Bar	2	MIT-061/06	\$ Ea			
*	With Steel Bar & Winch	2	MIT-061/07	\$ Ea			
3	ASSEMBLED ST	RU	ITS - 40MM ADJUS	TABLE			
	Assembled struts are made up of: 1 x strut, 1 x coil 1 x strut top						
8	With No Bar / Alloy Bar	2	MIT-061/01	\$ Ea			
	With Steel Bar	2	MIT-061/02	\$ Ea			
	With Steel Bar & Winch	2	MIT-061/03	\$ Ea			
	STRUT - FO	ΑM	CELL				
I	Up to 20mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404800	\$ Ea			
I	STRUT -	40N	MM ADJUSTABLE				
	Up to 20mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404800	\$ Ea			

REAR						
REAR SUSPENSION	N CHECK LIST					
You need to order the following items	s for the rear end of your ve	hicle.				
حج اْ اْ	Shock Absorber	2	Ea			
	Coil Spring	1	Pr			
ii ss	Coil Insert Airbags (Optional)	1	Kt			

CONTENT	DESCRIPTION	QTY	PART NO	RRP
F	FOAM CELL - SHO	CK	ABSORBER	
ů	Up to 20mm Lift	2	FC41440B	\$ Ea
<b>!</b>	40MM ADJUSTA	ABI	LE - SHOCK ABSO	RBER
8	Up to 20mm Lift	2	BM401440	\$ Ea

	COIL SPI	RIN	IGS	
	With No Bar / Alloy Bar	1	TDC681	\$ Pr
	With Steel Bar	1	TDC681L	\$ Pr
	With Steel Bar & Winch	1	TDC681HL	\$ Pr

COIL SPRINGS					
	0-300kg load	1	TDC638L	\$	Pr
	CONSTANT 300kg load	1	TDC638HL	\$	Pr
Use of Constant Load spring without load will result in tailshaft vibration					

AIR ASSIST - COIL INSERT					
	Coil Insert bag - OEM height	1	TDAA-015	\$	Kt
	Coil Insert bag - 20mm lift	1	TDAA-001	\$	Kt



## MITSUBISHI PAJERO SPORT QE, QF 2015 ON EST. LIFT FRONT: 20MM | REAR: 20MM



FRONT							
CONTENT	DESCRIPTION	QΤΥ	PART NO		RRP		
UPPER CONTROL ARMS							
	Upper Control Arms	1	TDCA-006	\$	Pr		
しルノ	Bush kit for TDCA-006	1	TDSK-009	\$	Ea		
00	Ball Joint kit for TDCA-006	1	TDSK-010	\$	Ea		

Note: Fitment of Tough Dog upper control arms to vehicles that have lifts fitted greater than 50mm may suffer from premature ball joint failure due to longer droop lengths. The use of strut spacers may also effect the performance and longevity of the UCA ball joint due to the limitations of the spherical bearing housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include but is not limited to jumping of the vehicle.

REAR					
CONTENT	DESCRIPTION	QTY	PART NO	RRP	

FRONT INDIVIDUAL COMPONENTS					
<b>-1</b> -0	Strut Top	2	MIT-4040	\$	Ea

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
Ì	Front bottom eyering	1	ADJ300/50	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top eyering	1	404702	\$	Ea	
8	Fits bottom eyering	1	TW038-16	\$	Ea	



## FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber 2 Ea Torsion Bar 1 Pr Steering Damper (Optional) 1 Ea

CONTENT	DESCRIPTION	ΩTY	PART NO	RRF	•			
NIT	NITROGEN GAS - SHOCK ABSORBER							
٥	All models Up to MK	2	BD2058T	\$	Ea			
	40mm Lift MK Only	2	BD2057T	\$	Ea			
	FOAM CELI		SHOCK ABSORBE	R				
8	Up to 40mm Lift - MK Only	2	FC42057B	\$	Ea			

TORSION BARS					
	26mm / 1277.5mm	1	4WTB-1726	\$ 345	Pr
	26mm / 1370mm	1	4WTB-1736	\$ 345	Pr
Note: Adjust torsion bars after fitting shocks - ensure an minimum of 60mm droop is maintained					

REAR								
REAR SUSPENSION	REAR SUSPENSION CHECK LIST							
You need to order the following items for the rear end of your vehicle.								
	Shock Absorber	2	Ea					
	Leaf Springs	1	Ea					
	Leaf Spring Fitment Kit	1	Kt					
	Anti Inversion Kit	1	Ea					
8 8 —— i i ↔								

CONTENT	DESCRIPTION	QTY	PART NO	RRP					
NIT	NITROGEN GAS - SHOCK ABSORBER								
	40mm Lift	2	BD1388T	\$ Ea					
ľ	FOAM CELL - SHOCK ABSORBER								
1	40mm Lift	2	FC41388	\$ Ea					
	40MM ADJUSTA	BI	E - SHOCK ABSO	RBER					
3	40mm Lift	2	BM401388	\$ Ea					

LEAF SPRINGS					
	0-300Kg load	2	FS021	\$	Ea
	CONSTANT 300Kg load	2	FS021H	\$	Ea
Some Special Edition models are equipped with Heavy Duty leaf packs from factory - Check prior to ordering					

LEAF SPRING FITMENT KIT - FITS ALL KITS									
	Urethane Shackle Bush Kit			TDUK-021/31					
$\bigcap$	U-Bolt Kit	1	TDFK-016	TDUB-006	\$ 330	K+			
3	Greasable Shackle Kit		1D1 K-010	TDGS-900	φ 550	IXL			
	Anti Inversion Kit			TDSK-023					

REAR INDIVIDUAL COMPONENTS						
	Urethane Shackle Bush Kit	1	TDUK-021/31	\$	Kt	
$\bigcap$	U-Bolt Kit	2	TDUB-006	\$	Kt	
	Greasable Shackle Kit	1	TDGS-900	\$	Kt	
	Anti Inversion Kit	1	TSDK-023	\$	Ea	
<b>Note:</b> Must be fitted to all kits.						

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top pin	2	TW959	\$	Ea	
	Fits bottom eyering #2057	1	412772	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top & bottom eyering	2	404702	\$	Ea	



### THIS PAGE IS INTENTIONALLY BLANK



## MITSUBISHI TRITON ML-MN 07/2006-2015 EST. LIFT FRONT: 25MM | REAR: 25MM



#### **FRONT** FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. 2 Ea Assembled struts OR 2 Struts Ea Coil Springs 1 Pr Strut Top (Optional) 2 Ea Upper Control Arms (Optional) 1 Pr

REA	REAR						
REAR SUSPENSIO	REAR SUSPENSION CHECK LIST						
You need to order the following items	s for the rear end of your ve	hicle.					
	Shock Absorber	2	Ea				
	Leaf Spring	2	Ea				
	Leaf Spring Fitment Kit	1	Kt				
	Bellows Airbags (Optional)	1	Kt				
			$\perp$				

CONTENT	DESCRIPTION	۵T	PART NO	F	RRP		
ASSEMBLED STRUTS - FOAM CELL							
Assemble	ed struts are made up of	1 x	strut, 1 x coil 1 x strut to	р			
	Petrol / Diesel / Bar	2	MIT-060/03	\$	Ea		
	Petrol / Diesel / Bar / Winch	2	MIT-060/04	\$	Ea		
	OE Height	2	MIT-060/06	\$	Ea		
3	ASSEMBLED ST	RU	TS - 40MM ADJUS	TA	BLE		
	Assembled struts are made up of: 1 x strut, 1 x coil 1 x strut top						
	Petrol / Diesel / Bar	2	MIT-060/01	\$	Ea		
	Petrol / Diesel / Bar / Winch	2	MIT-060/02	\$	Ea		
	STRUT - FO	ΔN	CELL				
Ī	Up to 25mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404800	\$	Ea		
I	STRUT -	40I	MM ADJUSTABLE				
Ţ	Up to 25mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404800	\$	Ea		

CONTENT	DESCRIPTION	ΩT	PART NO	RRP				
NITROGEN GAS - SHOCK ABSORBER								
	Up to 25mm Lift	2	BD1383T	\$ Ea				
	FOAM CEL	L - :	SHOCK ABSORBE	ER				
	Up to 25mm Lift	2	FC41383	\$ Ea				
8	40MM ADJUSTA	\BI	E - SHOCK ABSO	RBER				
	Up to 25mm Lift	2	BM401383	\$ Ea				

COIL SPRINGS					
	Petrol / Diesel / Bar	1	TDC670	\$	Pr
	Petrol / Diesel / Bar / Winch	1	TDC670H	\$	Pr
	OE Height	1	TDC670S	\$	Pr

LEAF SPI	RIN	IGS	
0-300kg load	2	FS122C	\$ Ea
CONSTANT 300kg load	2	FS122L	\$ Ea
CONSTANT 500kg load	2	FS122LL	\$ Ea

Due to excessive overhang created by the design of the vehicle, vehicles carrying greater than 600Kg load constantly in the rear should be fitted with a front spring one specification lighter than normal specification. THis would guard against "See-Saw" effect at the rear of the vehicle. Failure to observe will result in rear leaf spring riding lower than the desired height and cause potential front shock damage.



## MITSUBISHI TRITON ML-MN 07/2006-2015 EST. LIFT FRONT: 25MM | REAR: 25MM



	FRO	TNC		
CONTENT	DESCRIPTION	ΣL	PART NO	RRP

REAR										
CONTENT	DESCRIPTION	QTY	PAR	T NO	RRP	,				
LEAF	SPRING FITMENT	K	T - FITS	ALL KITS	;					
	Urethane Shackle Bush Kit			TDUK-021/31						
$\bigcap$	U-Bolt Kit	1	TDFK-017	TDUB-036	\$ 300	Kt				
43 d d	Greasable Shackle Kit			TDGS-900						

UPPER CONTROL ARMS								
	Upper Control Arms	1	TDCA-006	\$	Pr			
UU	Bush kit for TDCA-006	1	TDSK-009	\$	Ea			
	Ball Joint kit for TDCA-006	1	TDSK-010	\$	Ea			

Bellows Bag Kit	AIR ASSIST -	BE	LLOWS	
Bellows Bag Kit 1 TDAA-105 \$ KI	Bellows Bag Kit - OE Height	1	TDAA-134	\$ Kt
	Bellows Bag Kit - 25mm Lift	1	TDAA-105	\$ Kt

Note: Fitment of Tough Dog upper control arms to vehicles that have lifts fitted greater than 50mm may suffer from premature ball joint failure due to longer droop lengths. The use of strut spacers may also effect the performance and longevity of the UCA ball joint due to the limitations of the spherical bearing housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include but is not limited to jumping of the vehicle.

FRONT INDIVIDUAL COMPONENTS							
<b>∓</b> •	Strut Top	2	MIT-4040	\$	Ea		

REAR INDIVIDUAL COMPONENTS									
	Urethane Shackle Bush Kit - OE Springs Only	1	TDUK-021/41	\$	Kt				
	Urethane Shackle Bush Kit - Tough Dog Springs Only	1	TDUK-021/31	\$	Kt				
$\cap$	U-Bolt Kit	2	TDUB-036	\$	Kt				
$\Box$	Greasable Shackle Kit	1	TDGS-900	\$	Kt				

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)								
	Fits bottom eyering	1	ADJ300/50	\$	Ea			

REAR REPLACEMENT BUSHES (QTY PER SHOCK)								
	Fits top & bottom eyering (FC)	2	404702	\$	Ea			
	Fits top eyering (BM)	1	TW038-16	\$	Ea			
	Fits bottom eyering (BM)	1	404702	\$	Ea			



### MITSUBISHI TRITON MQ 01/2016-2018 EST. LIFT FRONT: 20MM | REAR: 20MM



#### **FRONT** FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. 2 Ea Assembled struts OR Struts 2 Ea Coil Springs Pr 1 Strut Top (Optional) 2 Ea Upper Control Arms (Optional) 1 Pr

REAR										
REAR SUSPENSION	REAR SUSPENSION CHECK LIST									
You need to order the following items	You need to order the following items for the rear end of your vehicle.									
0.0	Shock Absorber	2	Ea							
	Leaf Spring	2	Ea							
	Leaf Spring Fitment Kit	1	Kt							
	Bellows Airbags (Optional)	1	Kt							
	Bollowo / wilbago (optional)	'								

CONTENT	DESCRIPTION	QTY	PART NO		RRP			
ASSEMBLED STRUTS - FOAM CELL								
Assemble	ed struts are made up of	: 1 x	strut, 1 x coil 1 x strut t	ор				
	Diesel - No Accessories	2	MIT-061/05	\$	Ea			
	Diesel - With bar	2	MIT-061/06	\$	Ea			
*	Diesel - With Bar & Winch	2	MIT-061/07	\$	Ea			
•	ASSEMBLED ST	RU	ITS - 40MM ADJU	STA	BLE			
	Assembled struts are made up of: 1 x strut, 1 x coil 1 x strut top							
8	Diesel - No Accessories	2	MIT-061/01	\$	Ea			
	Diesel - With bar	2	MIT-061/02	\$	Ea			
	Diesel - With Bar & Winch	2	MIT-061/03	\$	Ea			
	STRUT - FO	ΑN	CELL					
Ĭ	Up to 20mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404800	\$	Ea			
I	STRUT -	40I	MM ADJUSTABLE					
	Up to 20mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404800	\$	Ea			

CONTENT	DESCRIPTION	ď∡	PART NO	RRP					
NITROGEN GAS - SHOCK ABSORBER									
	Up to 20mm Lift	2	BD3012T	155 Ea					
	FOAM CELL - SHOCK ABSORBER								
	Up to 20mm Lift	2	FC43012	190 Ea					
	40MM ADJUSTA	\BI	LE - SHOCK ABSO	RBER					
	Up to 20mm Lift	2	BM403012	220 Ea					

COIL SPRINGS								
<b>*</b> • • • • • •	20mm Lift No Accessories	1	TDC681	\$	Pr			
	20mm lift Diesel with bar	1	TDC681L	\$	Pr			
	20mm lift - Diesel with Steel Bar & Winch	1	TDC681HL	\$	Pr			

LEAF SPRINGS					
	0-300kg load	2	FS123C	\$	Ea
	CONSTANT 300KG load	2	FS123L	\$	Ea
	CONSTANT 500KG load	2	FS123LL	\$	Ea

Due to excessive overhang created by the design of the vehicle, vehicles carrying greater than 600Kg load constantly in the rear should be fitted with a front spring one specification lighter than normal specification. THis would guard against "See-Saw" effect at the rear of the vehicle. Failure to observe will result in rear leaf spring riding lower than the desired height and cause potential front shock damage.



## MITSUBISHI TRITON MQ 01/2016-2018 EST. LIFT FRONT: 20MM | REAR: 20MM



	FRO	TNC		
CONTENT	DESCRIPTION	ΩTY	PART NO	RRP

	REAR								
CONTENT	DESCRIPTION	QTY	PAR'	Г NO	RRP				
LEAF	SPRING FITMENT	K	T - FITS	ALL KITS					
	Urethane Shackle Bush Kit			TDUK-077					
$\bigcap$	U-Bolt Kit			TDUB-016					
63 C3	Greasable Shackle Kit	1	TDFK-018	TDGS-901	\$ 526	Kt			
	Greaseable Pin kit			TDGP-668					
<b>—</b>	Centre Bearing Strengthening kit			TDSP-008					

Rall loint kit for	UPPER CONTROL ARMS					
Ball Joint kit for 1 TDSK-010 © Fa		Upper Control Arms	1	TDCA-006	\$	Pr
	UU	Bush kit for TDCA-006	1	TDSK-009	\$	Ea
.=			1	TDSK-010	\$	Ea

Note: Fitment of Tough Dog upper control arms to vehicles that have lifts fitted greater than 50mm may suffer from premature ball joint failure due to longer droop lengths. The use of strut spacers may also effect the performance and longevity of the UCA ball joint due to the limitations of the spherical bearing housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include but is not limited to jumping of the vehicle.

	AIR ASSIST	BE	LLOWS	
22	Bellows Bag Kit - OE Height	1	TDAA-119	\$ Kt
	Bellows Bag Kit - 20mm Lift	1	TDAA-106	\$ Kt

F	RONT INDIVIDUA	L C	OMPONENTS	
<b>Æ</b> •0	Strut Top	2	MIT-4040	\$ Ea

REAR INDIVIDUAL COMPONENTS						
	Urethane Shackle bush kit	1	TDUK-077	\$	Kt	
$\cap$	U-Bolt kit	2	TDUB-016	\$	Kt	
	Greaseable Shackle kit	1	TDGS-901	\$	Kt	
	Greaseable Pin kit	1	TDGP-668	\$	Kt	
	Centre Bearing Strengthening kit	1	TDSP-008	\$	Ea	
	Note: Must be fitted to all Kits					

FRONT RE	EPLACEMENT BU	SH	ES (QTY PER SH	ock	<b>(</b> )
	Fits bottom eyering	1	ADJ300/50	\$	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top eyering	1	404702	\$	Ea	
	Fits bottom eyering	1	TW038-16	\$	Ea	





#### **FRONT** FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. 2 Ea Assembled struts OR Struts 2 Ea Coil Springs Pr 1 Strut Top (Optional) 2 Ea Upper Control Arms (Optional) 1 Pr

REA	REAR					
REAR SUSPENSIO	N CHECK LIST					
You need to order the following items for the rear end of your vehicle.						
	Shock Absorber	2	Ea			
	Leaf Spring	2	Ea			
	Leaf Spring Fitment Kit	1	Kt			
	Bellows Airbags (Optional)	1	Kt			

CONTENT	DESCRIPTION	QTY	PART NO	R	RRP			
ASSEMBLED STRUTS - FOAM CELL								
Assemble	ed struts are made up of	: 1 x	strut, 1 x coil 1 x strut to	ор				
	Diesel No Accessories	2	MIT-004	\$	Ea			
	Diesel - With Steel bar	2	MIT-005	\$	Ea			
*	Diesel -With Bar & Winch	2	MIT-006	\$	Ea			
	ASSEMBLED ST	RU	TS - 40MM ADJUS	STAI	BLE			
•	Assembled struts are made up of: 1 x strut, 1 x coil 1 x strut top							
8	Diesel No Accessories	2	MIT-001	\$	Ea			
	Diesel - With Steel bar	2	MIT-002	\$	Ea			
	Diesel - With Bar & Winch	2	MIT-003	\$	Ea			
	STRUT - FO	ΑN	CELL					
Ī	Up to 20mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404800	\$	Ea			
I	STRUT -	40ľ	MM ADJUSTABLE					
Ţ	Up to 20mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404800	\$	Ea			

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
NIT	NITROGEN GAS - SHOCK ABSORBER  Up to 20mm Lift 2 BD3012T 155 E						
	Up to 20mm Lift	2	BD3012T	155 Ea			
	FOAM CEL	L - :	SHOCK ABSORBE	R			
	Up to 20mm Lift	2	FC43012	190 Ea			
	40MM ADJUSTA	BI	E - SHOCK ABSO	RBER			
	Up to 20mm Lift	2	BM403012	220 Ea			

COIL SPRINGS								
<b>*</b> • • • • • •	20mm Lift No Accessories	1	TDC1029	\$	Pr			
	20mm lift - Diesel with Steel bar	1	TDC1030	\$	Pr			
	20mm lift - Diesel with Steel Bar & Winch	1	TDC1031	\$	Pr			

LEAF SPRINGS								
	0-300Kg load	2	FS123C	\$	Ea			
	CONSTANT 300Kg load	2	FS123L	\$	Ea			
	CONSTANT 500Kg load	2	FS123LL	\$	Ea			

Due to excessive overhang created by the design of the vehicle, vehicles carrying greater than 600Kg load constantly in the rear should be fitted with a front spring one specification lighter than normal specification. This would guard against "See-Saw" effect at the rear of the vehicle. Failure to observe will result in rear leaf spring riding lower than the desired height and cause potential front shock damage.





	FRO	TNC		
CONTENT	DESCRIPTION	QTY	PART NO	RRP

	REAR											
CONTENT	DESCRIPTION	QTY	PAR	T NO	RRP							
LEAF SPRING FITMENT KIT - FITS ALL KITS												
	Urethane Shackle Bush Kit			TDUK-077								
$\bigcap$	U-Bolt Kit			TDUB-016								
43 C	Greasable Shackle Kit	1	TDFK-018	TDGS-901	\$ 526	Kt						
**************************************	Greaseable Pin kit			TDGP-668								
<b>+</b>	Centre Bearing Strengthening kit			TDSP-008								

Rall loint kit for	UPPER CONTROL ARMS								
Ball Joint kit for 1 TDSK-010 © Fa		Upper Control Arms	1	TDCA-006	\$	Pr			
	UU	Bush kit for TDCA-006	1	TDSK-009	\$	Ea			
.=			1	TDSK-010	\$	Ea			

Note: Fitment of Tough Dog upper control arms to vehicles that have lifts fitted greater than 50mm may suffer from premature ball joint failure due to longer droop lengths. The use of strut spacers may also effect the performance and longevity of the UCA ball joint due to the limitations of the spherical bearing housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include but is not limited to jumping of the vehicle.

AIR ASSIST - BELLOWS							
22	Bellows Bag Kit - OE Height	1	TDAA-119	\$	Kt		
	Bellows Bag Kit - 20mm Lift	1	TDAA-106	\$	Kt		

FRONT INDIVIDUAL COMPONENTS							
·L·O	Strut Top	2	MIT-4040	\$	Ea		


F	REAR INDIVIDUAL COMPONENTS								
	Urethane Shackle Bush Kit	1	TDUK-077	\$	Kt				
$\cap$	U-Bolt Kit	2	TDUB-016	\$	Kt				
	Greasable Shackle Kit	1	TDGS-901	\$	Kt				
**************************************	Greasable Pin Kit	1	TDGP-668	\$	Kt				
-	Centre Bearing Strengthening Kit	1	TDSP-008	\$	Ea				
	Note: Must be fitted to all Kits.								

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)							
	Fits bottom eyering	1	ADJ300/50	\$	Ea		

REAR REPLACEMENT BUSHES (QTY PER SHOCK)								
	Fits top eyering	1	404702	\$	Ea			
	Fits bottom eyering	1	TW038-16	\$	Ea			







CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP								
F	FOAM CELL - SHOCK ABSORBER											
	40mm Lift	2	FC42052B	190 Ea								

TORSION BAR							
	26mm / 1203mm - 86-97 Only	1	4WTB-1456	\$	Pr		
-	26mm / 890mm - 97 On	1	4WTB-1446	\$	Pr		
Note: Adjust torsion bars after fitting shocks - ensure an minimum of 60mm droop is maintained							

REAR							
REAR SUSPENSIO	N CHECK LIST						
You need to order the following items	s for the rear end of your ve	hicle.					
å å o	Shock Absorber	2	Ea				
	Leaf Spring	2	Ea				
	Leaf Spring Fitment Kit	1	Kt				
	Bellows Airbags (Optional)	1	Kt				

CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP			
NIT	NITROGEN GAS - SHOCK ABSORBER						
	OE Height	2	BD1366T	155 Ea			
	40mm Lift	2	BD1382T	155 Ea			
	FOAM CELL - SHOCK ABSORBER						
	OE Height	2	FC41366B	100 F-			
	40mm Lift	2	FC41382B	190 Ea			
	40MM ADJUSTA	\BI	E - SHOCK ABSO	RBER			
	OE Height	2	BM401366	220 5-			
	40mm Lift	2	BM401382	220 Ea			

LEAF SPRINGS					
	0-300kg load	2	T63-LH	\$	Ea
	0-300kg load	2	T63-RH	\$	Ea
	CONSTANT 300kg load	2	Т63Н	\$	Ea

LEAF SPRING FITTMENT KIT							
	Urethane Shackle Bush Kit			TDUK-007			
$\cap$	U-Bolt Kit		TDEK 040	TDUB-012			
49	Greasable Shackle Kit	1	TDFK-019	TDGS-668	\$ Kt		
	Greasable Pin Kit			TDGP-669			

	STEERING DAMPERS					
-	HD Replacement damper - D21 Only	1	SD14035	\$	Ea	
-	HD Replacement damper - D22	1	EXT5925	\$	Ea	
<b>~─₩₩₩</b> ₽±	Return-to-Center - D22	1	SS5925-P/S	\$	Ea	
○€ <b>■■■</b>	9 Stage Adjustable - D22	1	SV5925	\$	Ea	

AIR ASSIST - BELLOWS						
22	Bellows Bag kit - OEM Height (D22 Only)	1	TDAA-124	\$	Kt	
	Bellows Bag kit - 40mm lift (D22 Only)	1	TDAA-107	\$	Kt	







REAR							
CONTENT	DESCRIPTION	QTY	PART NO		RRP		
F	REAR INDIVIDUAL COMPONENTS						
	Urethane Shackle bush kit	1	TDUK-007	\$	Kt		
$\bigcap$	U-Bolt kit	2	TDUB-012	\$	Kt		
	Greaseable Shackle kit	1	TDGS-668	\$	Kt		
	Greaseable Pin kit	1	TDGP-669	\$	Kt		

FRONT RE	EPLACEMENT BU	SH	ES (QTY PER SH	OCK	()
	Fits top pin	2	TW959	\$	Ea
	Fits bottom eyering	1	412773	\$	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top eyering	2	404702	\$	Ea	



#### **FRONT** FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Ea Assembled struts OR 2 Struts Ea Coil Springs Pr Strut Top (Optional) 2 Ea Upper Control Arms (Optional) 1 Pr

CONTENT	DESCRIPTION	QTY	PART NO	F	RRP		
ASSEMBLED STRUTS - FOAM CELL							
Assemble	ed struts are made up of:	1 x	strut, 1 x coil 1 x strut to	р			
	Petrol /Diesel / Bar	2	NIS-040/04	\$	Ea		
*	Petrol / Diesel / Bar / Winch	2	NIS-040/05	\$	Ea		
<b>3</b>	ASSEMBLED ST	RU	TS - 40MM ADJUS	TA	BLE		
•	Assembled struts are made up of: 1 x strut, 1 x coil 1 x strut top						
8	Petrol /Diesel / Bar	2	NIS-040/01	\$	Ea		
	Petrol / Diesel / Bar / Winch	2	NIS-040/02	\$	Ea		
	STRUT - FO	ΑM	CELL				
Ī	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404700	\$	Ea		
1	STRUT - 4	40N	MM ADJUSTABLE				
Ţ	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404700	\$	Ea		

REAR					
REAR SUSPENSION	N CHECK LIST				
You need to order the following items	s for the rear end of your ve	hicle.			
	Shock Absorber	2	Ea		
	Leaf Spring	2	Ea		
0	Leaf Spring Fitment Kit	1	Kt		
	Bellows Airbags (Optional)	1	Kt		
0 0					

CONTENT	DESCRIPTION	QTY	PART NO	RRP
NIT	ROGEN GAS - SH	100	CK ABSORBER	
	Up to 40mm Lift	2	BD1368T	155 Ea
	FOAM CEL	L -	SHOCK ABSORBE	R
	Up to 40mm Lift	2	FC41368	190 Ea
8	40MM ADJUSTA	ABI	E - SHOCK ABSO	RBER
Ü	Up to 40mm Lift	2	BM401368	220 Ea

COIL SPRINGS							
	40mm Lift - Petrol / Diesel / Bar	1	TDC770	\$	Pr		
	40mm lift - Petrol / Diesel / Bar / Winch	1	TDC770H	\$	Pr		

LEAF SPRINGS							
	0-300kg load	2	T85C	\$	Ea		
	CONSTANT 300kg load	2	T85L	\$	Ea		
	CONSTANT 500kg load	2	T85LL	\$	Ea		

LEAF SPRING FITTMENT KIT								
	Urethane Shackle Bush Kit			TDUK-068				
$\cap$	U-Bolt Kit	1	1 <b>TDFK-020</b>	TDUB-016	s K			
***************************************	Greasable Shackle Kit	'		TDGS-667	\$ K	L		
	Greasable Pin Kit			TDGP-668				



FRONT							
CONTENT	DESCRIPTION	ΩTΥ	PART NO	RRP			
UPPER CONTROL ARMS							
UU	Upper Control Arms	1	TDCA-007	\$	Pr		
	Bush kit for TDCA-007	1	TDSK-011	\$	Ea		
	Ball Joint kit for TDCA-007	1	TDSK-012	\$	Ea		

Note: Fitment of Tough Dog upper control arms to vehicles that have lifts fitted greater than 50mm may suffer from premature ball joint failure due to longer droop lengths. The use of strut spacers may also effect the performance and longevity of the UCA ball joint due to the limitations of the spherical bearing housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving
warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include but is not limited to jumping of the vehicle.

REAR							
CONTENT	DESCRIPTION	QTY	PART NO	RRP			
	AIR ASSIST - BELLOWS						
	Bellows bag kit - OEM Height	1	TDAA-120	\$ K			
	Bellows bag kit - 40mm lift	1	TDAA-108	\$ K			

FRONT INDIVIDUAL COMPONENTS						
<b>1</b> 0	Strut Top	2	NIS-3030	\$	Ea	

REAR INDIVIDUAL COMPONENTS						
	Urethane Shackle bush kit	1	TDUK-068	\$	Kt	
$\bigcap$	U-Bolt kit	2	TDUB-016	\$	Kt	
	Greaseable Shackle kit	1	TDGS-667	\$	Kt	
	Greaseable Pin kit	1	TDGP-668	\$	Kt	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits bottom eyering	1	ADJ300/40A	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top eyering	1	404702	\$	Ea	
	Fits bottom eyering	1	TW042-14	\$	Ea	



### **FRONT** FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Assembled struts Ea OR 2 Struts Ea Coil Springs Pr Strut Top (Optional) 2 Ea Upper Control Arms (Optional) 1 Pr

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
А	SSEMBLED STRU	TS	- FOAM CELL				
Assembled struts are made up of: 1 x strut, 1 x coil 1 x strut top							
	Petrol /Diesel / Bar	2	NIS-040/07	\$ Ea			
*	Petrol / Diesel / Bar / Winch	2	NIS-040/08	\$ Ea			
<b>*</b>	ASSEMBLED ST	RU	TS - 40MM ADJUS	TABLE			
-	Assembled struts are made up of: 1 x strut, 1 x coil 1 x strut top						
8	Petrol /Diesel / Bar	2	NIS-040/06	\$ Ea			
	Petrol / Diesel / Bar / Winch	2	NIS-040/03	\$ Ea			
	STRUT - FO	ΑM	CELL				
Ī	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404700	\$ Ea			
I	STRUT -	40N	MM ADJUSTABLE				
	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404700	\$ Ea			

REAR								
REAR SUSPENSION CHECK LIST								
You need to order the following items for the rear end of your vehicle.								
	Shock Absorber	2	Ea					
	Leaf Spring	2	Ea					
0.	Leaf Spring Fitment Kit	1	Kt					
	Bellows Airbags (Optional)	1	Kt					
▋▋≖█∴┆┆┆┉┉┿╸								

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
NITROGEN GAS - SHOCK ABSORBER							
	Up to 40mm Lift	2	BD1368T	155 Ea			
	FOAM CELL - SHOCK ABSORBER						
	Up to 40mm Lift	2	FC41368	190 Ea			
8	40MM ADJUSTABLE - SHOCK ABSORBER						
	Up to 40mm Lift	2	BM401368	220 Ea			

	COIL SPE	RIN	IGS	
MILAAAA	40mm Lift - Petrol / Diesel / Bar	1	TDC772	\$ Pr
	40mm lift - Petrol / Diesel / Bar / Winch	1	TDC772H	\$ Pr

	LEAF SPI	RIN	IGS	
•	0-300kg load	2	T85C	\$ Ea
	CONSTANT 300kg load	2	T85L	\$ Ea
	CONSTANT 500kg load	2	T85LL	\$ Ea

LEAF SPRING FITTMENT KIT								
	Urethane Shackle Bush Kit			TDUK-068				
$\cap$	U-Bolt Kit		TDEK 000	TDUB-016				
***************************************	Greasable Shackle Kit	1	TDFK-020	TDGS-667	\$ Kt			
	Greasable Pin Kit			TDGP-668				





FRONT							
CONTENT	DESCRIPTION	۵Ţ	PART NO	RRP			
UPPER CONTROL ARMS							
	Upper Control Arms	1	TDCA-007	\$	Pr		
UU	Bush kit for TDCA-007	1	TDSK-011	\$	Ea		
	Ball Joint kit for TDCA-007	1	TDSK-012	\$	Ea		

<b>Note:</b> Fitment of Tough Dog upper control arms to vehicles that have lifts fitted
greater than 50mm may suffer from premature ball joint failure due to longer
droop lengths. The use of strut spacers may also effect the performance and
longevity of the UCA ball joint due to the limitations of the spherical bearing
housing being breached or bound at full suspension droop. There will be no
warranty either expressed or implied if the vehicle is used out of legal driving
conditions that will include but is not limited to jumping of the vehicle.

REAR						
CONTENT	DESCRIPTION	QTY	PART NO	R	RP	
AIR ASSIST - BELLOWS						
22	Bellows bag kit - OEM Height	1	TDAA-120	\$	Kt	
	Bellows bag kit - 40mm lift	1	TDAA-108	\$	Kt	

FRONT INDIVIDUAL COMPONENTS						
<b>1</b> 0	Strut Top	2	NIS-3030	\$	Ea	

REAR INDIVIDUAL COMPONENTS						
	Urethane shackle Bush kit	1	TDUK-068	\$	Kt	
$\cap$	U-bolt kit	2	TDUB-016	\$	Kt	
	Greasable shackle kit	1	TDGS-667	\$	Kt	
	Greasable pin kit	1	TDGP-668	\$	Kt	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
Î	Front bottom eyering	1	ADJ300/40A	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Rear top eyering	1	404702	\$	Ea	
	Rear bottom eyering	1	TW042-14	\$	Ea	



NAVARA
NP300 - COIL REAR
07/2015 - 11/2020
EST. LIFT FRONT: 35MM | REAR: 3



### **FRONT** FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. 2 Ea Assembled struts OR 2 Struts Ea Coil Springs Pr Strut Top (Optional) Ea Upper Control Arms (Optional) 1 Pr

CONTENT	DESCRIPTION	QTY	PART NO	F	RRP			
А	SSEMBLED STRU	TS	- FOAM CELL					
Assemble	Assembled struts are made up of: 1 x strut, 1 x coil 1 x strut top							
	Petrol /Diesel / Bar	2	NIS-300/07	\$	Ea			
*	Petrol / Diesel / Bar / Winch	2	NIS-300/08	\$	Ea			
<b>3</b>	ASSEMBLED ST	RU	TS - 40MM ADJUS	STA	BLE			
•	Assembled struts are made up of: 1 x strut, 1 x coil 1 x strut top							
8	Petrol /Diesel / Bar	2	NIS-300/05	\$	Ea			
	Petrol / Diesel / Bar / Winch	2	NIS-300/06	\$	Ea			
	STRUT - FO	ΑN	CELL					
I	Up to 35mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404710	\$	Ea			
1	STRUT - 4	40I	MM ADJUSTABLE					
	Up to 35mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404710	\$	Ea			

REAR					
REAR SUSPENSION CHECK LIST					
You need to order the following items for the rear end of your vehicle.					
ii 22	Shock Absorber	2	Ea		
	Coil Spring	1	Pr		
ii ss	Panhard Rods (Optional)	1	Ea		
	Coil Insert Airbags (Optional)	1	Kt		

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
FOAM CELL - SHOCK ABSORBER								
°	Up to 35mm Lift	2	FC41369	190 Ea				
	40MM ADJUSTA	BI	LE - SHOCK ABSO	RBER				
	Up to 35mm Lift	2	BM401369	220 Ea				

COIL SPRINGS						
MIAAAA	35mm Lift- Petrol / Diesel / Bar	1	TDC773	\$	Pr	
	35mm lift- Petrol / Diesel / Bar / Winch	1	TDC773H	\$	Pr	

COIL SPRINGS					
	0-300kg load	1	TDC774	\$	Pr
	CONSTANT 300kg load	1	TDC774H	\$	Pr
	CONSTANT 500kg load		TDC774VHL	\$	Pr

PANHARD RODS					
·	Adjustable	1	TDPR-300	315 Ea	



NISSAN NAVARA NP300 - COIL REAR 07/2015 - 11/2020



EST. LIFT FRONT: 35MM | REAR: 35MM

\$

Ea

NIS-3030

FRONT							
CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP			
UPPER CONTROL ARMS							
	Upper Control Arms	1	TDCA-007	\$	Pr		
UU	Bush kit for TDCA-007	1	TDSK-011	\$	Ea		
	Ball Joint kit for TDCA-007	1	TDSK-012	\$	Ea		

Note: Fitment of Tough Dog upper control arms to vehicles that have lifts fitted greater than 50mm may suffer from premature ball joint failure due to longer droop lengths. The use of strut spacers may also effect the performance and longevity of the UCA ball joint due to the limitations of the spherical bearing housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include but is not limited to jumping of the vehicle.

conditions that will include but is not limited to jumping of the vehicle.
FRONT INDIVIDUAL COMPONENTS

Strut Top

2

REAR							
CONTENT	DESCRIPTION	QTY	PART NO	RRP			
	AIR ASSIST - COIL INSERT						
	Coil Insert bag - OEM Height	1	TDAA-016	\$ Kt			
	Coil insert Bag - 35mm lift	1	TDAA-007	\$ Kt			

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
Ì	Fits bottom eyering	1	ADJ300/40A \$	Ea		

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top eyering	1	TW038-16	6	Ea	
	Fits bottom eyering	1	TW042-14	6	Ea	




### NISSAN NAVARA NP300 - COIL REAR (S5) 11/2020 ON

**NOT WARRIOR PRO 4X4** 



### EST. LIFT FRONT: 20MM | REAR: 20MM



CONTENT	DESCRIPTION	QTY	PART NO	RRP			
А	SSEMBLED STRU	TS	- FOAM CELL				
Assembled struts are made up of: 1 x strut, 1 x coil 1 x strut top							
*	No Accessories	2	NIS-300/07	\$	Ea		
	Petrol / Diesel / Bar / Bar & Winch	2	NIS-300/08	\$	Ea		
<b>3</b>	ASSEMBLED ST	RU	TS - 40MM ADJUS	STAE	BLE		
\$	Assembled struts are made up of: 1 x strut, 1 x coil 1 x strut top						
Ĭ	No Accessories	2	NIS-300/05	\$	Ea		
	Petrol / Diesel / Bar / Bar & Winch	2	NIS-300/06	\$	Ea		
	STRUT - FO	ΑN	CELL				
Ī	Up to 20mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404710	\$	Ea		
1	STRUT -	40ľ	MM ADJUSTABLE				
	Up to 20mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404710	\$	Ea		

REA	ıR		
REAR SUSPENSION	N CHECK LIST		
You need to order the following item	s for the rear end of your vel	hicle.	
<u> </u>	Shock Absorber	2	Ea
	Coil Spring	1	Pr
ii ss	Panhard Rods (Optional)	1	Ea
0 0	Coil Insert Airbags (Optional)	1	Kt

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
FOAM CELL - SHOCK ABSORBER								
	Up to 20mm Lift	2	FC41369	190 Ea				
	40MM ADJUSTA	BI	LE - SHOCK ABSO	RBER				
	Up to 20mm Lift	2	BM401369	220 Ea				

COIL SPRINGS						
	20mm Lift - Petrol / Diesel / No Accessories	1	TDC773	\$	Pr	
	20mm lift - Petrol / Diesel / Bar / Bar & Winch	1	TDC773H	\$	Pr	

COIL SPRINGS					
	0-300kg load	1	TDC774H	\$	Pr
	CONSTANT 300kg load	1	TDC774VHL	\$	Pr
	CONSTANT 500kg load	1	TDC1037	\$	Pr

PANHARD RODS					
·	Adjustable	1	TDPR-300	315 Ea	



### NAVARA NP300- COIL REAR (S5) NOT WARRIOR PRO 4X4 11/2020 ON



EST. LIFT FRONT: 20MM | REAR: 20MM

FRONT							
CONTENT	DESCRIPTION 💍 PART NO		RRP				
UPPER CONTROL ARMS							
	Upper Control Arms	1	TDCA-007	\$	Pr		
UU	Bush kit for TDCA-007	1	TDSK-011	\$	Ea		
	Ball Joint kit for TDCA-007	1	TDSK-012	\$	Ea		

ı

REAR							
CONTENT	DESCRIPTION	QTY	PART NO	RRP			
	AIR ASSIST - COIL INSERT						
	Coil Insert bag - OEM Height	1	TDAA-016	\$ Kt			
	Coil insert Bag - Up to 35mm lift	1	TDAA-007	\$ Kt			

FRONT INDIVIDUAL COMPONENTS						
·L·O	Strut Top	2	NIS-3030	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top eyering	1	TW038-16	6	Ea	
	Fits bottom eyering	1	TW042-14	6	Ea	





### **FRONT** FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Ea Assembled struts OR 2 Struts Ea Coil Springs 1 Pr Strut Top (Optional) 2 Ea Upper Control Arms (Optional) 1 Pr

CONTENT	DESCRIPTION	QTY	PART NO	IO RI					
ASSEMBLED STRUTS - FOAM CELL									
Assemble	ed struts are made up of	1 x	strut, 1 x coil 1 x strut t	ор					
	Petrol /Diesel / Bar	2	NIS-300/07	\$	Ea				
	Petrol / Diesel / Bar / Winch	2	NIS-300/08	\$	Ea				
3	ASSEMBLED ST	RU	TS - 40MM ADJUS	STA	BLE				
-	Assembled struts are made up of: 1 x strut, 1 x coil 1 x strut top								
8	Petrol /Diesel / Bar	2	NIS-300/05	\$	Ea				
	Petrol / Diesel / Bar / Winch	2	NIS-300/06	\$	Ea				
	STRUT - FO	ΑN	CELL						
Ī	Up to 35mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404710		Ea				
I	STRUT - 4	401	MM ADJUSTABLE						
	Up to 35mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404710	\$	Ea				

REAR						
REAR SUSPENSION	ON CHECK LIST					
You need to order the following items for the rear end of your vehicle.						
• •	Shock Absorber	2	Ea			
	Leaf Spring	2	Ea			
	Leaf Spring Fitment Kit	1	Kt			
	Bellows Airbags (Optional)	1	Kt			
0 0						

CONTENT	DESCRIPTION	QTY	PART NO	RRP					
F	FOAM CELL - SHOCK ABSORBER								
å	Up to 35mm Lift	2	FC43017	190 Ea					
	40MM ADJUSTABLE - SHOCK ABSORBER								
8	Up to 35mm Lift	2	BM403017	220 Ea					

COIL SPRINGS					
MILLAAA	35mm Lift- Petrol / Diesel / Bar	1	TDC773	\$	Pr
	35mm lift- Petrol / Diesel / Bar / Winch	1	TDC773H	\$	Pr

LEAF SPRINGS						
	0-300kg load	2	T86C	\$	Ea	
	CONSTANT 300kg load	2	T86L	\$	Ea	
	CONSTANT 500kg load	2	T86LL	\$	Ea	

REAR INDIVIDUAL COMPONENTS								
	Urethane Shackle bush kit	1		TDUK-079				
$\bigcap$	U-Bolt kit			TDUB-005				
***************************************	Greaseable Shackle kit		1	TDFK-021	TDGS-669	\$ K	.t	
	Greaseable Pin kit			TDGP-668				





FRONT							
CONTENT	DESCRIPTION	QTY	PART NO	RRP			
UPPER CONTROL ARMS							
UU	Upper Control Arms	1	TDCA-007	\$	Pr		
	Bush kit for TDCA-007	1	TDSK-011	\$	Ea		
	Ball Joint kit for TDCA-007	1	TDSK-012	\$	Ea		

<b>Note:</b> Fitment of Tough Dog upper control arms to vehicles that have lifts fitted greater than 50mm may suffer from premature ball joint failure due to longer
greater than 50mm may suffer from premature ball joint failure due to longer
droop lengths. The use of strut spacers may also effect the performance and longevity of the UCA ball joint due to the limitations of the spherical bearing
longevity of the UCA ball joint due to the limitations of the spherical bearing
housing being breached or bound at full suspension droop. There will be no
warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include but is not limited to jumping of the vehicle.
conditions that will include but is not limited to jumping of the vehicle.

REAR						
CONTENT	DESCRIPTION	QTY	PART NO		RRP	
AIR ASSIST - BELLOWS						
	Bellows bag - 35mm lift	1	TDAA-109	\$	Kt	

FRONT INDIVIDUAL COMPONENTS						
<b>1</b>	Strut Top	2	NIS-3030	\$	Ea	


REAR INDIVIDUAL COMPONENTS						
	Urethane Shackle bush kit	1	TDUK-079	\$	Kt	
$\bigcap$	U-Bolt kit	2	TDUB-005	\$	Kt	
	Greaseable Shackle kit	1	TDGS-669	\$	Kt	
<u>.</u>	Greaseable Pin kit	1	TDGP-668	\$	Kt	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)							
Ī	Front bottom eyering	1	ADJ300/40A	\$	Ea		

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Rear top & bottomeyering	2	404702	\$	Ea	







REAR						
REAR SUSPENSION	N CHECK LIST					
You need to order the following items	s for the rear end of your ve	hicle.				
اًاٰ	Shock Absorber	2	Ea			
	Coil Springs	1	Pr			

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
NIT	NITROGEN GAS - SHOCK ABSORBER							
	Up to 30mm Lift	2	BD2057T	\$ Ea				
	FOAM CELI	L - :	SHOCK ABSORBE	R				
8	Up to 30mm Lift	2	FC42057B	\$ Ea				

CONTENT	DESCRIPTION	QTY	PART NO	RRP		
NITROGEN GAS - SHOCK ABSORBER						
	Up to 30mm Lift	2	BD1382T	\$ Ea		
FOAM CELL - SHOCK ABSORBER						
	Up to 30mm Lift	2	FC41382B	\$ Ea		
	40MM ADJUSTA	BI	E - SHOCK ABSO	RBER		
3	Up to 30mm Lift	2	BM401382	\$ Ea		

TORSION BARS						
	26mm / 1232mm	1	4WTB-1458	\$ 365 Pr		
Note: Adjust torsion bars after fitting shocks - ensure an minimum of 60mm						

COIL SPRINGS					
MIAAAA	0-300Kg load	2	TDC739	\$	Pr
	0-300Kg load  CONSTANT 300Kg load	2	TDC739H	\$	Pr

STEERING DAMPERS				
Replacement Damper	1	SD14035	\$ 130 Ea	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits top pin	2	TW959	\$	Ea
	Fits bottom eyering #2057	1	412772	\$	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits top & bottom eyering	2	404702	\$	Ea



## FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber 2 Ea Coil Springs 1 Pr

REAR							
REAR SUSPENSION	N CHECK LIST						
You need to order the following items	You need to order the following items for the rear end of your vehicle.						
<b>L</b>	Shock Absorber	2	Ea				
	Coil Springs	1	Pr				

CONTENT	DESCRIPTION	QTY	PART NO	RRP
	TWIN TUBE MCPH	ER	SON STRUT	
	OEM Height - 11/1995-1999 - D/S only	1	BDS4002R (D/S)	\$ Ea
	OEM Height - 11/1995-1999 - P/S only	1	BDS4003L (P/S)	\$ Ea
8	30mm Lift - Suits All Models	2	BDS4024	\$ Ea

CONTENT	DESCRIPTION	QŢ/	PART NO	RRP				
NI	NITROGEN GAS - SHOCK ABSORBER							
	OEM Height - 11/1995-1999 Only	2	BD3009T	\$	Ea			
	30mm Lift - 11/1995-1999 Only	2	BD3010T	\$	Ea			
	30mm Lift - 11/1999-2005 Only	2	BD3011T	\$	Ea			
	FOAM CELL - SHOCK ABSORBER							
8	OEM Height - 11/1995-1999 Only	2	FC43009	\$	Ea			
	30mm Lift - 11/1995-1999 Only	2	FC43010	\$	Ea			
	30mm Lift - 11/1999-2005 Only	2	FC43011	\$	Ea			

COIL SPRINGS					
	OE Height	1	TDC784S	\$	Pr
	Suit Up to Bar	1	TDC784	\$	Pr
	Suit Up to Bar / Winch	1	TDC784H	\$	Pr


	COIL SPF	RIN	IGS	
	OEM Height - 0-300kg load	1	TDC783S	\$ Pr
	0-300kg load	1	TDC783	\$ Pr
	CONSTANT 300kg load	1	TDC783H	\$ Pr



## FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Assembled struts 2 Ea OR Struts 2 Ea Coil Springs 1 Pr Strut Top (Optional) 2 Ea

CONTENT	DESCRIPTION	QTY	PART NO	ı	RRP		
ASSEMBLED STRUTS - FOAM CELL							
Assemble	ed struts are made up of:	1 x	strut, 1 x coil 1 x strut to	ор			
	Petrol /Diesel / Bar	2	NIS-040/04	\$	Ea		
	Petrol / Diesel / Bar / Winch	2	NIS-040/05	\$	Ea		
<b>*</b>	ASSEMBLED ST	RU	TS - 40MM ADJUS	STA	BLE		
\$	Assembled struts are made up of: 1 x strut, 1 x coil 1 x strut top						
8	Petrol /Diesel / Bar	2	NIS-040/01	\$	Ea		
	Petrol / Diesel / Bar / Winch	2	NIS-040/02	\$	Ea		
	STRUT - FO	ΔM	CELL				
	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404700	\$	Ea		
	STRUT - 4	40N	MM ADJUSTABLE				
	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404700	\$	Ea		

COIL SPRINGS					
	Petrol / Diesel / Bar	2	TDC770	\$	Pr
	Petrol / Diesel / Bar / Winch	2	TDC770H	\$	Pr



CONTENT	DESCRIPTION	QTY	PART NO	RRP
F	FOAM CELL - SHO			
ů	Up to 40mm Lift	2	FC41347	190 Ea
	40MM ADJUSTA	ABI	LE - SHOCK ABSO	RBER
	Up to 40mm Lift	2	BM401347	220 Ea

COIL SPRINGS					
	0-300kg load	1	TDC771	\$	Pr
	CONSTANT 300kg load	1	TDC771H	\$	Pr
	CONSTANT 500kg load		TDC771XHD	\$	Pr

AIR ASSIST - COIL INSERT						
	Coil Insert bag - OEM Height	1	TDAA-018	\$	Kt	
	Coil Insert bag - 40mm lift	1	TDAA-002	\$	Kt	


F	RONT INDIVIDUA	L C	OMPONENTS	
·E·O	Strut Top	2	NIS-3030	\$ Ea

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
Î	Front bottom eyering	1	ADJ300/40A	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)							
Ì	Rear top & bottom evering	2	4W-BS101CH	\$	Ea		








CONTENT	DESCRIPTION	QTY	PART NO	RRP					
ASSEMBLED STRUTS - FOAM CELL									
Assemble	ed struts are made up of	1 x	strut, 1 x coil 1 x strut to	р					
	Petrol /Diesel / Bar	2	NIS-040/07	\$	Ea				
*	Petrol / Diesel / Bar / Winch	2	NIS-040/08	\$	Ea				
<b>*</b>	ASSEMBLED ST	RU	TS - 40MM ADJUS	TAB	LE				
•	Assembled struts are made up of: 1 x strut, 1 x coil 1 x strut top								
8	Petrol /Diesel / Bar	2	NIS-040/06	\$	Ea				
	Petrol / Diesel / Bar / Winch	2	NIS-040/03	\$	Ea				
	STRUT - FO	ΑN	CELL						
Ī	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top		FC404700	\$	Ea				
I	STRUT -	40I	MM ADJUSTABLE						
Ţ	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404700	\$	Ea				

	COIL SPI	RIN	IGS	
MIAAAA	Petrol / Diesel / Bar	2	TDC772	\$ Pr
	Petrol / Diesel / Bar / Winch	2	TDC772H	\$ Pr



CONTENT	DESCRIPTION	QTY	PART NO	RRP					
F	FOAM CELL - SHOCK ABSORBER								
ě	Up to 40mm Lift	2	FC41347	190 Ea					
	40MM ADJUSTA	λBI	E - SHOCK ABSO	RBER					
8	Up to 40mm Lift	2	BM401347	220 Ea					

COIL SPRINGS							
	0-300kg load	1	TDC771	\$	Pr		
aryw	CONSTANT 300kg load	1	TDC771H	\$	Pr		
	CONSTANT 500kg load		TDC771XHD	\$	Pr		

AIR ASSIST - COIL INSERT							
	Coil Insert bag - OEM Height	1	TDAA-018	\$	Kt		
	Coil Insert bag - 40mm lift	1	TDAA-002	\$	Kt		

FRONT INDIVIDUAL COMPONENTS						
·I·O	Strut Top	2	NIS-3030	\$	Ea	

FRONT RI	FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
Ì	Front bottom eyering	1	ADJ300/40A	\$	Ea		

REAR RE	REAR REPLACEMENT BUSHES (QTY PER SHOCK)							
	Rear top & bottom eyering	2	4W-BS101CH	\$	Ea			




PATROL MQ, MK 09/1980 - 1988 EST. LIFT FRONT: 40MM | REAR: 40MM



### **FRONT**

### FRONT SUSPENSION CHECK LIST

You need to order the following items for the front end of your vehicle.



tor the front one or your remove						
Shock Absorber	2	Ea				
Leaf Spring	2	Ea				
Urethane Bushes	1	Kt				
U-Bolt	2	Kt				
Greaseable Shackles	1	Kt				
Greaseable Pin	1	Kt				
Steering Damper (Optional)	1	Ea				
Offset King Pins (Optional)	1	Ea				

REAR						
REAR SUSPENSION CHECK LIST						
You need to order the following items for the rear end of your vehicle.						
	Shock Absorber	2	Ea			
	Leaf Spring	2	Ea			
	Urethane Bushes	1	Kt			
0	U-Bolt	2	Kt			
	Greaseable Shackles	1	Kt			
▋▋██▗░	Greaseable Pin	1	Kt			
0 0						

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
NITROGEN GAS - SHOCK ABSORBER							
	OE Height	2	BD1005T	\$ Ea			
	40mm Lift	2	BD1007T	ъ са			
FOAM CELL - SHOCK ABSORBER				R			
	OE Height	2	FC41005	\$ Ea			
	40mm Lift	2	FC41007	ъ са			
	40MM ADJUSTA	ABI	E - SHOCK ABSO	RBER			
ŏ	OE Height	2	BM401005	¢ ==			
	40mm Lift	2	BM401007	\$ Ea			

CONTENT	DESCRIPTION	QTY	PART NO	RRP		
NITROGEN GAS - SHOCK ABSORBER						
	OE Height	2	BD1400T	\$ Ea		
	40mm Lift	2	BD1441T	р са		
FOAM CELL - SHOCK ABSORBER				R		
	OE Height	2	FC41400	s Ea		
	40mm Lift	2	FC41441	ъ са		
	40MM ADJUSTA	ABL	E - SHOCK ABSO	RBER		
Ŏ	OE Height	2	BM401400	¢ -		
	40mm Lift	2	BM401441	\$ Ea		

LEAF SPRINGS					
	Up to Steel Bar	2	BPN-007	\$	Ea
	With bar & winch	2	BPN-007H	\$	Ea

	LEAF SPI	RIN	IGS	
مد. يه	0-300kg load	2	BPN-008	\$ Ea
	CONSTANT 300kg load	2	BPN-008H	\$ Ea

STEERING DAMPERS						
	Heavy duty replacement damper	1	EXT5005	\$	Ea	
∘ <del></del>	Return to centre damper - power steering	1	SS5005-P/S	\$	Ea	
<u> </u>	Return to centre damper - manual steering	1	SS5005-M/S	\$	Ea	

OFFSET KING PINS					
	0.5 Degree	1	NAK-005	\$	Ea
	0.75 Degree	1	NAK-075	\$	Ea
	1.0 Degree	1	NAK-001	\$	Ea



### PATROL MQ, MK 09/1980 - 1988 EST. LIFT FRONT: 40MM | REAR: 40MM



FRONT							
CONTENT	DESCRIPTION	QTY	PART NO	RRP			
FRONT INDIVIDUAL COMPONENTS							
	Urethane shackle bush kit	1	TDUK-009	\$ Kt			
Note: Must be fitted with TD springs							
$\bigcap$	U-bolt kit	1	TDUB-009	\$ Kt			
$\bigcap$	U-bolt kit	1	TDUB-004	\$ Kt			
	Greasable pin kit	1	TDGP-470	\$ Kt			
	Greasable shackle kit - MQ with oe springs	1	TDGS-355	\$ Kt			
	Greasable shackle kit - MQ, MK with TD springs	1	TDGS-665	\$ Kt			

REAR					
CONTENT	DESCRIPTION	QTY	PART NO	RRP	
REAR INDIVIDUAL COMPONENTS					
	Urethane shackle bushing kit	1	TDUK-010	\$ Kt	
$\bigcap$	U-bolt kit	2	TDUB-010	\$ Kt	
	Greasable pin kit	1	TDGP-470	\$ Kt	
	Greasable shackle kit	1	TDGS-664	\$ Kt	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					
	Front top & bottom pin	4	TW969	\$	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)					
	Rear top eyering	1	404702	\$	Ea
	Rear bottom pin	2	TW959	\$	Ea



## FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber 2 Ea Coil Spring 1 Pr Panhard Rod (Optional) 1 Ea Castor Correction (Optional) 1 Ea

Steering Damper (Optional)

Offset King Pins (Optional)

Ea

1 Ea

REAR								
REAR SUSPENSION	REAR SUSPENSION CHECK LIST							
You need to order the following item	You need to order the following items for the rear end of your vehicle.							
	Shock Absorber	2	Ea					
ii >>	Coil Spring	1	Pr					
	Panhard Rod (Optional)	1	Ea					
II≾≾	Coil Insert Air bag (Optional)	1	Ea					
33								
0 0								

CONTENT	DESCRIPTION	QTY	PART NO	RRP		
١	FOAM CELL - SHO	OCŁ	( ABSORBER			
	Up to 50mm Lift - Shock only	2	FC41047	\$ Ea		
	40MM ADJUSTA	ABI	E - SHOCK ABSC	RBER		
	Up to 50mm Lift - Shock only	2	BM401047	\$ Ea		
	45MM ADJUSTABLE - SHOCK ABSORBER					
8	Only 50mm Lift - Shock only	2	BMX1047/2	\$ Ea		
	RALPH - SHOCK ABSORBER					
	Up to 50mm Lift - Shock only	2	TDR1047B	\$ Ea		

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
	FOAM CELL - SHOCK ABSORBER							
	Up to 50mm Lift - Shock only	2	FC41206	\$ Ea				
	40MM ADJUSTA	ABI	LE - SHOCK ABSO	RBER				
	Up to 50mm Lift - Shock only	2	BM401206	\$ Ea				
	45MM ADJUSTABLE - SHOCK ABSORBER							
	Only 50mm Lift - Shock only	2	BMX1206/2	\$ Ea				
	RALPH -	SH	OCK ABSORBER					
	Up to 50mm Lift - Shock only	2	TDR1206	\$ Ea				

	COIL SPRINGS - 25MM					
	Suit SWB /Alloy Bar	1	TDC731	\$	Pr	
	Suit LWB /Bar	1	TDC734SL	\$	Pr	
	Suit LWB /Bar /Winch	1	TDC734HSL	\$	Pr	
	COIL SPRING	S	- 50MM			
	Suit 2.8L /LWB /Alloy Bar	1	TDC734CL	\$	Pr	
	Suit LWB /Bar	1	TDC734L	\$	Pr	
	Suit LWB /Bar /Winch	1	TDC734HL	\$	Pr	

	COIL SPRINGS - 25MM LIFT					
	0-300kg load - SWB	1	TDC733	\$	Pr	
	0-300kg load - LWB	1	TDC732SL	\$	Pr	
	CONSTANT 300kg load - LWB	1	TDC732HSL	\$	Pr	
	COIL SPRINGS	- 5	OMM LIFT			
•	No Load /Comfort	1	TDC732CL	\$	Pr	
	0-300kg load	1	TDC732L	\$	Pr	
	CONSTANT 300kg load	1	TDC749HL	\$	Pr	

STEERING DAMPERS - 02/1988-08/1989 ONLY						
	Replacement Damper	1	EXT5612	\$	Ea	
<b>~──₩₩₩</b> ₽	Return-to-Center	1	SS5612-P/S	\$	Ea	
○ <b>○</b>	9 Stage Adjustable	1	SV5612	\$	Ea	
STEE	RING DAMPERS	- 09	9-1989-1998 ONLY			
	Replacement Damper	1	EXT5613	\$	Ea	
<b>~~~~~~~</b> ‡	Return-to-Center	1	SS5613-P/S	\$	Ea	
	9 Stage Adjustable		SV5613	\$	Ea	



FRONT						
CONTENT	DESCRIPTION	QTY	PART NO	RRP		
- Al	PANHARD RODS - ALL GQ & GU UTE, GU WAGON PRE 02/2000					
~	Adjustable - RHD	1	TDPR-004	\$	Ea	
~	Adjustable - LHD	1	TDPR-014	\$	Ea	

REAR						
CONTENT	DESCRIPTION	QTY	PART NO	RRP		
-Al	PANHARD RODS - ALL GQ & GU UTE, GU WAGON PRE 02/2000					
·	Adjustable - All	1	TDPR-005	\$	Ea	

OFFSET KING PINS						
	0.5 Degree	1	NAK-005	\$	Ea	
	0.75 Degree	1	NAK-075	\$	Ea	
	1.0 Degree	1	NAK-001	\$	Ea	

CASTOR CORRECTION					
<b>©</b>	2 Degree caster correction bush	1	TDUK-054/2	\$	Kt

AIR ASSIST - 0	COII	L INSERT	
Coil Insert bag - OEM Height	1	TDAA-017	\$ Kt
Coil Insert bag - 50mm Lift	1	TDAA-008	\$ Kt

FRONT INDIVIDUAL COMPONENTS						
0	15mm Urethane Spring spacer	1	TDUK-1734/15	\$	Ea	
	30mm Urethane Spring spacer	1	TDUK-1734/30	\$	Ea	
	Panhard rod bush kit (TDPR-004, 005, 014)	1	TDUK-051	\$	Kt	
	Front Radius rod to Chassis	1	TDUK-041	\$	Kt	
	Front Radius rod to diff	1	TDUK-050	\$	Kt	

REAR INDIVIDUAL COMPONENTS						
0	15mm Urethane Spring spacer	1	TDUK-1736/15	\$	Ea	
	30mm Urethane Spring spacer	1	TDUK-1736/30	\$	Ea	
	Upper & Lower Trailing Arm bush kit	2	TDUK-052	\$	Kt	
	Panhard rod bush kit (TDPR-004, 005, 014)	1	TDUK-051	\$	Kt	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)							
	Fits top & bottom pin	4	TW967	\$	Ea		

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
8	Fits top eyering	1	ADJ00191	\$	Ea	
8	Fits bottom eyering	1	415024	\$	Ea	





### **FRONT** FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber Ea Pr Coil Spring 1 Panhard Rod (Optional) Ea Castor Correction (Optional) 1 Ea Steering Damper (Optional) 1 Ea Offset King Pins (Optional) 1 Ea

REAR							
REAR SUSPENSION	REAR SUSPENSION CHECK LIST						
You need to order the following item	You need to order the following items for the rear end of your vehicle.						
	Shock Absorber	2	Ea				
	Coil Spring	1	Pr				
	Panhard Rod (Optional)	1	Ea				
⊢ II≾≾	Coil Insert Air bag (Optional)	1	Ea				
SS							
0 0							

CONTENT	DESCRIPTION	QTY	PART NO	RRP					
ı	FOAM CELL - SHOCK ABSORBER								
	Up to 50mm Lift - Shock only	2	FC41047	\$ Ea					
	40MM ADJUSTA	4BI	E - SHOCK ABSO	RBER					
	Up to 50mm Lift - Shock only	2	BM401047	\$ Ea					
<b>T</b>	45MM ADJUSTABLE - SHOCK ABSORBER								
8	Only 50mm Lift - Shock only	2	BMX1047/2	\$ Ea					
	RALPH -	SH	OCK ABSORBER						
	Up to 50mm Lift - Shock only	2	TDR1047B	\$ Ea					

CONTENT	DESCRIPTION	QTY	PART NO	RRP		
١	FOAM CELL - SHC	CŁ	( ABSORBER			
	Up to 50mm Lift - Shock only	2	FC41206	\$ Ea		
	40MM ADJUSTA	<b>ABI</b>	LE - SHOCK ABSO	RBER		
	Up to 50mm Lift - Shock only	2	BM401206	\$ Ea		
<b>.</b>	45MM ADJUSTABLE - SHOCK ABSORBER					
8	Up to 50mm Lift - Shock only	2	BMX1206/2	\$ Ea		
	RALPH - SHOCK ABSORBER					
	Up to 50mm Lift - Shock only	2	TDR1206	\$ Ea		

COIL SPRINGS - 25MM					
	Suit LWB /Bar	1	TDC734SL	\$	Pr
	Suit LWB /Bar /Winch	1	TDC734HSL	\$	Pr
	COIL SPRING	SS	- 50MM		
MIAAAA	Suit LWB /Bar	1	TDC734L	\$	Pr
	Suit LWB /Bar /Winch	1	TDC734HL	\$	Pr

	COIL SPRINGS - 25MM LIFT						
	0-300kg load - LWB	1	TDC742SL	\$	Pr		
	CONSTANT 300kg load - LWB	1	TDC742HSL	\$	Pr		
	COIL SPRINGS	- 5	OMM LIFT				
MILAAA	0-300kg load - LWB	1	TDC742L	\$	Pr		
	CONSTANT 300kg load - LWB	1	TDC742HL	\$	Pr		

STEERING DAMPERS - 12/1997-2000 ONLY						
	Replacement Damper	1	EXT5000	\$	Ea	
<b></b>	Return-to-Center	1	SS5000P/S	\$	Ea	
O(	9 Stage Adjustable	1	SV5000	\$	Ea	
STE	ERING DAMPERS	- 2	/2000-2015 ONLY			
	Replacement Damper	1	EXT5617	\$	Ea	
<b>○──₩₩₩₩</b> ; <del>İ</del>	Return-to-Center	1	SS5617P/S	\$	Ea	
·	9 Stage Adjustable	1	SV5617	\$	Ea	



## NISSAN PATROL GU (Y61) 2" LIFT WAGON 12/1997 - 2016 EST. LIFT FRONT: 50MM | REAR: 50MM



FRONT							
CONTENT	DESCRIPTION	QTY	PART NO	RRP			
PANHARD RODS - ALL GQ & GU UTE, GU WAGON PRE 02/2000							
~	Adjustable - RHD	1	TDPR-004	\$	Ea		
~	Adjustable - LHD	1	TDPR-014	\$	Ea		
PANI	PANHARD RODS - GU WAGON 02/2000 ON						
~	Adjustable - RHD	1	TDPR-012	\$	Ea		
~	Adjustable - LHD	1	TDPR-016	\$	Ea		

REAR						
CONTENT	DESCRIPTION	QTY	PART NO	F	RRP	
PANHARD RODS -ALL GQ & GU UTE, GU WAGON PRE 02/2000						
·	Adjustable	1	TDPR-005	\$	Ea	
<u> </u>	Adjustable	1	TDPR-005	\$		

PANHARD RODS - GU WAGON 02/2000 ON						
~ <b>—</b>	Adjustable - All	1	TDPR-013	\$	Ea	

	CASTOR CO	RR	ECTION	
<b>©</b>	2 Degree caster correction bush	1	TDUK-054/2	\$ Kt

OFFSET K	ING	PINS	
0.5 Degree	1	NAK-005	\$ Ea
0.75 Degree	1	NAK-075	\$ Ea
1.0 Degree	1	NAK-001	\$ Ea

AIR ASSIST - COIL INSERT						
	Coil Insert bag - OEM Height	1	TDAA-017	\$	Kt	
	Coil Insert bag - 50mm Lift	1	TDAA-008	\$	Kt	

FRONT INDIVIDUAL COMPONENTS							
	15mm Urethane Spring spacer	1	TDUK-1734/15	\$	Ea		
	30mm Urethane Spring spacer	1	TDUK-1734/30	\$	Ea		
	Panhard rod bush kit (TDPR-004, 005, 014)	1	TDUK-051	\$	Kt		
	Panhard rod bush kit (TDPR-012, 016) - Diff end	1	TDUK-055	\$	Kt		
	Panhard rod bush kit (TDPR-012, 016) - Chassis end	1	TDUK-056	\$	Kt		
	Front Radius Rod To Diff	1	TDUK-050	\$	Kt		
	Front Radius Rod To Chassis	1	TDUK-041	\$	Kt		

REAR INDIVIDUAL COMPONENTS								
	15mm Urethane Spring spacer	1	TDUK-1736/15	\$	Ea			
	30mm Urethane Spring spacer	1	TDUK-1736/30	\$	Ea			
	Panhard rod bush (TDPR-013) - Diff end	1	TDUK-055	\$	Kt			
_	Panhard rod bush kit (TDPR-013) - Chassis end	1	TDUK-056	\$	Kt			
	Panhard rod bush kit (TDPR-004, 005, 014)	1	TDUK-051	\$	Kt			
	Upper & Lower Trailing Arm bush kit	2	TDUK-052	\$	Kt			

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top & bottom pin	4	TW967	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)							
8	Fits top eyering	1	ADJ00191	\$	Ea		
8	Fits bottom eyering	1	415024	\$	Ea		





### **FRONT** FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber Pr Coil Spring 1 **Castor Correction** Kt Panhard Rod Ea Steering Damper (Optional) Ea Offset King Pins (Optional) 1 Ea

CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP					
	FOAM CELL - SHOCK ABSORBER								
	75mm Lift	2	FC41047/3	\$ Ea					
Ĭ	40MM ADJUSTA	ABL	E - SHOCK ABSC	RBER					
1	75mm Lift	2	BM401047/3	\$ Ea					
Į	45MM ADJUSTA	ABL	E - SHOCK ABSC	RBER					
J	75mm Lift	2	BMX1047/3	\$ Ea					

COIL SPRINGS						
	No Bar or with Bar	1	TDC734/3	\$	Pr	
	Steel Bar & Winch	1	TDC734/3H	\$	Pr	

PANHARD RODS - ALL GQ & GU UTE, GU WAGON PRE 02/2000								
<b>~</b> —⊸	Adjustable - RHD	1	TDPR-004	\$	Ea			
~	Adjustable - LHD	1	TDPR-014	\$	Ea			
PANI	HARD RODS - GU	W.	AGON 02/2000 ON					
<b>~</b>	Adjustable - RHD	1	TDPR-012	\$	Ea			
~	Adjustable - LHD	1	TDPR-016	\$	Ea			

	CASTOR CO	RR	ECTION	
<b>©</b>	2 Degree caster correction bush	1	TDUK-054/2	\$ Kt

STEERING DAMPERS - 02/1988-18/1989 ONLY							
	Replacement Damper	1	EXT5612	\$	Ea		
<u></u>	Return-to-Center	1	SS5612-P/S	\$	Ea		
	9 Stage Adjustable	1	SV5612	\$	Ea		
STEE	RING DAMPERS	- 05	9-1989-1998 ONLY				
	Replacement Damper	1	EXT5613	\$	Ea		
<u></u>	Return-to-Center	1	SS5613-P/S	\$	Ea		
+	9 Stage Adjustable	4	SV5613	\$	Ea		

REAR							
REAR SUSPENSIO	REAR SUSPENSION CHECK LIST						
You need to order the following items for the rear end of your vehicle.							
	Shock Absorber	2	Ea				
	Coil Spring	1	Pr				
	Panhard Rod	1	Ea				
	Brake Hose	1	Ea				
	Transmission Spacer	1	Ea				

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
FOAM CELL - SHOCK ABSORBER								
	75mm Lift	2	FC41206/3	\$ Ea				
Ĭ	40MM ADJUSTABLE - SHOCK ABSORBER							
	75mm Lift	2	BM401206/3	\$ Ea				
	45MM ADJUSTA	BL	E - SHOCK ABSO	RBER				
	75mm Lift	2	BMX1206/3	\$ Ea				

COIL SPRINGS					
MIAAAA	0-300kg load	1	TDC732/3	\$	Pr
	0-300kg load  CONSTANT 300kg load	1	TDC732/3H	\$	Pr

PANHARD RODS - ALL GQ & GU UTE, GU WAGON PRE 02/2000							
· · ·	Adjustable - All	1	TDPR-005	\$	Ea		
		1					

PANHARD RODS - GU WAGON 02/2000 ON						
~ <del>~</del>	Adjustable - All	1	TDPR-013	\$	Ea	

TRANSMISSION SPACER					
	Transmission spacer	1	TDSP-004/2	\$	Ea





FRONT						
CONTENT	DESCRIPTION	QTY	PART NO	RRP		
STEERING DAMPERS - 02/1997 - 02/2000 ONLY						
•	Replacement Damper	1	EXT5000	\$	Ea	
<u></u>	Return-to-Center	1	SS5000-P/S	\$	Ea	
• <u> </u>	9 Stage Adjustable	1	SV5000	\$	Ea	
STEEF	RING DAMPERS -	04/	2000 - 2/2000 - 2016	5		
	Replacement Damper	1	EXT5617	\$	Ea	
· <del>************************************</del>	Return-to-Center	1	SS5617-P/S	\$	Ea	
O(	9 Stage Adjustable	1	SV5617	\$	Ea	

REAR							
CONTENT	DESCRIPTION	QTY	PART NO	RRP			
				'			

OFFSET KING PINS					
	0.5 Degree	1	NAK-005	\$	Ea
	0.75 Degree	1	NAK-075	\$	Ea
	1.0 Degree	1	NAK-001	\$	Ea

REAR BRAKE HOSE KITS - UP TO 2002 - GQ / GU					
	Non ABS Rubber hose	1	TDBH-001	\$	Ea
* *	Non ABS Braided hose	1	TDBH-194	\$	Ea
REAR E	BRAKE HOSE KIT	s -	1998 ON - GU ONI	<b>.</b> Y	
	ABS rubber hose	1	TDBH-390	\$	Ea
	ABS braided hose	1	TDBH-190	\$	Ea
	ABS & Stability rubber hose	1	TDBH-400	\$	Ea

FRONT INDIVIDUAL COMPONENTS						
	Front Radius rod to Chassis	1	TDUK-041	\$	Kt	
_	Front Radius rod to diff	1	TDUK-050	\$	Kt	
	Panhard rod bush kit (TDPR-004, 005, 014)	1	TDUK-051	\$	Kt	
	Panhard rod bush kit (TDPR-012, 016) - Diff end	1	TDUK-055	\$	Kt	
	Panhard rod bush kit (TDPR-012, 016) - Chassis end	1	TDUK-056	\$	Kt	

REAR INDIVIDUAL COMPONENTS						
	Panhard rod bush kit (TDPR-004, 005, 014)	1	TDUK-051	\$	Kt	
	Upper & Lower Trailing Arm bush kit	1	TDUK-052	\$	Kt	
	Panhard rod bush (TDPR-013) - Diff end	1	TDUK-055	\$	Kt	
	Panhard rod bush kit (TDPR-013) - Chassis end	1	TDUK-056	\$	Kt	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top & bottom pin	4	TW967	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)							
8	Fits top eyering	1	ADJ00191	\$	Ea		
8	Fits bottom eyering	1	415024	\$	Ea		



PATROL GQ, GU (Y60, Y61) - 4", 5", 6" LIFT 02/1988 - 2016



EST. LIFT FRONT: 100MM,125MM,150MM | REAR: 100MM,125MM,150MM

# FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber 2 Ea Coil Spring 1 Pr Castor Correction 1 Ea Panhard Rod 1 Ea Steering Damper (Optional) 1 Ea Offset King Pins (Optional) 1 Ea

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
FOAM CELL - SHOCK ABSORBER								
	100mm / 4" Lift	2	FC41047/4	\$ E				
45MM ADJUSTABLE - SHOCK ABSORBER								
	100mm / 4" Lift	2	BMX1047/4/5					
	125mm / 5" Lift	2	BMX1047/4/5					
	150mm / 6" Lift	2	BMX1047/6	\$ E				
O	200mm / 8" Lift	2	BMX1047/8					
Note: BMX1247/8 Shocks Only, No Suited Coils.								

COIL SPRINGS							
	100mm / 4" Lift No Bar or with Bar	1	TDC734/4	\$	Pr		
	100mm / 4" Lift Steel Bar & Winch	1	TDC734/4H	\$	Pr		
<b>M</b>	125mm / 5" Lift No Bar or with Bar	1	TDC734/5	\$	Pr		
	125mm / 5" Lift Steel Bar & Winch	1	TDC734/5H	\$	Pr		
	150mm / 6" Lift No Bar or with Bar	1	TDC734/6	\$	Pr		
	150mm / 6" Lift Steel Bar & Winch	1	TDC734/6H	\$	Pr		

CASTOR CORRECTION							
	100mm / 4" Lift 3 Degree Castor Correction bushes	1	TDUK-054/3	\$	Kt		
	125mm / 5" & 150mm / 6" Lift 5 Degree Castor Correction Plates	1	TDCP-005	\$	Ea		
	7 Degree Caster Correction Plate	1	TDCP-007	\$	Ea		

REAR								
REAR SUSPENSIO	REAR SUSPENSION CHECK LIST							
You need to order the following items	You need to order the following items for the rear end of your vehicle.							
	Shock Absorber	2	Ea					
	Coil Spring	1	Pr					
	Panhard Rod	1	Ea					
33 <b>  </b>	Brake Hose	1	Ea					
	Transmission Spacer	1	Ea					

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
FOAM CELL - SHOCK ABSORBER							
	100mm / 4" Lift	2	FC41206/4	\$	Ea		
45MM ADJUSTABLE - SHOCK ABSORBER							
	100mm / 4" Lift	2	BMX1206/4				
I	125mm / 5" Lift	2	BMX1206/4/5	•			
	150mm / 6" Lift	2	BMX1206/6	\$	Ea		
	200mm / 8" Lift	2	BMX1206/8				
N	Note: BMX1206/8 Shocks Only, No Suited Coils.						

COIL SPRINGS							
	100mm / 4" Lift 0-300kg load	1	TDC732/4	\$	Pr		
	100mm / 4" Lift CONSTANT 300kg load	1	TDC732/4H	\$	Pr		
MIAAAA	125mm / 5" Lift 0-300kg load	1	TDC732/5	\$	Pr		
	125mm / 5" Lift CONSTANT 300kg load	1	TDC732/5H	\$	Pr		
	150mm / 6" Lift 0-300kg load	1	TDC732/6	\$	Pr		
	150mm / 6" Lift CONSTANT 300kg load	1	TDC732/6H	\$	Pr		

TRANSMISSION SPACER						
	Transmission spacer	1	TDSP-004/2	\$	Ea	



GQ, GU (Y60, Y61) 02/1988 - 2016 - 4", 5", 6" LIFT



**TDPR-013** 

\$

Ea

Ea Ea

Ea Ea

Ea

\$

LIFT FRONT: 100MM,125MM,150MM | REAR: 100MM,125MM,150MN

FRONT								
CONTENT	DESCRIPTION	QTY	PART NO		RRP			
PANHARD RODS - ALL GQ & GU UTE, GU WAGON PRE 02/2000								
	Adjustable - RHD	1	TDPR-004	\$	Ea			
	Adjustable - LHD	1	TDPR-014	\$	Ea			
<b>~</b> —⊸	PANHARD RO	DS	- GU WAGON 02/2	000	ON			
	Adjustable - RHD	1	TDPR-012	\$	Ea			
	Adjustable - LHD	1	TDPR-016	\$	Ea			

REAR								
CONTENT	DESCRIPTION	QTY	PART NO		RRP			
- A	PANHARD RODS - ALL GQ & GU UTE, GU WAGON PRE 02/2000							
· · ·	Adjustable - All	1	TDPR-005	\$	E	Ξа		
PANHARD RODS - GU WAGON 02/2000 ON								

Adjustable - All

STEERING DAMPERS - COME WITH MOUNTING BRACKETS						
	Return-to-Center	1	SS5613-XHD	\$	Ea	
<b>~──₩₩₩₩</b> , <del>±</del> ,	9 Stage Adjustable	1	SV5613/4	\$	Ea	

-	Return-to-Center	1	SS5613-XHD	\$ Ea
<b>○──₩₩₩₩</b> ‡	9 Stage Adjustable	1	SV5613/4	\$ Ea

	REAR E	BRAKE HOSE KITS	<b>3</b> - I	UP TO 2002 - GQ /	GU
		Non ABS Rubber hose	1	TDBH-001	\$
	* *	Non ABS Braided hose	1	TDBH-194	\$
	REAR	BRAKE HOSE KIT	S.	- 1998 ON - GU ONI	LY
•		ABS rubber hose	1	TDBH-390	\$
		ABS braided hose	1	TDBH-190	\$

ABS & Stability rubber hose

	OFFSET P	CINC	3 PINS	
	0.5 Degree	1	NAK-005	\$ Ea
	0.75 Degree	1	NAK-075	\$ Ea
	1.0 Degree	1	NAK-001	\$ Ea

F	RONT INDIVIDUA	LC	COMPONENTS	
	Front Radius rod to Chassis	1	TDUK-041	\$ Kt
	Front Radius rod to diff	1	TDUK-050	\$ Kt
	Panhard rod bush kit (TDPR-004, 005, 014)	1	TDUK-051	\$ Kt
	Panhard rod bush kit (TDPR-012, 016) - Diff end	1	TDUK-055	\$ Kt
	Panhard rod bush kit (TDPR-012, 016) - Chassis end	1	TDUK-056	\$ Kt

REAR INDIVIDUAL COMPONENTS						
	Panhard rod bush kit (TDPR-004, 005, 014)	1	TDUK-051	\$	Kt	
	Upper & Lower Trailing Arm bush kit	2	TDUK-052	\$	Kt	
	Panhard rod bush (TDPR-013) - Diff end	1	TDUK-055	\$	Kt	
	Panhard rod bush kit (TDPR-013) - Chassis end	1	TDUK-056	\$	Kt	

1

**TDBH-400** 

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits top & bottom pin	4	TW967	\$	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)					
8	Fits top eyering	1	ADJ00191	\$	Ea
	Fits bottom eyering	1	415024	\$	Ea




### NISSAN PATROL GQ/GU CAB CHASSIS (LEAF/LEAF) 02/1988 - 1997 EST. LIFT FRONT: 50MM | REAR: 50MM



### **FRONT**

### FRONT SUSPENSION CHECK LIST

You need to order the following items for the front end of your vehicle.



		•
Shock Absorber	2	Ea
Leaf Spring	2	Ea
Urethane bush kit	1	Kt
U-Bolt kit	2	Kt
Greaseable Shackle kit	1	Kt
Greaseable Pin kit	1	Kt
Steering Damper (Optional)	1	Ea
Offset King Pins (Optional)	1	Ea

CONTENT	DESCRIPTION	QTY	PART NO	RRP
ı	FOAM CELL - SHO	Ck	ABSORBER	
	OE Height	2	FC41108	
	50mm Lift	2	FC41113	\$ Ea
40MM ADJUSTABLE - SHOCK				RBER
	OE Height	2	BM401108	¢
O	50mm Lift	2	BM401113	\$ Ea

	LEAF SP	RIN	IGS			
	Up to Steel Bar	1	FS37-LH	\$	Ea	
		1	FS37-RH	\$	Ea	
	Bar & Winch	1	FS37H-LH	\$	Ea	
		1	FS37H-RH	\$	Ea	
<b>Note:</b> 1 Left hand and 1 right hand side leaf spring pack should be ordered						

STEERING DAMPERS - EYE/EYE MOUNTING						
	Replacement damper	1	EXT5005	\$	Ea	
<u></u>	Return-to-Center	1	SS5005-P/S	\$	Ea	
STEE	RING DAMPERS -	ΡI	N/PIN MOUNTING			
	Replacement damper	1	EXT5613	\$	Ea	
·—####################################	Return-to-Center	1	SS5613-P/S	\$	Ea	
○ <b>€</b>	9 Stage Adjustable	1	SV5613	\$	Ea	

REAR						
REAR SUSPENSION	N CHECK LIST					
You need to order the following items	s for the rear end of your ve	hicle.				
	Shock Absorber	2	Ea			
	Leaf Spring	2	Ea			
	Urethane bush kit	1	Kt			
	U-Bolt kit	2	Kt			
	Greaseable Shackle kit	1	Kt			
	Greaseable Pin kit	1	Kt			
	Bellows Airbags (Optional)	1	Kt			

CONTENT	DESCRIPTION	QTY	PART NO	RRP		
FOAM CELL - SHOCK ABSORBER						
	50mm Lift / 2" Lift	2	FC41404			
Ě	75mm Lift / 3" Lift	2	FC41404/3	\$ Ea		
	100mm Lift / 4" Lift	2	FC41404/4			
I	40MM ADJUSTABLE - SHOCK ABSORBER					
8	50mm Lift	2	BM401404	\$ Ea		

LEAF SPRINGS						
	0-300kg load	2	BPN-010	\$	Ea	
	CONSTANT 300kg load	2	BPN-010H	\$	Ea	
م یہ	CONSTANT 500kg load	1	FS39M-LH	\$	Ea	
		1	FS39M-RH	\$	Ea	
	CONSTANT GVM - Mine Spec	1	FS38M-LH	\$	Ea	
		1	FS38M-RH	\$	Ea	
<b>Note:</b> 1 Left hand and 1 right hand side leaf spring pack should be ordered						

AIR ASSIST - BELLOWS						
	Bellows Bag - 50mm lift	1	TDAA-110	\$	Kt	



## NISSAN PATROL GQ/GU CAB CHASSIS (LEAF/LEAF) 02/1988 - 1997 EST. LIFT FRONT: 50MM | REAR: 50MM



FRONT							
CONTENT	DESCRIPTION	QTY	PART NO	RRP			
OFFSET KING PINS							
	0.5 Degree	1	NAK-005	\$	Ea		
	0.75 Degree	1	NAK-075	\$	Ea		
	1.0 Degree	1	NAK-001	\$	Ea		

REAR						
CONTENT	DESCRIPTION	QTY	PART NO	RRP		

FRONT INDIVIDUAL COMPONENTS						
	Urethane Shackle bush kit	1	TDUK-011	\$	Kt	
$\bigcap$	U-Bolt kit	2	TDUB-011	\$	Kt	
	Greaseable Shackle kit	1	TDGS-357	\$	Kt	
	Greaseable Pin kit	1	TDGP-667	\$	Kt	

REAR INDIVIDUAL COMPONENTS						
	Urethane Shackle bush kit	1	TDUK-012	\$	Kt	
$\cap$	U-Bolt kit	2	TDUB-025	\$	Kt	
	Greaseable Shackle lit	1	TDGS-357	\$	Kt	
	Greaseable Pin kit	1	TDGP-667	\$	Kt	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					
	Front top pin	2	TW959	\$	Ea
8	Front bottom eyering	1	ADJ00191	\$	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)					
	Rear bottom pin	2	TW959	\$	Ea
8	Rear top eyering	1	ADJ00191	\$	Ea



### NISSAN PATROL GQ CAB CHASSIS (COIL/LEAF) 1997 - 2016 EST. LIFT FRONT: 50MM | REAR: 50MM



Bellows Airbags (Optional)

### **FRONT**

### FRONT SUSPENSION CHECK LIST

You need to order the following items for the front end of your vehicle.



for the front end of your ve	ilicie.	'
Shock Absorber	2	Ea
Coil Spring	1	Pr
Panhard Rod (Optional)	1	Ea
Castor Correction (Optional)	1	Kt
Steering Damper (Optional)	1	Ea
Offset King Pins (Optional)	1	Ea

CONTENT	DESCRIPTION	QTY	PART NO	RRP	
F	FOAM CELL - SHO	CK	ABSORBER		
	50mm Lift / 2" Lift	2	FC41047		
	75mm Lift / 3" Lift	2	FC41047/3	\$ Ea	
	100mm Lift / 4" Lift	2	FC41047/4		
	40MM ADJUSTA	\Bl	LE - SHOCK ABSC	RBER	
	50mm Lift / 2" Lift	2	BM401047	-\$ Ea	
	75mm Lift / 3" Lift	2	BM401047/3	ъ ⊏а	
	45MM ADJUSTA	\Bl	LE - SHOCK ABSC	RBER	
	50mm Lift / 2" Lift	2	BMX1047/2		
8	75mm Lift / 3" Lift	2	BMX1047/3	\$ Ea	
	100mm Lift / 4" Lift	2	BMX1047/4/5		
	RALPH - SHOCK ABSORBER				
	Up to 50mm Lift	2	TDR1047B	\$ Ea	

COIL SPRINGS					
	Up to Steel Bar	1	TDC734L	\$	Pr
	Bar & Winch	1	TDC734HL	\$	Pr

REAR							
REAR SUSPENSION CHECK LIST							
You need to order the following items for the rear end of your vehicle.							
	Shock Absorber	2	Ea				
	Leaf Spring	2	Ea				
	Urethane bush kit	1	Kt				
	U-Bolt kit	2	Kt				
	Greaseable Shackle kit	1	Kt				
• • · · · · · · · · · · · · · · · · · ·	Greaseable Pin kit	1	Kt				

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
F	FOAM CELL - SHOCK ABSORBER							
	50mm Lift / 2" Lift	2	FC41404					
	75mm Lift / 3" Lift	2	FC41404/3	\$ E	а			
	100mm Lift / 4" Lift	2	FC41404/4					
	40MM ADJUSTA	ABL	LE - SHOCK ABSC	RBER				
	Up to 50mm Lift	2	BM401404	\$ E	а			
	45MM ADJUSTABLE - SHOCK ABSORBER							
	50mm Lift / 2" Lift	2	BMX1404/2					
8	75mm Lift / 3" Lift	2	BMX1404/3	\$ E	а			
	100mm Lift / 4" Lift	2	BMX1404/4	]				
	RALPH -	SH	OCK ABSORBER					
	Up to 50mm Lift	2	TDR1404	\$ E	а			

	LEAF SPI	RIN	IGS	
	0-300kg load	2	BPN-010	\$ Ea
	CONSTANT 300kg load	2	BPN-010H	\$ Ea
	CONSTANT 500kg load	1	FS39M-LH	\$ Ea
		1	FS39M-RH	\$ Ea
	CONSTANT GVM -	1	FS38M-LH	\$ Ea
	Mine Spec	1	FS38M-RH	\$ Ea

**Note:** 1 Left hand and 1 right hand side leaf spring pack should be ordered



## NISSAN PATROL GQ/GU CAB CHASSIS (COIL/LEAF) 1997 - 2016 EST. LIFT FRONT: 50MM | REAR: 50MM



FRONT							
CONTENT	DESCRIPTION	QTY	PART NO		RRP		
STEERING DAMPERS - GQ PIN/PIN ONLY							
	Replacement damper	1	EXT5613	\$	Ea		
<b>~──₩₩₩₩</b> ‡	return -to-Center	1	SS5613-P/S	\$	Ea		
••••••••••••••••••••••••••••••••••••••	9 Stage Adjustable	1	SV5613	\$	Ea		
STE	ERING DAMPERS	- G	U PIN/PIN ONLY				
	Replacement damper	1	EXT5000	\$	Ea		
<b>~~~~~~</b> ±	return -to-Center	1	SS5000-P/S	\$	Ea		
O@	9 Stage Adjustable	1	SV5000	\$	Ea		

REAR							
CONTENT	DESCRIPTION	QTY	PART NO	RRP			

PANHARD RODS							
<del>-</del>	Adjustable panhard rod - RHD	1	TDPR-004	\$	Ea		
<del>-</del>	Adjustable panhard rod - LHD	1	TDPR-014	\$	Ea		

OFFSET KING PINS						
	0.5 Degree	1	NAK-005	\$	Ea	
	0.75 Degree	1	NAK-075	\$	Ea	
	1.0 Degree	1	NAK-001	\$	Ea	

CASTOR CORRECTION					
	2 Degree	1	TDUK-054/2	\$	Kt
	3 Degree	1	TDUK-054/3	\$	Kt

AIR ASSIST - BELLOWS							
	Bellows Bag - 50mm lift	1	TDAA-111	\$	Kt		

FRONT INDIVIDUAL COMPONENTS						
	Front Radius rod to Chassis	1	TDUK-041	\$	Kt	
	Front Radius rod to diff	1	TDUK-050	\$	Kt	
	Panhard rod bush kit (TDPR-004, 005, 014)	1	TDUK-051	\$	Kt	
	15mm Urethane coil spring spacer	1	TDUK-1734/15	\$	Ea	
	30mm Urethane coil spring spacer	1	TDUK-1734/30	\$	Ea	

REAR INDIVIDUAL COMPONENTS							
	Urethane Shackle bush kit	1	TDUK-012	\$	Kt		
$\cap$	U-Bolt kit	2	TDUB-023	\$	Kt		
T .	Greaseable Shackle kit	1	TDGS-357	\$	Kt		
	Greaseable Pin kit	1	TDGP-667	\$	Kt		

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)							
	Fits top & bottom pin	4	TW967	\$	Ea		

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
8	Fits top eyering	1	ADJ00191	\$	Ea	
	Fits bottom pin	2	TW959	\$	Ea	



## NISSAN PATROL GQ/GU CAB CHASSIS (COIL/COIL) 1988-2016 EST. LIFT FRONT: 50MM | REAR: 50MM

Offset King Pins (Optional)

1 Ea



## FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber 2 Ea Coil Spring 1 Pr Panhard Rod (Optional) 1 Ea Castor Correction (Optional) 1 Kt Steering Damper (Optional) 1 Ea

CONTENT	DESCRIPTION	QΤΥ	PART NO	RR	Р			
FOAM CELL - SHOCK ABSORBER								
	Up to 50mm Lift	2	FC41047	\$	Ea			
	40MM ADJUSTA	ABL	LE - SHOCK ABSO	RBE	R			
	Up to 50mm Lift	2	BM401047	\$	Ea			
	45MM ADJUSTA	ABL	E - SHOCK ABSO	RBE	R			
8	Only 50mm Lift	2	BMX1047/2	\$	Ea			
	RALPH -	SH	OCK ABSORBER					
	Up to 50mm Lift	2	TDR1047B	\$	Ea			

STE	STEERING DAMPERS - GQ PIN/PIN ONLY							
	Replacement damper	1	EXT5613	\$	Ea			
<u>~</u>	return -to-Center	1	SS5613-P/S	\$	Ea			
OE	9 Stage Adjustable	1	SV5613	\$	Ea			
STE	STEERING DAMPERS - GU PIN/PIN ONLY							
	Replacement damper	1	EXT5000	\$	Ea			
<u>~</u>	Return -to-Center	1	SS5000-P/S	\$	Ea			
O(E	9 Stage Adjustable	1	SV5000	\$	Ea			

**COIL SPRINGS** 

1

1

TDC734L

TDC734HL

\$

Pr

Pr

Up to Steel Bar

Bar & Winch

PANHARD RODS							
~ <del>_</del>	Adjustable RHD	1	TDPR-004	\$	Ea		
~	Adjustable LHD	1	TDPR-014	\$	Ea		

REAR								
REAR SUSPENSION CHECK LIST								
You need to order the following items for the rear end of your vehicle.								
•	Shock Absorber	2	Ea					
	Coil Spring	1	Pr					
	Panhard Rod (Optional)	1	Ea					
II≾≾	Coil Insert Airbags (Optional)	1	Kt					
ii ss								

CONTENT	DESCRIPTION	ğ	PART NO	RRP				
FOAM CELL - SHOCK ABSORBER								
	Up to 50mm Lift	2	FC41206	\$ E	Ξa			
	40MM ADJUSTA	BL	E - SHOCK ABSO	RBER				
	Up to 50mm Lift	2	BM401206	\$ E	Ξa			
	45MM ADJUSTA	BL	E - SHOCK ABSO	RBER				
8	Only 50mm Lift	2	BMX1206/2	\$ E	Ξa			
	RALPH -	SH	OCK ABSORBER					
	Up to 50mm Lift	2	TDR1206	\$ E	Ξa			

COIL SPRINGS						
MIAAAA	0-300kg load	1	TDC749HL	\$	Pr	
	0-300kg load  CONSTANT 300kg load	1	TDC749VHL	\$	Pr	

PANHARD RODS					
~	Adjustable	1	TDPR-005	\$	Ea



### PATROL GQ/GU CAB CHASSIS (COIL/COIL) 1988-2016 EST. LIFT FRONT: 50MM | REAR: 50MM



FRONT							
CONTENT	DESCRIPTION	QTY	PART NO		RRP		
OFFSET KING PINS							
	0.5 Degree	1	NAK-005	\$	Ea		
	0.75 Degree	1	NAK-075	\$	Ea		
	1.0 Degree	1	NAK-001	\$	Ea		

REAR						
CONTENT	DESCRIPTION	QTY	PART NO	RRP		

AIR ASSIST - COIL INSERT							
	Coil insert Airbags - 50mm Lift	1	TDAA-008	\$	Kt		

CASTOR CORRECTION						
<b>©</b>	2 Degree	1	TDUK-054/2	\$	Kt	

FRONT INDIVIDUAL COMPONENTS						
	Front Radius rod to Chassis	1	TDUK-041	\$	Kt	
	Front Radius rod to diff	1	TDUK-050	\$	Kt	
	Panhard rod bush kit (TDPR-004, 005, 014)	1	TDUK-051	\$	Kt	
	15mm Urethane coil spring spacer	1	TDUK-1734/15	\$	Ea	
	30mm Urethane coil spring spacer	1	TDUK-1734/30	\$	Ea	

REAR INDIVIDUAL COMPONENTS						
	Panhard rod bush kit (TDPR-004, 005, 014)	1	TDUK-051	\$	Kt	
	Trailing arm bush kit	2	TDUK-052	\$	Kt	
0	15mm Urethane Spring spacer	1	TDUK-1736/15	\$	Ea	
	30mm Urethane Spring spacer	1	TDUK-1736/30	\$	Ea	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top & bottom pin	4	TW967	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
8	Fits top eyering	1	ADJ00191	\$	Ea	
8	Fits bottom eye	1	415024	\$	Ea	



### NISSAN PATROL Y62 (NON HYDRAULIC ONLY) 2013 ON EST. LIFT FRONT: 40MM | REAR: 40MM



## FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Assembled struts 2 Ea OR Struts 2 Ea Coil Springs 1 Pr Strut Top (Optional) 2 Ea

CONTENT	DESCRIPTION	₫Ţ	PART NO	١	RRP			
A	SSEMBLED STRU	TS	- FOAM CELL					
Assemble	ed struts are made up of:	1 x	strut, 1 x coil 1 x strut to	р				
	Up to Steel Bar - 40mm lift	2	NIS-062/02	\$	Ea			
	With Steel Bar & Winch - 40mm lift	2	NIS-062/03	\$	Ea			
	ASSEMBLED ST	RU	TS - 40MM ADJUS	TA	BLE			
	Assembled struts are m	ade	up of: 1 x strut, 1 x coil 1	x str	ut top			
	Up to Steel Bar - 40mm lift	2	NIS-062/07	\$	Ea			
#	With Steel Bar & Winch - 40mm lift	2	NIS-062/08	\$	Ea			
O	ASSEMBLED ST	RU	TS - 45MM ADJUS	TA	BLE			
	Assembled struts are made up of: 1 x strut, 1 x coil 1 x strut top							
	Up to Steel Bar - 40mm lift	2	NIS-062/10	\$	Ea			
	With Steel Bar & Winch - 40mm lift	2	NIS-062/11	\$	Ea			
	STRUT - FO	ΔM	CELL					
_	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404750	\$	Ea			
I	STRUT - 4	40N	MM ADJUSTABLE					
H	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404750	\$	Ea			
	STRUT - 4	45N	MM ADJUSTABLE					
5	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	BMX454750	\$	Ea			

REAR								
REAR SUSPENSION CHECK LIST								
You need to order the following items for the rear end of your vehicle.								
<b>                                       </b>	Shock Absorber	2	Ea					
	Coil Springs	1	Pr					
	Coil Insert Airbags (Optional)	1	Kt					

CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP				
FOAM CELL - SHOCK ABSORBER								
	Up to 40mm Lift	2	FC41220	190 Ea				
	40MM ADJUSTA	BL	E - SHOCK ABSO	RBER				
	Up to 40mm Lift	2	BM401220	220 Ea				
	45MM ADJUSTA	BL	E - SHOCK ABSO	RBER				
	Up to 40mm Lift	2	BMX1220/2	300 Ea				



## NISSAN PATROL Y62 (NON HYDRAULIC ONLY) 2013 ON EST. LIFT FRONT: 40MM | REAR: 40MM



FRONT							
CONTENT	DESCRIPTION	QTY	PART NO	RRP			
COIL SPRINGS							
	Up to Steel Bar - 40mm lift	1	TDC790L	\$	Pr		
	With Bar & Winch - 40mm lift	1	TDC790HL	\$	Pr		
	Up to Steel Bar - 40mm lift / BMX only	1	TDC791L	\$	Pr		
	With Bar & Winch - 40mm lift / BMX only	1	TDC791HL	\$	Pr		

REAR							
CONTENT	DESCRIPTION	۵T	PART NO		RRP		
COIL SPRINGS							
amm	0-120kg load	1	TDC795	\$	Pr		
	CONSTANT 120kg - 300kg load	1	TDC795L	\$	Pr		
	CONSTANT 300kg load	1	TDC795HL	\$	Pr		

AIR ASSIST - COIL INSERT						
	Coil Insert bag - OEM Height	1	TDAA-022	\$	Kt	
	Coil Insert bag - 40mm lift	1	TDAA-023	\$	Kt	


FRONT INDIVIDUAL COMPONENTS						
<b>1</b>	Strut Top	2	NIS-062	\$	Ea	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					
	Front bottom eyering	1	4WAY-002	\$	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)					
•	Fits top pin-upper	1	RETAINER-W	\$	Ea
	Fits top pin-lower	1	RETAINER-X	\$	Ea
Ť	Fits bottom eyering	1	ADJ27805	\$	Ea







REA	R			
REAR SUSPENSION CHECK LIST				
You need to order the following items	s for the rear end of your ve	hicle.		
ii 33	Shock Absorber	2	Ea	
	Coil Springs	1	Pr	

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
NIT	NITROGEN GAS - SHOCK ABSORBER							
Î	Up to 30mm Lift	2	BD2057T	\$ Ea				
	FOAM CELL - SHOCK ABSORBER							
8	Up to 30mm Lift	2	FC42057B	\$ Ea				

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
NITROGEN GAS - SHOCK ABSORBER							
	Up to 30mm Lift	2	BD1388T	\$ Ea			
	FOAM CEL	L -	SHOCK ABSORBE	R			
	Up to 30mm Lift	2	FC41388	\$ Ea			
	40MM ADJUSTA	AΒΙ	E - SHOCK ABSO	RBER			
ŏ	Up to 30mm Lift	2	BM401388	\$ Ea			

	TORSION	В	ARS			
-	26mm/1232mm	1	4WTB-1458	\$	Pr	
Adjust torsion bars after fitting shocks- Ensure a minimum of 60mm droop is maintained.						

	COIL SPF	RIN	igs	
MIAAAA	0-300kg load	1	TDC739	\$ Pr
	0-300kg load  CONSTANT 300kg load	1	TDC739H	\$ Pr

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Front top pin	2	TW959	\$	Ea	
	Fits bottom eyering	1	412772	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top & bottom eyering	2	404702	\$	Ea	



THIS PAGE IS INTENTIONALLY BLANK



## FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Assembled struts 2 Ea OR Struts 2 Ea Coil Springs 1 Pr Strut Top (Optional) 2 Ea

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
ASSEMBLED STRUTS - FOAM CELL							
Assemble	ed struts are made up of	1 x	strut, 1 x coil 1 x strut to	р			
	No Accessories	1	DOD-003-LH	ф <b>Г</b> -			
	- 50mm lift	1	DOD-003-RH	\$ Ea			
_	Bar / Bar & Winch	1	DOD-004-LH	s Fa			
***	- 50mm lift	1	DOD-004-RH	\$ Ea			
<b>3</b>	ASSEMBLED ST	RU	TS - 40MM ADJUS	TABLE			
•	Assembled struts are made up of: 1 x strut, 1 x coil 1 x strut top						
	No Accessories - 50mm lift	1	DOD-001-LH	s Fa			
· ·		1	DOD-001-RH	Ф Са			
	Bar / Bar & Winch - 50mm lift	1	DOD-002-LH	\$ Ea			
		1	DOD-002-RH	\$ Ea			
	STRUT - FO	ΑM	CELL				
Ī	Up to 50mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404927	\$ Ea			
I	STRUT -	40N	MM ADJUSTABLE				
Ţ	Up to 50mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404927	\$ Ea			

REAR						
REAR SUSPENSION	ON CHECK LIST					
You need to order the following item	s for the rear end of your ve	hicle.				
	Shock Absorber	2	Ea			
<b>Ⅲ</b> 雾雾	Coil Springs	1	Pr			
	Sway bar bracket	1	Ea			
∣ II <b>≾</b> ≾	Panhard Rod (Optional)	1	Ea			
	Coil Insert Airbags (Optional)	1	Kt			

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
FOAM CELL - SHOCK ABSORBER							
ů	Up to 50mm Lift	2	FC43033	190 Ea			
	40MM ADJUSTA	ABI	E - SHOCK ABSO	RBER			
8	Up to 50mm Lift	2	BM403033	220 Ea			

COIL SPRINGS						
	No Accessories - 50mm lift	1	TDC1024	\$	Pr	
	Bar & Bar & Winch - 50mm lift	1	TDC1025	\$	Pr	
The RAM WARLOCK comes standard with a 25mm lift,(1") Adding a Tough Dog Suspension lift kit to this vehicle will give an estimated 25mm lift,(1") not the						

COIL SPRINGS						
amm	0-300kg load	1	TDC1026	\$	Pr	
	CONSTANT 300kg load	1	TDC1027	\$	Pr	
	CONSTANT 500kg load	1	TDC1028	\$	Pr	

AIR ASSIST - COIL INSERT						
	Coil Insert bag - OEM Height	1	TDAA-024	\$	Kt	
	Coil Insert bag - 50mm lift	1	TDAA-025	\$	Kt	

	PANHARD RODS						
[	·	Adjustable	1	TDPR-026	\$	Ea	

FRONT INDIVIOUAL COMPONENTS						
	Strut Top	2	DOD-4927	\$	Ea	

REAR INDIVIOUAL COMPONENTS						
○ • ○ •	Swaybar relocation bracked - Must be fitted	1	TDSP-021	\$	Ea	





### TOUGH DOG GVM UPGRADE CAN ONLY BE ORDERED THROUGH A TOUGH DOG APPROVED GVM DEALER

### **GVM SUSPENSION UPGRADE KIT - VTA - 060002**

PRE REGISTRATION - FEDERAL APPROVAL								
CONTENT	DESCRIPTION	PART	RRP					
QUAD CAB & CREW CAB (ALL MODELS)								
OEM		DOD-003						
GVM	FRONT ALL APPLICATIONS		FC43033					
3450KG		TDCVM 025	TDC1028	\$ Kt				
3889KG	REAR	TDGVM-035	TDSP-021	φ KI				
TOUGH DOG GVM	CONSTANT 200kg		TDAA-025					
	Minimum Load		TDFI-031					

POST REGISTRATION - STATE APPROVAL								
CONTENT	DESCRIPTION	PART	RRP					
QUAD CAB & CREW CAB (ALL MODELS)								
OEM		DOD-003						
GVM	FRONT ALL APPLICATIONS	TD 0)/// 000	FC43033					
3450KG			TDC1028	\$ Kt				
3889KG	REAR	TDGVM-036	TDSP-021	\$ Kt				
TOUGH DOG GVM	CONSTANT 200kg		TDAA-025					
	Minimum Load		TDFI-032					



### **FRONT** FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. 2 Ea Assembled struts OR 2 Struts Ea Coil Springs Pr Strut Top (Optional) 2 Ea

CONTENT	DESCRIPTION	QTY	PART NO	F	RRP			
ASSEMBLED STRUTS - FOAM CELL								
Assemble	Assembled struts are made up of: 1 x strut, 1 x coil 1 x strut top							
	No Accessories - 50mm lift	1	DOD-007	\$	Ea			
*	With Bar & Winch - 50mm lift	1	DOD-008	\$	Ea			
<b>*</b>	ASSEMBLED ST	RU	TS - 40MM ADJUS	STA	BLE			
•	Assembled struts are made up of: 1 x strut, 1 x coil 1 x strut top							
8	No Accessories - 50mm lift	1	DOD-005	\$	Ea			
	With Bar & Winch - 50mm lift	1	DOD-006	\$	Ea			
	STRUT - FO	٩N	CELL					
I	Up to 50mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404933	\$	Ea			
	STRUT - 4	40I	MM ADJUSTABLE					
	Up to 50mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404933	\$	Ea			

STRUT-FOAM CELL						
I	Up to 50mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404933	\$	Ea	
STRUT - 40MM ADJUSTABLE						
	Up to 50mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404933	\$	Ea	
	COIL SPF	RIN	IGS			
	No Accessories - 50mm lift	1	TDC1050	\$	Pr	
	With Bar & Winch	1	TDC1051	\$	Pr	

REAR							
REAR SUSPENSION CHECK LIST							
You need to order the following items for the rear end of your vehicle.							
	Shock Absorber		Ea				
	Coil Springs	1	Pr				
	Sway bar bracket	1	Ea				
II≾≾	Panhard Rod (Optional)	1	Ea				
	Coil Insert Airbags (Optional)	1	Kt				

CONTENT	DESCRIPTION	QTY	PART NO	RRP		
FOAM CELL - SHOCK ABSORBER						
	Up to 50mm Lift	2	FC43042	190 Ea		
	40MM ADJUSTA	٩BI	LE - SHOCK ABSO	RBER		
ŏ	Up to 50mm Lift	2	BM403042	220 Ea		

COIL SPRINGS						
	No Accessories - 50mm lift	1	TDC1050	\$	Pr	
WVVVV	With Bar & Winch - 50mm lift	1	TDC1051	\$	Pr	

COIL SPRINGS					
	0-300kg load	1	TDC1052	\$	Pr
	CONSTANT 300kg load	1	TDC1053	\$	Pr
	CONSTANT 500kg load	1	TDC1054	\$	Pr

AIR ASSIST - COIL INSERT					
	Coil Insert bag - OEM Height	1	TDAA-027	\$	Kt
	Coil Insert bag - 50mm lift	1	TDAA-028	\$	Kt

	PANHARD RODS						
-	·	Adjustable	1	TDPR-026	\$	Ea	


FRONT INDIVDUAL COMPONENTS							
LO	Strut Top	2	DOD-4933	\$	Ea		

REAR INDIVIOUAL COMPONENTS						
○ • ○ •	Swaybar relocation bracket - Must be fitted	1	TDSP-026	\$	Ea	



2014-2019 EST. LIFT FRONT: 40MM | REAR: 40MM





REAR							
REAR SUSPENSION	REAR SUSPENSION CHECK LIST						
You need to order the following item	You need to order the following items for the rear end of your vehicle.						
	Shock Absorber	2	Ea				
	Coil Springs	1	Pr				
III≷≷⊶	Swaybar Link	1	Ea				
∣II <b>≾</b> ≾	Bellows Airbags (Optional)	1	Kt				

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
45MM ADJUSTABLE - SHOCK ABSORBER							
	Up to 40mm Lift	2	BMX3506	\$ Ea			
Front lower recommended th	Front lower shock mount is only partially welded from factory. It is recommended that a full weld around the entire mount is completed to avoud						

CONTENT	DESCRIPTION	QTY	PART NO	F	RRP		
45MM ADJUSTABLE - SHOCK ABSORBER							
	Up to 40mm Lift	2	BMX3504	\$	Ea		

COIL SPRINGS						
	40mm lift	1	TDC1032	\$	Pr	

COIL SPRINGS					
MIAAAA	0-400kg load	1	TDC1033	\$	Pr
	0-400kg load  CONSTANT 400kg load	1	TDC1034	\$	Pr

STEERING DAMPERS					
<u></u>	Return to centre damper	1	SS5930-P/S	\$	Ea
• <del>• • • • • • • • • • • • • • • • • • </del>	9 Stage adjustable damper	1	SV5930	\$	Ea

AIR ASSIST - BELLOWS					
22	Bellows airbag kit - OEM Height	1	TDAA-127	\$	Kt
	Bellows airbag kit - 50mm Lift	1	TDAA-128	\$	Kt

FRONT INDIVIDUAL COMPONENTS						
	Swaybar Links	1	TDSP-024	\$	Ea	
Adjust required for all lifted vehicles						

REAR INDIVIDUAL COMPONENTS							
<b></b>	Swaybar Links	1	TDSP-022	\$	Ea		
Adjust required for all lifted vehicles							



## SSANGYONG Musso (inc sport ute)

08/1996-2007 EST. LIFT FRONT: 35MM | REAR: 35MM



## FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber 2 Ea Torsion Bar 1 Pr

REAR							
REAR SUSPENSION CHECK LIST							
You need to order the following items for the rear end of your vehicle.							
اً الع	Shock Absorber	2	Ea				
	Coil Springs	1	Pr				

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
NITROGEN GAS - SHOCK ABSORBER							
	Up to 35mm Lift	2	BD2057T	\$ E:			

DESCRIPTION	ğ	PART NO	RRP			
NITROGEN GAS - SHOCK ABSORBER						
OE Height	2	BD1104T	s Ea			
Up to 35mm Lift	2	BD1105T	р са			
40MM ADJUSTA	BI	E - SHOCK ABSO	RBER			
OE Height	2	BM401104	·\$ Ea			
Up to 35mm Lift	2	BM401105	\$ Ea			
	OE Height Up to 35mm Lift 40MM ADJUSTA OE Height	OE Height 2 Up to 35mm Lift 2  40MM ADJUSTABLE OE Height 2	ROGEN GAS - SHOCK ABSORBER           OE Height         2         BD1104T           Up to 35mm Lift         2         BD1105T           40MM ADJUSTABLE - SHOCK ABSORBER         OE Height         2           DE Height         2         BM401104			

TORSION BARS						
	26mm / 1232mm	1	4WTB-1800	\$	Pr	
Adjust torsion bars after fitting shocks- Ensure a minimum of 60mm droop is maintained.						

COIL SPRINGS						
MIAAAA	0-300kg load	1	TDC100	\$	Pr	
WVVV <b>Y</b>	0-300kg load  CONSTANT 300kg load	1	TDC100H	\$	Pr	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top pin	2	TW959	\$	Ea	
	Fits bottom eyering	1	412772	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top pin	2	TW959	\$	Ea	
	Fits bottom eyering	1	404702	\$	Ea	



THIS PAGE IS INTENTIONALLY BLANK



SUZUKI JIMNY SN413 (JB33, 43, 48) 10/1998-2018



EST. LIFT FRONT: 40MM | REAR: 40MM | OPTIONAL FOR 40,60,80MM LIFT

## FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber 2 Ea Coil Spring 1 Pr Caster Correction 1 Kt Panhard Rod 1 Ea Steering Damper (Optional) 1 Ea

CONTENT	DESCRIPTION	QΤ	PART NO	RRP			
FOAM CELL - SHOCK ABSORBER							
	Up to 40mm Lift	2	FC31000	\$ Ea			
	60 & 80mm Lift	2	FC31001	\$ Ea			

	COIL SPRINGS - 10/1998-2005 1.3L						
<b>M</b> 1 4 4 4 4	40mm Lift	1	TDC836	\$	Pr		
	60mm Lift	1	TDC838L	\$	Pr		
	Up to Steel Bar - 80mm lift		TDC824	\$	Pr		
	With Steel Bar & Winch - 80mm lift	1	TDC824H	\$	Pr		
(	COIL SPRINGS - 20	05	ON VVT 1.3L				
	40mm Lift	1	TDC838L	\$	Pr		
	60mm Lift	1	TDC824	\$	Pr		
	80mm Lift	1	TDC824H	\$	Pr		

CASTER CORRECTION						
<b>©</b>	3 Degree - for 60 & 80mm lifts	1	TDUK-063	\$	Kt	

PANHARD RODS						
•	RHD Adjustable - for 60 & 80mm lifts	1	TDPR-009	\$	Ea	
·	LHD Adjustable - for 60 & 80mm lifts	1	TDPR-011	\$	Ea	

STEERING DAMPERS						
	Replacement damper	1	SD5610	\$	Ea	
<u>~</u>	Return-to-Center	1	SS5610-M/S	\$	Ea	
O	9 Stage Adjustable	1	SV5610	\$	Ea	
Note: Includes mounting brackets.						

REAR							
REAR SUSPENSION CHECK LIST							
You need to order the following items for the rear end of your vehicle.							
	Shock Absorber	2	Ea				
	Coil Springs	1	Pr				
1133	Panhard Rod	1	Ea				
1133	Brake Hose	1	Ea				
• • • • • • • • • • • • • • • • • • •							

CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP				
F	FOAM CELL - SHOCK ABSORBER							
	Up to 40mm Lift	2	FC31004	\$	Ea			
	60 & 80mm Lift	2	FC31006	\$	Ea			

COIL SPRINGS						
	40mm Lift	1	TDC837	\$	Pr	
M I A A A A	60mm Lift	1	TDC839L	\$	Pr	
	80mm lift	1	TDC825	\$	Pr	
	80mm Lift - Overseas model	1	TDC826	\$	Pr	

PANHARD RODS						
o <del></del> o	Adjustable-for 60 & 80mm lifts	1	TDPR-010	\$	Ea	

BRAKE HOSE KITS						
	Rubber - 60 & 80mm lift / single hose	1	TDBH-199	\$	Ea	



SUZUKI JIMNY SN413 (JB33, 43, 48) 10/1998-2018



EST. LIFT FRONT: 40MM | REAR: 40MM | OPTIONAL FOR 40,60,80MM LIFT

FRONT								
CONTENT	DESCRIPTION	QT	PART NO	RRP				
FRONT INDIVIDUAL COMPONENTS								
	Radius rod bushes	1	TDUK-039	\$	Kt			
	Panhard rod bush kit -TDPR-009, 010, 011	1	TDUK-030	\$	Kt			
	ABS relocation	1	TSDK-022	\$	Ea			
Note: Must be fitted to all Kits.								

REAR							
CONTENT	DESCRIPTION	QTY	PART NO	RRP			
REAR INDIVIDUAL COMPONENTS							
	Trailing arm bushes	1	TDUK-039	\$	Kt		
	Panhard rod bush kit -TDPR-009, 010, 011	1	TDUK-030	\$	Kt		

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)							
	Fits top pin	2	402267	\$	Ea		
	Fits bottom eyering	1	412773	\$	Ea		

REAR REPLACEMENT BUSHES (QTY PER SHOCK)							
	Fits top eyering	1	412773	\$	Ea		






FRONT: 40MM | REAR: 40MM | OPTIONAL FOR 40,60,80MM LIFT

## **FRONT** FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber Ea Pr Coil Spring 1 **Caster Correction** Kt Panhard Rod Ea Steering Damper (Optional) Ea

REAR						
REAR SUSPENSIO	N CHECK LIST					
You need to order the following items	s for the rear end of your ve	hicle				
	Shock Absorber	2	Ea			
	Coil Springs	1	Pr			
	Panhard Rod	1	Ea			
	Brake Hose	1	Ea			
	ABS relocation & Vacuum hose	1	Ea			
• • •	Headlight module bracket	1	Ea			
	Crossmember drop kit	1	Ea			
	<u>'</u>					

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
FOAM CELL - SHOCK ABSORBER								
Î	Up to 40mm Lift	2	FC31000	\$ Ea				
	60 & 80mm Lift	2	FC31001	\$ Ea				

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
FOAM CELL - SHOCK ABSORBER								
Î	Up to 40mm Lift	2	FC31002	\$	Ea			
8	60 & 80mm Lift	2	FC31003	\$	Ea			



	COIL SPI	RIN	IGS	
	40mm Lift	1	TDC1003	\$ Pr
	60mm Lift	1	TDC1004	\$ Pr
	80mm Lift	1	TDC1005	\$ Pr

PANHARD RODS					
o <del></del> o	Adjustable - for 60 & 80mm lifts	1	TDPR-021	\$	Ea
o <del></del> o	Adjustable - for 60 & 80mm lifts - LHD	1	TDPR-023	\$	Ea

PANHARD RODS					
·	Adjustable - for 60 & 80mm lifts	1	TDPR-010	\$	Ea

CASTER CORRECTION								
<b>©</b>	3 Degree - for 60 & 80mm lifts	1	TDUK-063	\$	Kt			

	BRAKE HO	SE	KITS			
	Rubber - 60 & 80mm lift	1	TDBH-401	\$	Ea	
	Braided - 60 & 80mm lift	1	TDBH-402	\$	Ea	
•	L/H Hose Rubber - 40mm lift	1	TDBH-403	\$	Ea	
<b>Note:</b> Must be fitted to all Kits.						

STEERING DAMPERS								
-	Replacement Damper	1	EXT5928	\$	Ea			
<u>~</u> ±	Return-to-Center	1	SS5928-P/S	\$	Ea			
••••• <del>•</del>	9 Stage Adjustable	1	SV5928	\$	Ea			
Note: Includes mounting brackets.								



## SUZUKI JIMNY JB74 2019 ON



EST. LIFT FRONT: 40MM | REAR: 40MM | OPTIONAL FOR 40,60,80MM LIFT

FRONT										
CONTENT	DESCRIPTION	QTY	PART NO	RRP						
FRONT INDIVIDUAL COMPONENTS										
	Radius rod bushes - no adjustament	1	TDUK-039	\$	Kt					
	Panhard rod bush kit - TDPR-010, 011, 021	1	TDUK-031	\$	Kt					
	Coil spacer - Fit with Bar & winch	1	TDUK-084	\$	Kt					
	ABS relocation & Vacuum hose	1	TDSP-016	\$	Ea					
	Note: Must be fitt	ed t	to all Kits.							
	Headlight module bracket	1	TDSP-017	\$	Ea					
	Note: Must be fitted to all Kits.									
i 🏊	Crossmember drop kit	1	TDSP-018	\$	Ea					
Note: Must be fitted to all Kits.										

REAR									
CONTENT	DESCRIPTION	QTY	PART NO	F	RRP				
F	REAR INDIVIDUAL COMPONENTS								
	Radius rod bushes - no adjustament	1	TDUK-039	\$	Kt				
	Panhard rod bush kit -TDPR-010	1	TDUK-030	\$	Kt				

FRONT RE	PLACEMENT BU	SH	ES (QTY PER SHO	CK	()
	Fits top pin	2	402267	\$	Ea
	Fits bottom eyering	1	412773	\$	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top & bottom eyering	1	412773	\$	Ea	






## **FRONT**

## FRONT SUSPENSION CHECK LIST

You need to order the following items for the front end of your vehicle.



•		
Shock Absorber	2	Ea
Leaf Spring	2	Ea
Urethane Shackle bushes	1	Kt
U-Bolt kits	2	Kt
Greaseable Shackle kit	1	Kt
Steering Damper (Optional)	1	Ea

CONTENT	DESCRIPTION	QTY	PART NO	RRF	<b>o</b>						
NITROGEN GAS - SHOCK ABSORBER											
	Up to 50mm Lift	2	BD1102T	\$	Ea						

	LEAF SP	RIN	NGS		
مر یہ	Up to Steel bar - 50mm lift	1	T61-LH	¢.	Ea
	- 50mm lift	1	T61-RH	Φ	Ľa

STEERING DAMPERS							
	Replacement damper	1	SD14030	\$	Ea		
<u>~—#######.</u> ±.	Return-to-center	1	SS5611-M/S	\$	Ea		

FRONT INDIVIDUAL COMPONENTS									
	Urethane Shackle bush kit	1	TDUK-013	\$	Kt				
$\bigcap$	U-Bolt Kit-P/S	1	TDUB-014	\$	Kt				
$\cap$	U-Bolt Kit -D/S	1	TDUB-013	\$	Kt				
	Greseable Shackle kit	1	TDGS-656	\$	Kt				

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits top Pin	2	TW959	\$	Ea
	Fits bottom eyering	1	404702	\$	Ea

REAR							
REAR SUSPENSION CHECK LIST							
You need to order the following items for the rear end of your vehicle.							
	Shock Absorber	2	Ea				
	Leaf Spring	2	Ea				
0	Urethane Shackle bushes	1	Kt				
	U-Bolt kits	2	Kt				
	Greaseable Shackle kit	1	Kt				

CONTENT	DESCRIPTION	QTY	PART NO	RRP
NIT	ROGEN GAS - SI	10	CK ABSORBER	
Å	LJ80 & 80V - OEM height	2	BD1102T	
	LJ80 & 80V - 50mm lift	2	BD1104T	\$ Ea
	OE height	2	BD1364T	Ф Еа
8	50mm Lift	2	BD1366T	

	LEAF SF	PRIN	IGS		
	E0mm Lift	1	T62-LH	Φ.	Г.
	50mm Lift	1	T62-RH	<b>—</b> \$	Ea

REAR INDIVIDUAL COMPONENTS						
	Urethane Shackle bush kit	1	TDUK-013	\$	Kt	
$\cap$	U-Bolt Kit	2	TDUB-014	\$	Kt	
	Greseable Shackle kit	1	TDGS-656	\$	Kt	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits top & bottom eyering (For 1364, 1366)	2	404702	\$	Ea
	Fits top pin (For 1102, 1104)	2	TW959	\$	Ea
	Fits bottom eyering (For 1102, 1104)	2	404702	\$	Ea





## **FRONT** FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Strut 2 Ea Pr Coil Spring 1

		St	eering Damper (Optional	) 1	Ea		
CONTENT	DESCRIPTION	QTY	PART NO	RRP			
NITROGEN GAS - STRUT							
	OE Height - Shock only	2	BDS4613	\$	Ea		
	30mm Lift - Shock Includes Camber Bolt	2	BDS4000LR	\$	Ea		

	COIL SPI	RIN	IGS	
	88-97 1.6L SWB	1	TDC814	\$ Pr
	91-97 1.6L LWB & 97-99 2.0L SWB	1	TDC816	\$ Pr
	95-03/98 2.0L V6 LWB	1	TDC818	\$ Pr
	98-05 1.6L SWB & 2.0L LWB	1	TDC834SL	\$ Pr
	98-05 2.5L V6 LWB	1	TDC834	\$ Pr
	01-06 2.7L V6 XL7 LWB	1	TDC834H	\$ Pr

STEERING DAMPERS					
	07/1988-1998 Return-to-Center	1	SS5614-M/S	\$	Ea

REAR							
REAR SUSPENSION	REAR SUSPENSION CHECK LIST						
You need to order the following items for the rear end of your vehicle.							
	Shock Absorber	2	Ea				
	Coil Spring	1	Pr				
∣ ‼ <b>⋞</b> ≶	Panhard Rod (Optional)	1	Ea				
∣ II≾≾							
1100							


CONTENT	DESCRIPTION	QTY	PART NO		RRP		
NITROGEN GAS - SHOCK ABSORBER							
	Up to 30mm Lift	2	FC31005	\$	Ea		

COIL SPRINGS					
	88-03/98 SWB	1	TDC815	\$	Pr
	91-03/98 LWB	1	TDC817	\$	Pr
	04/98-07/05 SWB	1	TDC835SL	\$	Pr
	04/98-07/05 LWB	1	TDC835	\$	Pr
	07/01-06 XL-7 Only	1	TDC838	\$	Pr

	PANHAR	D F	ROD	
·	Adjustable Suits 1988 - 2006	1	TDPR-024	\$ Ea

REAR RE	PLACEMENT BUS	SHI	ES (QTY PER SHO	CK)	
	Fits top pin	2	TW959	\$	Ea
	Fits bottom eyering	1	4W-SPF420-02	\$	Ea





CONTENT	DESCRIPTION	QTY	PART NO	RRP			
A	ASSEMBLED STRUTS - FOAM CELL						
Assemble	ed struts are made up of	:1 x	strut, 1 x coil 1 x strut to	р			
	Un to Stool Bor	1	TOY-026/03-LH	\$ Ea			
	Up to Steel Bar	1	TOY-026/03-RH	\$ Ea			
_	With Steel Bar &	1	TOY-026/04-LH	Ф Го			
<b>*</b>	Winch	1	TOY-026/04-RH	\$ Ea			
<b>**</b>	ASSEMBLED STRUTS - 40MM ADJUSTABLE						
•	Assembled struts are m	nade	up of: 1 x strut, 1 x coil 1	x strut top			
	Un to Stool Bor	1	TOY-026/01-LH	-\$ Ea			
	Up to Steel Bar	1	TOY-026/01-RH	Ф [а			
	With Steel Bar & Winch	1	TOY-026/02-LH	-\$ Ea			
		1	TOY-026/02-RH	\$ Ea			

	STRUT - FO	ΑN	CELL	
	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404600	\$ Ea
I	STRUT - 4	40I	MM ADJUSTABLE	
	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404600	\$ Ea

	COIL SPI	RIN	IGS	
	OE Height	1	TDC974S	\$ Pr
	Up to Steel Bar	1	TDC974	\$ Pr
	With Steel Bar & Winch	1	TDC974H	\$ Pr

F	RONT INDIVIDUAL	_ C	OMPONENTS	
·F·O	Strut Top	2	TOY-1083	\$ Ea

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					
Ì	Fits bottom eyering	1	ADJ300/40A	\$	Ea

REA	R						
REAR SUSPENSIO	REAR SUSPENSION CHECK LIST						
You need to order the following items	s for the rear end of your ve	hicle.					
	Shock Absorber	2	Ea				
	Coil Springs	1	Pr				

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
F	FOAM CELL - SHOCK ABSORBER							
ů	Up to 40mm Lift	2	FC41113	\$ Ea				
	40MM ADJUSTA	ABI	E - SHOCK ABSO	RBER				
8	Up to 40mm Lift	2	BM401113	\$ Ea				

COIL SPRINGS					
	0-300kg load	1	TDC912	\$	Pr
	CONSTANT 300kg load	1	TDC912L	\$	Pr
	CONSTANT 500kg load		TDC912HL	\$	Pr

REAR REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits top pin	2	TW959	3	Ea
	Fits bottom eyering	1	ADJ00191	3	Ea



## THIS PAGE IS INTENTIONALLY BLANK





## **FRONT** FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. 2 Ea Assembled struts OR 2 Struts Ea Coil Springs Pr Strut Top (Optional) 2 Ea Upper Control Arms (Optional) 1 Pr

		Opp	Dei Control Arris (Optiona	1) 1 [7]	
CONTENT	DESCRIPTION	QTY	PART NO	RRP	
	ASSEMBLED STRU	ITS	- FOAM CELL		
Assemb	led struts are made up of	f: 1 x	strut, 1 x coil 1 x strut to	ор	
	No Accessories	1	TOY-026/03-LH	-\$ Ea	
	No Accessories	1	TOY-026/03-RH	ф Са	
	With Steel Bar	1	TOY-027/06-LH	\$ Ea	
	With Steel Dai	1	TOY-027/06-RH	ф Са	
	With Bar & Winch	1	TOY-027/07-LH	-\$ Ea	
***	Willi bai & Willeri	1	TOY-027/07-RH	Ф Са	
<b>3</b>	ASSEMBLED ST	RU	TS - 40MM ADJUS	STABLE	
•	Assembled struts are made up of: 1 x strut, 1 x coil 1 x strut top				
	No Accessories	1	TOY-026/01-LH	-\$ Ea	
·		1	TOY-026/01-RH	ф Са	
	With Steel Bar	1	TOY-027/02-LH	-\$ Ea	
	Willi Steel Bai	1	TOY-027/02-RH	Ф Са	
	With Bar & Winch	1	TOY-027/03-LH	-\$ Ea	
	With Dai & Willen	1	TOY-027/03-RH	ф Са	
	STRUT - FO	ΑM	CELL		
I I	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404600	\$ Ea	
I	STRUT -	40N	MM ADJUSTABLE		
	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404600	\$ Ea	

REAR								
REAR SUSPENSION CHECK LIST								
You need to order the following items for the rear end of your vehicle.								
	Shock Absorber	2	Ea					
<b>1122</b>	Coil Springs	1	Pr					
<b>                                   </b>	Transmission Spacer Kit	1	Ea					
	Panhard Rod (Optional)	1	Pr					
	Coil Insert Airbags (Optional)	1	Kt					
0 0								

CONTENT	DESCRIPTION	QTY	PART NO	RRP					
FOAM CELL - SHOCK ABSORBER									
o o	Up to 40mm Lift	2	FC43016	\$ Ea					
P	40MM ADJUSTA	ABL	E - SHOCK ABSO	RBER					
8	Up to 40mm Lift	2	BM403016	\$ Ea					

COIL SPRINGS						
	No Accessories	1	TDC974	\$	Pr	
	Up to Steel Bar	1	TDC983	\$	Pr	
	With Steel Bar & Winch	1	TDC974H	\$	Pr	

COIL SPRINGS						
	0-300kg load	1	TDC913L	\$	Pr	
	CONSTANT 300kg load	1	TDC913HL	\$	Pr	
	CONSTANT 500kg load		TDC913VHL	\$	Pr	

	PANHARD ROD					
0=	<del></del>	Adjustable	1	TDPR-020	\$	Ea





FRONT							
CONTENT	DESCRIPTION	ΩŢ	PART NO	RRP			
UPPER CONTROL ARMS							
UU	Upper Control Arms	1	TDCA-002	\$	Pr		
	Bush kit for TDCA-002	1	TDSK-001	\$	Ea		
	Ball Joint kit for TDCA-002	1	TDSK-002	\$	Ea		

REAR						
CONTENT	DESCRIPTION	QT	PART NO		RRP	
AIR ASSIST - COIL INSERT						
	Coil Insert Airbag Kit - OEM Height	1	TDAA-019	\$	Kt	
	Coil Insert Airbag Kit - 40mm lift	1	TDAA-003	\$	Kt	

FRONT INDIVIDUAL COMPONENTS						
<b>1</b> 0	Strut Top	2	TOY-1083	\$	Ea	

REAR INDIVIDUAL COMPONENTS						
•	Transmission Spacer kit	1	TDSP-010	\$	Ea	
Note: Must be fitted to all kits.						

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)							
	Fits bottom eyering	1	ADJ300/40A	\$	Ea		

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
8	Fits bottom eyering	1	415024	\$	Ea	



## IFS/LEAF REAR 11/1985-1989 LIFT FRONT: 50MM | REAR: 50MM



FROM	NT						
FRONT SUSPENSION	FRONT SUSPENSION CHECK LIST						
You need to order the following items	for the front end of your ve	hicle					
	Shock Absorber	2	Ea				
<b>  </b>	Torsion Bar	1	Pr				
	Steering Damper (Optional)	1	Ea				
>							

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
FOAM CELL - SHOCK ABSORBER								
	Up to 50mm Lift	2	FC41127B	\$ E:	а			

TORSION BAR						
	26mm / 1064mm	1	4WTB-1646	\$	Pr	
Adjust torsion bars after fitting shocks- Ensure a minimum of 60mm droop is maintained.						

STEERING DAMPERS					
	Replacement damper	1	EXT5510	\$	Ea
<u>~</u>	Return-to-Center	1	SS5510-P/S	\$	Ea

REAR						
REAR SUSPENSION CHECK LIST						
You need to order the following items for the rear end of your vehicle.						
	Shock Absorber	2	Ea			
	Leaf Spring	2	Ea			
0	Urethane Shackle bush kit	1	Kt			
	U-Bolt kits	1	Kt			
	Greaseable Shackle kit	1	Kt			
0 0	Greaseable Pin kit	1	Kt			

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
NIT	NITROGEN GAS - SHOCK ABSORBER						
	OE Height	2	BD1350T	\$ Ea			
	50mm Lift	2	BD1377T	<b>ъ</b> ⊏а			
	FOAM CELL - SHOCK ABSORBER						
	OE Height	2	FC41350	\$ Ea			
	50mm Lift	2	FC41377	р Еа			
	40MM ADJUSTA	λBI	LE - SHOCK ABSO	RBER			
	OE Height	2	BM401350	\$ Ea			
	50mm Lift	2	BM401377	р Са			

LEAF SPRINGS					
	0-300kg load	1	T46C-LH	\$	Ea
	0-300kg load	1	T46C-RH	\$	Ea
	CONSTANT 300kg load	1	T46L-LH	\$	Ea
	CONSTANT 300kg load	1	T46L-RH	\$	Ea
<b>Note:</b> 1 Left hand and 1 right hand side leaf spring pack should be ordered					

REAR INDIVIDUAL COMPONENTS						
	Urethane Shackle bush kit	1	TDUK-015	\$	Kt	
$\cap$	U-Bolt kit	2	TDUB-016	\$	Kt	
	Greaseable Shackle kit	1	TDGS-386	\$	Kt	
-	Greaseable Pin kit	1	TDGP-385	\$	Kt	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top pin	2	TW959	\$	Ea	
	Fits bottom eyering	1	TW038-16	\$	Ea	

REAR RE	PLACEMENT BUS	SHI	ES (QTY PER SHO	CK)	
	Fits top and bottom eyering	2	ADJ00191	\$	Ea



4RUNNER
IFS/COIL REAR
1989-1996
EST. LIFT FRONT: 50MM | REAR: 50MM



# FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber 2 Ea Torsion Bar 1 Pr Steering Damper (Optional) 1 Ea

REAR							
REAR SUSPENSION CHECK LIST							
You need to order the following items	s for the rear end of your ve	hicle.					
ii >>	Shock Absorber	2	Ea				
	Coil Spring	1	Pr				
Panhard Rod (Optional) 1							

CONTENT	DESCRIPTION	QTY	PART NO	RRP					
FOAM CELL - SHOCK ABSORBER									
	Up to 50mm Lift	2	FC41127B	\$ Ea					

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
FOAM CELL - SHOCK ABSORBER							
	OE Height	2	FC41108	\$ Ea			
	50mm lift	2	FC41113	ф са			
	40MM ADJUSTA	BI	E - SHOCK ABSO	RBER			
8	OE Height	2	BM401108	\$ Ea			
	50mm lift	2	BM401113	ф Ба			

TORSION BAR							
	26mm / 1064mm	1	4WTB-1646	\$	Pr		
Adjust torsion bars after fitting shocks- Ensure a minimum of 60mm droop is maintained.							

COIL SPRINGS						
	OE Height	1	TDC946S	\$	Pr	
	0-300kg load	1	TDC946	\$	Pr	
	CONSTANT 300kg load	1	TDC946H	\$	Pr	

STEERING DAMPERS						
	Replacement damper	1	EXT5510	\$	Ea	
<u>~</u>	Return-to-Center	1	SS5510-P/S	\$	Ea	

PANHARD ROD						
o———	Adjustable	1	TDPR-008	\$	Ea	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top pin	2	TW959	\$	Ea	
	Fits bottom eyering	1	TW038-16	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top pin	2	TW959	\$	ea	
8	Fits bottom eyering	1	ADJ00191	\$	Ea	





## FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber Leaf Springs Leaf Springs Fitment Kit 1 Kt Steering Damper (Optional) 1 Ea

REA	KEAK							
REAR SUSPENSION	REAR SUSPENSION CHECK LIST							
You need to order the following items	You need to order the following items for the rear end of your vehicle.							
	Shock Absorber	2	Ea					
	Leaf Spring	2	Ea					
	Leaf Spring Fitment Kit	1	Kt					

CONTENT	DESCRIPTION	QTY	PART NO	RRP
NI	TROGEN GAS - SI	100	CK ABSORBER	
	OE Height	2	BD1134T	-\$ Ea
	50mm Lift	2	BD1109T	ъ Еа
	FOAM CEL	L -	SHOCK ABSORBI	ER
	OE Height	2	FC41134	<b>6 5</b>
	50mm Lift	2	FC41109	-\$ Ea
-	40MM ADJUSTA	ABI	E - SHOCK ABSO	RBER
	OE Height	2	BM401134	ф <b>Г</b> -
	50mm Lift	2	BM401109	-\$ Ea

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
NI	NITROGEN GAS - SHOCK ABSORBER							
	OE Height - 04/1979 - 1983	2	BD1382T					
	50mm Lift - 04/1979 - 1983	2	BD1388T	s Ea				
	OE Height - 11/1983 - 1997	2	BD1350T	у са				
	50mm Lift - 11/1983 - 1997	2	BD1377T					
	FOAM CEL	L - :	SHOCK ABSORBE	ER				
	OE Height - 04/1979 - 1983	2	FC41382					
	50mm Lift - 04/1979 - 1983	2	FC41388	\$ Ea				
	OE Height - 11/1983 - 1997	2	FC41350	у са				
	50mm Lift - 11/1983 - 1997	2	FC41377					
	40MM ADJUSTA	٩BI	LE - SHOCK ABSO	RBER				
	OE Height - 04/1979 - 1983	2	BM401382					
	50mm Lift - 04/1979 - 1983	2	BM401388	\$ Ea				
	OE Height - 11/1983 - 1997	2	BM401350	ψ <u></u>				
	50mm Lift - 11/1983 - 1997	2	BM401377					

	LEAF SP	RI	NG			
	Up to Steel bar	1	T75-LH	\$	Ea	
		1	T75-RH	\$	Ea	
	Steel Bar & Winch	1	T78-LH	\$	Ea	
		1	T78-RH	\$	Ea	
<b>Note:</b> 1 Left hand and 1 right hand side leaf spring pack should be ordered						

LEAF SPRINGS							
	0-300kg load	1	T46C-LH	\$	Ea		
	0-300kg load	1	T46C-RH	\$	Ea		
	CONSTANT 300kg load	1	T46L-LH	\$	Ea		
	CONSTANT 300kg load	1	T46L-RH	\$	Ea		
	CONSTANT 500kg load	2	BP-002-XHD	\$	Ea		
<b>Note:</b> 1 Left hand and 1 right hand side leaf spring pack should be ordered							

LEAF SPRING FITMENT KIT							
	Urethane Shackle bush kit			TDUK-014			
$\cap$	U-Bolt kit			TDUB-015			
$\cap$	U-Bolt kit	١.	TD1114 000	TDUB-016			
	Greaseable Shackle kit	1	TDUK-023	TDGS-384	\$ Kt		
****	Greaseable Pin kit			TDGP-385			
	Adjustable Diff Locator			TDDL-001			

LEAF SPRING FITMENT KIT						
	Urethane Shackle bush kit			TDUK-015		
$\cap$	U-Bolt kit		<b></b>	TDUB-016		
	Greaseable Shackle kit	1	TDFK-022	TDGS-386	\$ Kt	
	Greaseable Pin kit			TDGP-385		





FRONT							
CONTENT	DESCRIPTION	ΩTΥ	PART NO	Π	RRP		
STEERING DAMPERS							
	Replacement damper	1	EXT5500	\$	Ea		
<b>~~~~~~</b> ±	Return-to-Center	1	SS5500-M/S	\$	Ea		
<u></u>	Return-to-Center	1	SS5500-P/S	\$	Ea		
••••••••••••••••••••••••••••••••••••••	9 Stage Adjustable	1	SV5500	\$	Ea		

	REAI	₹	
CONTENT	DESCRIPTION	PART NO	RRP
		<u> </u>	

F	FRONT INDIVIDUAL COMPONENTS						
	Urethane Shackle bush kit	1	TDUK-014	\$	Kt		
$\bigcap$	U-Bolt kit D/S	1	TDUB-015	\$	Kt		
$\cap$	U-Bolt kit P/S	1	TDUB-016	\$	Kt		
	Greaseable Shackle kit	1	TDGS-384	\$	Kt		
	Greaseable Pin kit	1	TDGP-385	\$	Kt		
	Adjustable Diff Locator	1	TDDL-001	\$	Ea		
	Fits with all kits						


REAR INDIVIDUAL COMPONENTS						
	Urethane Shackle bush kit	1	TDUK-015	\$	Kt	
$\bigcap$	U-Bolt kit	2	TDUB-016	\$	Kt	
T	Greaseable Shackle kit	1	TDGP-385	\$	Kt	
	Greaseable Pin kit	1	TDGS-386	\$	Kt	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top pin	2	TW959	\$	Ea	
	Fits bottom eyering	1	412773	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)					
8	Fits top and bottom eyering For #1350, #1377	2	ADJ00191	\$	Ea
	Fits top and bottom eyering For #1382, #1388	2	404702	\$	Ea







REAR							
REAR SUSPENSION CHECK LIST							
You need to order the following items for the rear end of your vehicle.							
Shock Absorber	2	Ea					
Leaf Spring	2	Ea					
Leaf Spring Fitment Kit	1	Kt					
	Shock Absorber Leaf Spring	Shock Absorber 2 Leaf Spring 2					

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
F	FOAM CELL - SHOCK ABSORBER							
ů	50mm Lift	2	FC41127B					
8	100mm Lift	2	FC41127/4B	\$ Ea				

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
NITROGEN GAS - SHOCK ABSORBER								
	OE Height	2	BD1350T	\$ Ea				
٩	50mm lift	2	BD1377T	<b>р</b> Еа				
	FOAM CELL - SHOCK ABSORBER							
	OE Height	2	FC41350					
	50mm lift	2	FC41377	\$ Ea				
8	100mm lift	2	FC41377/4					
	40MM ADJUSTA	ABI	E - SHOCK ABSO	RBER				
	OE Height	2	BM401350	¢				
	50mm lift	2	BM401377	\$ Ea				

TORSION BAR						
	26mm / 1064mm	1	4WTB-1646	\$	Pr	
Adjust torsion bars after fitting shocks- Ensure a minimum of 60mm droop is maintained.						

LEAF SPI	RIN	IGS	
0-300kg load	2	BP-007	\$ Ea
CONSTANT 300kg load	2	BP-007H	\$ Ea
CONSTANT 500kg load	2	BP-007HH	\$ Ea

STEERING DAMPERS					
•	Replacement damper	1	EXT5510	\$	Ea
<u> </u>	Return-to-Center	1	SS5510-P/S	\$	Ea

LEAF SPRING FITMENT KIT							
	Urethane Shackle bush kit			TDUK-065			
$\cap$	U-Bolt kit	4	TDUK-024	TDUB-016	\$ Kt		
	Greaseable Shackle kit		1DUK-024	TDGS-386/1	\$ Kt		
<b>****</b>	Greaseable Pin kit			TDGP-668			





FRONT						
CONTENT	DESCRIPTION	ΩTY	PART NO	RRP		

	REAR						
CONTENT	DESCRIPTION	QTY	PART NO	RRP			
F	REAR INDIVIDUAL	C	OMPONENTS				
	Urethane Shackle bush kit	1	TDUK-065	\$	Kt		
$\bigcap$	U-Bolt kit	2	TDUB-016	\$	Kt		
	Greaseable Shackle kit	1	TDGS-386/1	\$	Kt		
**************************************	Greaseable Pin kit	1	TDGP-668	\$	Kt		

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top pin	2	TW959	\$	Ea	
	Fits bottom eyering	1	TW038-16	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)					
8	Fits top and bottom eyering	2	ADJ00191	\$	Ea



# FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber 2 Ea Torsion Bar 1 Pr Steering Damper (Optional) 1 Ea

REAR								
REAR SUSPENSIO	REAR SUSPENSION CHECK LIST							
You need to order the following items	You need to order the following items for the rear end of your vehicle.							
	Shock Absorber	2	Ea					
	Leaf Spring	2	Ea					
	Leaf Spring Fitment Kit	1	Kt					

CONTENT	DESCRIPTION	QTY	PART NO	RRP
F	OAM CELL - SHO	CK	ABSORBER	
ů	50mm Lift 2		FC41127B	
	100mm Lift	2	FC41127B/4	\$ Ea

CONTENT	DESCRIPTION	QTY	PART NO	RRP
NIT	TROGEN GAS - SI	100	CK ABSORBER	
	OE Height - DS	1	BD1350T	
	OE Height - PS	1	BD1377T	\$ Ea
	50mm lift	2	BD1377T	
	FOAM CEL	L -	SHOCK ABSORBI	ĒR
Ů	OE Height - DS	1	FC41350	
	OE Height - PS	1	FC41377	ф <b>Г</b> -
I	50mm lift	2	FC41377	-\$ Ea
	100mm lift	2	FC41377/4	
	40MM ADJUSTA	ABI	LE - SHOCK ABSO	RBER
	OE Height - DS	1	BM401350	
	OE Height - PS	1	BM401377	\$ Ea
	50mm lift	2	BM401377	

	TORSION	ΝB	AR			
-	26mm / 1064mm	1	4WTB-1646	\$	Pr	
Adjust torsion bars after fitting shocks- Ensure a minimum of 60mm droop is maintained.						

	LEAF SPI	RIN	IGS		
	0.0001	1	T79C-LH	Φ.	
	0-300kg load	1	T79C-RH	\$	Ea
	CONSTANT 300kg load	1	T79L-LH	<u></u>	
		1	T79L-RH	\$	Ea
	CONSTANT 500kg load	1	T79LL-LH	<u></u>	
		1	T79LL-RH	\$	Ea
<b>Note:</b> 1 Left hand and 1 right hand side leaf spring pack should be ordered					

LEAF SPRING FITMENT KIT							
	Urethane Shackle bush kit		1 <b>TDFK-025</b>	TDUK-038			
$\cap$	U-Bolt kit			TDUB-016			
***************************************	Greaseable Shackle kit	1		TDGS-386/1	\$ Kt		
	Greaseable Pin kit			TDGP-668			





CONTENT	DESCRIPTION	QTY	PART NO	l	RRP		
STEERING DAMPERS							
-	HD Steering Damper	1	EXT5510	\$	Ea		
<u></u>	Return-to-Center	1	SS5513-P/S	\$	Ea		
O(	9 Stage Adjustable	1	SV5513	\$	Ea		

CONTENT	DESCRIPTION	αTY	PART NO	RRP	

REAR INDIVIDUAL COMPONENTS						
	Urethane Shackle bush kit	1	TDUK-038	\$	Kt	
	U-Bolt kit	2	TDUB-016	\$	Kt	
	Greaseable Shackle kit	1	TDGS-386/1	\$	Kt	
······8·····	Greaseable Pin kit	1	TDGP-668	\$	Kt	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits top pin	2	TW959	\$	Ea
	Fits bottom eyering	1	TW038-16	\$	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits top and bottom eyering	2	ADJ00191	\$	Ea





### **FRONT** FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Ea Assembled struts OR 2 Struts Ea Coil Springs 1 Pr Strut Top (Optional) Ea Upper Control Arms (Optional) 1 Pr

CONTENT	DESCRIPTION	ΩTY	PART NO	RRP			
ASSEMBLED STRUTS - FOAM CELL							
Assembl	ed struts are made up of	f: 1 x	strut, 1 x coil 1 x strut t	ор			
	Up to Steel bar	1	TOY-026/03-LH	-\$ Ea			
	Op to Steel bal	1	TOY-026/03-RH	Ф Са			
	With Steel Bar &	1	TOY-026/04-LH	-\$ Ea			
_	Winch	1	TOY-026/04-RH	Ф Са			
**	OF Usinht	1	TOY-026/06-LH	Ф Го			
	OE Height	1	TOY-026/06-RH	-\$ Ea			
<b>\$</b>	ASSEMBLED STRUTS - 40MM ADJUSTABLE						
	Assembled struts are made up of: 1 x strut, 1 x coil 1 x strut top						
•	Up to Steel bar	1	TOY-026/01-LH	-\$ Ea			
		1	TOY-026/01-RH	Ф Са			
	With Steel Bar &	1	TOY-026/02-LH	-\$ Ea			
	Winch	1	TOY-026/02-RH	Ф Са			
	STRUT - FO	ΑN	CELL				
I I	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404600	\$ Ea			
I	STRUT -	401	MM ADJUSTABLE				
Ţ	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404600	\$ Ea			

REAR							
REAR SUSPENSIO	REAR SUSPENSION CHECK LIST						
You need to order the following items	You need to order the following items for the rear end of your vehicle.						
	Shock Absorber	2	Ea				
	Leaf Springs	2	Ea				
	Leaf Spring Fitment Kit	1	Kt				
	Bellows Airbag (Optional)	1	Kt				

CONTENT	DESCRIPTION	Q T	PART NO	RRP			
FOAM CELL - SHOCK ABSORBER							
	OE Height	2	FC41350	\$ Ea			
	40mm Lift	2	FC41376				
	40MM ADJUSTA	BI	LE - SHOCK ABSO	RBER			
8	OE Height	2	BM401350	\$ Ea			
	40mm Lift	2	BM401376	тр Еа			

COIL SPRINGS					
	OE Height	1	TDC974S	\$	Pr
	Up to Steel Bar	1	TDC974	\$	Pr
	With Steel Bar & Winch	1	TDC974H	\$	Pr

	LEAF SPI	٦IN	IGS	
	0-300kg load	2	T80C	\$ Ea
	CONSTANT 300kg load	2	T80L	\$ Ea
	CONSTANT 500kg load	2	T80LL	\$ Ea





FRONT						
CONTENT	DESCRIPTION	ΩT.	PART NO	RRP		

REAR							
CONTENT	DESCRIPTION	QTY	PART NO	RRP			
LEAF SPRING FITMENT KIT							
	Urethane Shackle bush kit U-Bolt kit Greaseable Shackle kit	1	TDFK-026	\$ Kt			
	Greaseable Pin kit						

UPPER CONTROL ARMS					
	Upper Control Arms	1	TDCA-002	\$	Pr
UU	Bush kit for TDCA-002	1	TDSK-001	\$	Ea
	Ball Joint kit TDCA-002	1	TDSK-002	\$	Ea

**Note:** Fitment of tough dog upper control arms to vehicles that have lifts fitted greater than 50mm may suffer from premature ball joint failure due to longer droop lengths. The use of strut spacers may also effect the performance and longevity of the UCA ball joint due to the limitations of the spherical bearing housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include but is not limited to jumping of the vehicle.


AIR ASSIST - BELLOWS						
	Bellows Bag kit - OEM Height	1	TDAA-123	\$	Kt	
	Bellows Bag kit - 40mm Lift	1	TDAA-112	\$	Kt	

FRONT INDIVIDUAL COMPONENTS					
TI:0	Strut Top	2	TOY-1083	\$	Ea
••	Sway Bar Spacer kit - 76mm hole spacing	1	TDSP-011	\$	Ea

REAR INDIVIDUAL COMPONENTS						
	Urethane shackle bush kit	1	TDUK-067	\$	Kt	
$\bigcap$	U-Bolt kit	2	TDUB-016	\$	Kt	
	Greaseable Shackle kit	1	TDGS-389	\$	Kt	
	Greaseable Pin kit	1	TDGP-668	\$	Kt	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					
Ì	Fits bottom eyering	1	ADJ300/40A	\$	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
8	Fits top and bottom eyering	2	ADJ00191	\$	Ea	





## **FRONT** FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Ea Assembled struts OR 2 Struts Ea Coil Springs Pr Strut Top (Optional) Ea Upper Control Arms (Optional) 1 Pr

CONTENT	DESCRIPTION	QTY	PART NO	RRP		
A	SSEMBLED STRU	TS	- FOAM CELL			
Assembl	ed struts are made up of	:1 x	strut, 1 x coil 1 x strut to	ор		
	Up to Steel bar	1	TOY-027/05-LH	ф <b>Г</b> -		
	- OE Height	1	TOY-027/05-RH	-\$ Ea		
	No Accessories	1	TOY-027/06-RH	-\$ Ea		
	No Accessories	1	TOY-027/06-LH	-\$ Ea		
	With Steel Bar	1	TOY-027/07-LH	-\$ Ea		
	Willi Steel Dai	1	TOY-027/07-RH	Ф Са		
•	With Steel Bar &	1	TOY-027/08-LH	-\$ Ea		
***	Winch	1	TOY-027/08-RH	ф La		
	ASSEMBLED ST	RU	TS - 40MM ADJUS	STABLE		
•	Assembled struts are made up of: 1 x strut, 1 x coil 1 x strut top					
	Up to Steel bar - OE Height	1	TOY-027/01-LH	-\$ Ea		
· ·		1	TOY-027/01-RH	Ф Са		
	No Accessories	1	TOY-027/02-RH	-\$ Ea		
	NO Accessories	1	TOY-027/02-LH	Ф Са		
	With Steel Bar	1	TOY-027/03-LH	-\$ Ea		
	With Steel Bai	1	TOY-027/03-RH	ф La		
	With Steel Bar &	1	TOY-027/04-LH	-\$ Ea		
	Winch	1	TOY-027/04-RH	Ф Са		
	STRUT - FO	ΑN	CELL			
l	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404600	\$ Ea		
I	STRUT -	401	MM ADJUSTABLE			
Ţ	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404600	\$ Ea		

REAR								
REAR SUSPENSION	REAR SUSPENSION CHECK LIST							
You need to order the following items for the rear end of your vehicle.								
	Shock Absorber	2	Ea					
	Leaf Springs	2	Ea					
0	Leaf Spring Fitment Kit	1	Kt					
	Bellows Airbag (Optional)	1	Kt					
0 0								

CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP			
	FOAM CELL - SHO	CK	ABSORBER				
	40mm lift - Super Soft	2	FC43036	\$ Ea			
	OE Height only	2	FC43014	\$ Ea			
	40mm Lift	2	FC43015	\$ Ea			
	FC43036 valving suitable for Supper Soft Comfort only Shock control is not suitable for CONSTANT 300kg or 500kg load leaf springs. Do not use with these springs. Use this shock only with 0-300kg load springs						
	40MM ADJUSTA	BI	LE - SHOCK ABSO	RBER			
õ	OE Height	2	BM403014	-\$ Ea			
	40mm Lift	2	BM403015	\$ Ea			

COIL SPRINGS						
	OE Height	1	TDC983S	\$	Pr	
	No Accessories	1	TDC983	\$	Pr	
	With Steel bar	1	TDC974H	\$	Pr	
	With Steel Bar & Winch	1	TDC974HH	\$	Pr	

	LEAF SPI	RIN	IGS	
	0-300kg load	2	T81C	\$ Ea
	CONSTANT 300kg load	2	T81L	\$ Ea
	CONSTANT 500kg load - Use TDUB-016HD	2	T81LL	\$ Ea



FRONT							
CONTENT	DESCRIPTION	ату	PART NO	RRP			

REAR								
CONTENT	DESCRIPTION	QTY	PAR	T NO	RRP			
LEA	F SPRING FITMEN	IT I	KIT - SUIT	TS T81C				
	Urethane Shackle bush kit			TDUK-067				
	U-Bolt kit	4	TD 514 007	TDUB-016	\$ K	<b>,</b> 1		
	Greaseable Shackle kit		TDFK-027	TDGS-392	\$ K	, L		
1 1	Greaseable Pin kit				TDGP-668			
	LEAF SPRING	F	TMENT K	(IT - SUIT	S LL			
	Urethane Shackle bush kit			TDUK-067				
	U-Bolt kit	4	TDFK-028	TDUB-016HD	\$ K	<b>,</b>		
	Greaseable Shackle kit		1 DFK-020	TDGS-392	φ r			
1	Greaseable Pin kit			TDGP-668				

UPPER CONTROL ARMS							
しょり	Upper Control Arms	1	TDCA-002	\$	Pr		
	Bush kit for TDCA-002	1	TDSK-001	\$	Ea		
	Ball Joint kit TDCA-002	1	TDSK-002	\$	Ea		

**Note:** Fitment of tough dog upper control arms to vehicles that have lifts fitted greater than 50mm may suffer from premature ball joint failure due to longer droop lengths. The use of strut spacers may also effect the performance and longevity of the UCA ball joint due to the limitations of the spherical bearing housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include but is not limited to jumping of the vehicle.

AIR ASSIST - BELLOWS							
22	Bellows Bag kit - OEM Height	1	TDAA-122	\$	Kt		
	Bellows Bag kit - 40mm Lift	1	TDAA-113	\$	Kt		

FRONT INDIVIDUAL COMPONENTS						
Æ.O	Strut Top	2	TOY-1083	\$	Ea	
•• ••	Sway Bar Spacer kit - 86mm hole spacing	1	TDSP-023	\$	Ea	

REAR INDIVIDUAL COMPONENTS							
	Urethane Shackle bush kit	1	TDUK-067	\$	Kt		
$\bigcap$	U-Bolt kit	2	TDUB-016	\$	Kt		
$\bigcap$	U-Bolt kit - Fit with T81LL	2	TDUB-016HD	\$	Kt		
	Greaseable Shackle kit	1	TDGS-392	\$	Kt		
	Greaseable Pin kit	1	TDGP-668	\$	Kt		
	Driveshaft Spacer kit	1	TDSP-010	\$	Ea		
Note: Fit driveshaft spacer kit if vibration occurs							

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					
Ť	Fits bottom eyering	1	ADJ300/40A	\$	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
8	Fits top and bottom eyering	2	ADJ00191	\$	Ea	





T81XHD

TDUK-067

**TDGP-668** 

**TDGS-392** 

**TDUB-016** 

TDFI-015

2

Κt

TDGVM-040

### **GVM UPGRADE** TOUGH DOG GVM UPGRADE CAN ONLY BE ORDERED THROUGH A TOUGH DOG APPROVED GVM DEALER **GVM SUSPENSION UPGRADE KIT - VTA - 050918** PRE REGISTRATION - FEDERAL APPROVAL **POST REGISTRATION - STATE APPROVAL** CONTENT **DESCRIPTION PART NO RRP** CONTENT **DESCRIPTION PART NO RRP** 4X2, 4X4 SINGLE CAB (SR) EXTRA CAB (SR5)(GUN125R (WORKMATE) GUN126R) 4X2, 4X4 DOUBLE CAB (SR, SR5) GUN125R (WORKMATE) GUN126R TOY-027/07 TOY-027/07 **OEM OEM FRONT FRONT** FC43015 FC43015 **GVM GVM VEHICLES WITH VEHICLES WITH** 3000KG 3000KG **TDSP-010 TDSP-010 BAR OR BAR & BAR OR BAR &** TO TO **WINCH** WINCH 3100KG T81LL 3100KG T81LL TDGVM-014 TDUK-067 **TDGVM-013** | TDUK-067 \$ Kt Kt TDGP-668 TDGP-668 REAR **REAR** 3510KG 3510KG **CONSTANT CONSTANT** TDGS-392 TDGS-392 **TOUGH DOG TOUGH DOG** 300kg 300kg **GVM GVM** TDUB-016 TDUB-016 Minimum Load Minimum Load TDFI-013 TDFI-014 TOY-027/07 TOY-027/07 OEM **OEM FRONT FRONT** FC43015 FC43015 **GVM GVM VEHICLES WITH VEHICLES WITH** 3000KG 3000KG TDSP-010 TDSP-010 **BAR OR BAR & BAR OR BAR &** TO TO WINCH WINCH T81XHD T81XHD 3100KG 3100KG **TDGVM-015** TDUK-067 **TDGVM-016** TDUK-067 Κt \$ Kt TDGP-668 TDGP-668 REAR **REAR** 3510KG 3510KG **CONSTANT CONSTANT** TDGS-392 **TDGS-392 TOUGH DOG TOUGH DOG** 600kg 600kg **GVM GVM** TDUB-016 **TDUB-016** Minimum Load Minimum Load TDFI-016 TDFI-015 TOY-027/09 TOY-027/09 **OEM OEM** FC43015 FC43015 **GVM GVM FRONT FRONT** 3000KG **VEHICLES UP TO** 3000KG **VEHICLES UP TO** TDSP-010 TDSP-010 TO **ALLOY BAR** TO **ALLOY BAR** T81LL 3100KG T81LL 3100KG TDGVM-037 **TDUK-067** TDGVM-038 **TDUK-067** Kt Kt TDGP-668 TDGP-668 REAR REAR 3510KG 3510KG **CONSTANT CONSTANT** TDGS-392 **TDGS-392 TOUGH DOG TOUGH DOG** 300kg 300kg **GVM GVM** TDUB-016 TDUB-016 Minimum Load Minimum Load TDFI-013 **TDFI-013** TOY-027/09 TOY-027/09 **OEM OEM** FC43015 FC43015 **GVM FRONT GVM FRONT** 3000KG **VEHICLES UP TO** 3000KG **VEHICLES UP TO** TDSP-010 TDSP-010 TO **ALLOY BAR** TO **ALLOY BAR**

3100KG

3510KG

**TOUGH DOG** 

**GVM** 

3100KG

3510KG

**TOUGH DOG** 

**GVM** 

T81XHD

TDUK-067

TDGP-668

**TDGS-392** 

**TDUB-016** 

TDFI-015

\$

Kt

TDGVM-039

REAR

**CONSTANT** 

600kg

Minimum Load

**REAR** 

**CONSTANT** 

600kg

Minimum Load





FRONT							
CONTENT	DESCRIPTION	QTY	PART NO	RRP			

**Note:** The 4X2 tough dog rear suspension upgrade allows a vehicle to maintain factory ride height while carrying heavy payloads for extended periods of time. The suspension upgrade is not designed to increase the vehicle's ride height like traditional tough dog suspension solutions, instead these solutions assist the vehicle to carry its maximum OEM payload without suspension sag. This

REAR									
CONTENT	DESCRIPTION	QTY	PART NO	F	RRP				
F	OAM CELL - SHO	OCK	ABSORBER						
	OE Height	2	FC41350	\$	Ea				

LEAF SPRINGS - 25MM EYERING						
	0-1000kg load	2	Т82	\$	Ea	

REAR INDIVIDUAL COMPONENTS						
	Urethane Shackle bush kit	1	TDUK-086	\$	Kt	
$\cap$	U-Bolt kit	2	TDUB-017	\$	Kt	




## TOYOTA LANDCRUISER 40, 42 SERIES 12/1977-1984 EST. LIFT FRONT: 50MM | REAR: 50MM



## **FRONT**

## FRONT SUSPENSION CHECK LIST

You need to order the following items for the front end of your vehicle.




Shock Absorber	2	Ea
Leaf Spring	2	Ea
Urethane Shackle bushes	1	Kt
U-Bolt kits	2	Kt
Greaseable Shackle kit	1	Kt
Greaseable Pin kit	1	Kt
Steering Damper (Optional)	1	Ea

## REAR

## **REAR SUSPENSION CHECK LIST**

You need to order the following items for the rear end of your vehicle.



 ,		
Shock Absorber	2	Ea
Leaf Spring	2	Ea
Urethane Shackle bushes	1	Kt
U-Bolt kits	2	Kt
Greaseable Shackle kit	1	Kt
Greaseable Pin kit	1	Kt

CONTENT	DESCRIPTION	QTY	PART NO	RRP	
F	OAM CELL - SHO	CK	ABSORBER		
	OE Height	2	FC41364	\$	Ea
	50mm Lift	2	FC41366	\$	Ea
•	40MM ADJUSTA	λBI	E - SHOCK ABSO	RBE	₹
ŏ	OE Height	2	BM401364	\$	Ea
	50mm Lift	2	BM401366	\$	Ea

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
ı	FOAM CELL - SHOCK ABSORBER						
	OE Height - FJ40, FJ42 Chassis # 19114	2	FC41366	\$ Ea			
	50mm Liftt - FJ40, FJ42 Chassis # 19114	2	FC41382	ф са			
	OE Height - FJ40, FJ42 Chassis #19115 On	2	FC41382	\$ Ea			
	50mm Liftt - FJ40, FJ42 Chassis #19115 On	2	FC41388	ф Еа			
	40MM ADJUSTA	BL	E - SHOCK ABSO	RBER			
8	OE Height - FJ40, FJ42 Chassis # 19114	2	BM401366	\$ Ea			
	50mm Liftt - FJ40, FJ42 Chassis # 19114	2	BM401382	ъ Еа			
	OE Height - FJ40, FJ42 Chassis #19115 On	2	BM401382	\$ Ea			
	50mm Liftt - FJ40, FJ42 Chassis #19115 On	2	BM401388	ф са			

	LEAF SPRINGS - 2	25N	IM EYERING		
مر یہ	Up to Steel Bar	2	BP-009	\$	Ea
	With Steel Bar & Winch	2	BP-009H	\$	Ea
FRONT IN	DIVIDUAL COMPO	NE	ENTS - 25MM EYE	RIN	G
	Urethane Shackle bushes	1	TDUK-016	\$	Kt
$\bigcap$	U-Bolt kit	2	TDUB-017	\$	Kt
	Greaseable Shackle kit	1	TDGS-343	\$	Kt
	Greaseable Pin kit	1	TDGP-346	\$	Kt

LEAF SPRINGS - 25MM EYERING							
مي م	0-300kg load	2	BP-010	\$	Ea		
	CONSTANT 300kg load	2	BP-010H	\$	Ea		
REAR INC	REAR INDIVIDUAL COMPONENTS - 25MM EYERING						
	Urethane Shackle bushes	1	TDUK-016	\$	Kt		
$\bigcap$	U-Bolt kit	2	TDUB-017	\$	Kt		
	Greaseable Shackle kit	1	TDGS-343	\$	Kt		
	Greaseable Pin kit	1	TDGP-346	\$	Kt		



## TOYOTA LANDCRUISER 40, 42 SERIES 12/1977-1984 EST. LIFT FRONT: 50MM | REAR: 50MM



FRONT						
CONTENT	DESCRIPTION	QT	PART NO	RRP		
LEAF SPRINGS - 35MM EYERING						
م یو	Up to Steel Bar	2	BP-011	\$	Ea	
	With Steel Bar & Winch	2	BP-011H	\$	Ea	
FRONT IN	DIVIDUAL COMPO	NE	ENTS - 35MM EYER	٦IN	IG	
	Urethane Shackle bushes	1	TDUK-012	\$	Kt	
$\bigcap$	U-Bolt kit	2	TDUB-017	\$	Kt	
	Greaseable Shackle kit	1	TDGS-348	\$	Kt	
**************************************	Greaseable Pin kit	1	TDGP-351	\$	Kt	

REAR							
CONTENT	DESCRIPTION	۵T	PART NO	RRP			
	LEAF SPRINGS - 35MM EYERING						
مر یہ	0-300kg load	2	BP-012	\$	Ea		
	CONSTANT 300kg load	2	BP-012H	\$	Ea		
REAR INC	DIVIDUAL COMPO	NE	NTS - 35MM EYER	IN	G		
	Urethane Shackle bushes	1	TDUK-012	\$	Kt		
$\cap$	U-Bolt kit	2	TDUB-017	\$	Kt		
	Greaseable Shackle kit	1	TDGS-348	\$	Kt		
	Greaseable Pin kit	1	TDGP-351	\$	Kt		

STEERING DAMPERS					
	Replacement Damper	1	EXT5511	\$	Ea
<u>~,±</u>	Return-to-Center (Non Power Steer)	1	SS5511-M/S	\$	Ea
<u>~,±</u> ,	Return-to-Center (Power Steer)	1	SS5511-P/S	\$	Ea
Note: RTC Stands for Return to Centre.					

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits top & bottom eyering	2	404702	\$	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits top & bottom eyering	2	404702	\$	Ea



## TOYOTA LANDCRUISER 45, 47 SERIES 01/1965-1984 EST. LIFT FRONT: 50MM | REAR: 50MM




Greaseable Pin kit

1 Kt

## FRONT

## FRONT SUSPENSION CHECK LIST

You need to order the following items for the front end of your vehicle.




Shock Absorber	2	Ea
Leaf Spring	2	Ea
Urethane Shackle bushes	1	Kt
U-Bolt kits	2	Kt
Greaseable Shackle kit	1	Kt
Greaseable Pin kit	1	Kt
Steering Damper (Optional)	1	Ea

CONTENT	DESCRIPTION	QTY	PART NO	R	RP			
F	FOAM CELL - SHOCK ABSORBER							
	OE Height	2	FC41364	\$	Ea			
	50mm Lift	2	FC41366	\$	Ea			
•	40MM ADJUSTABLE - SHOCK ABSORBER							
	OE Height	2	BM401364	\$	Ea			
	50mm Lift	2	BM401366	\$	Ea			

LEA	F SPRINGS - 45 SE	ERI	ES - 25MM EYES		
مر یہ	Up to Steel Bar	2	BP-013	\$	Ea
	With Steel Bar & Winch	2	BP-013H	\$	Ea
FRONT	INDIVIDUAL COM	PC	NENTS - 45 SERIE	S	
	Urethane Shackle bushes	1	TDUK-016	\$	Kt
$\cap$	U-Bolt kit	1	TDUB-017	\$	Kt
$\bigcap$	U-Bolt kit	1	TDUB-018	\$	Kt
	Greaseable Shackle kit	1	TDGS-343	\$	Kt
	Greaseable Pin kit	1	TDGP-346	\$	Kt

LEA	F SPRINGS - 47 SE	RI	ES - 35MM EYES		
مر يو	Up to Steel Bar	2	BP-015	\$	Ea
	With Steel Bar & Winch	2	BP-015H	\$	Ea
FRONT	INDIVIDUAL COM	PC	NENTS - 47 SERIE	S	
	Urethane Shackle bushes	1	TDUK-012	\$	Kt
$\cap$	U-Bolt kit	1	TDUB-017	\$	Kt
$\bigcap$	U-Bolt kit	1	TDUB-018	\$	Kt
	Greaseable Shackle kit	1	TDGS-348	\$	Kt
	Greaseable Pin kit	1	TDGP-351	\$	Kt



CONTENT	DESCRIPTION	QTY	PART NO	RRP				
F	FOAM CELL - SHOCK ABSORBER							
	OE Height	2	FC41382	\$	Ea			
	50mm Lift	2	FC41388	\$	Ea			
	40MM ADJUSTA	BL	.E - SHOCK ABSC	RBE	₹			
	OE Height	2	BM401382	\$	Ea			
	50mm Lift	2	BM401388	\$	Ea			

LEA	LEAF SPRINGS - 45 SERIES - 30MM EYES						
مر یہ	0-300kg load	2	BP-014	\$	Ea		
	CONSTANT 300kg load	2	BP-014H	\$	Ea		
REARI	NDIVIDUAL COMF	PO	NENTS - 45 SERIE	S			
	Urethane Shackle bushes	1	TDUK-017	\$	Ea		
$\cap$	U-Bolt kit	2	TDUB-017	\$	Ea		
	Greaseable Shackle kit	1	TDGS-344/5	\$	Ea		
	Greaseable Pin kit	1	TDGP-347	\$	Ea		

LEA	LEAF SPRINGS - 47 SERIES - 35MM EYES							
مر به	0-300kg load	2	BP-016	\$	Ea			
	CONSTANT 300kg load	2	BP-016H	\$	Ea			
REAR I	REAR INDIVIDUAL COMPONENTS - 47 SERIES							
	Urethane Shackle bushes	1	TDUK-012	\$	Kt			
$\bigcap$	U-Bolt kit	2	TDUB-017	\$	Kt			
	Greaseable Shackle kit	1	TDGS-349/5	\$	Kt			
	Greaseable Pin kit	1	TDGP-351	\$	Kt			



## TOYOTA LANDCRUISER 45, 47 SERIES 01/1965-1984 EST. LIFT FRONT: 50MM | REAR: 50MM



FRONT							
CONTENT	DESCRIPTION	QTY	PART NO		RRP		
STEERING DAMPERS							
•	Replacement Damper	1	EXT5511	\$	Ea		
<b>~──₩₩₩₩</b> ;±	Return-to-Center (Non Power Steer)	1	SS5511-M/S	\$	Ea		
<b>~──₩₩₩₩</b> ₽	Return-to-Center (Power Steer)	1	SS5511-P/S	\$	Ea		
Note: RTC Stands for Return to Centre.							

REAR						
CONTENT	DESCRIPTION	QTY	PART NO	RRP		
				•		

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits top & bottom eyering	2	404702	\$	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits top & bottom eyering	2	404702	\$	Ea






## **FRONT**

## FRONT SUSPENSION CHECK LIST

You need to order the following items for the front end of your vehicle.



<u>-</u>		
Shock Absorber	2	Ea
Leaf Spring	2	Ea
Urethane Shackle bushes	1	Kt
U-Bolt kits	1	Kt
Greaseable Shackle kit	1	Kt
Greaseable Pin kit	1	Kt
Steering Damper (Optional)	1	Ea
Offset King Pin (Optional)	1	Ea

REAR						
REAR SUSPENSIO	N CHECK LIST					
You need to order the following items	s for the rear end of your ve	hicle.				
	Shock Absorber	2	Ea			
	Leaf Spring	2	Ea			
	Urethane Shackle bushes	1	Kt			
	U-Bolt kits	1	Kt			
	Greaseable Shackle kit	1	Kt			
	Greaseable Pin kit	1	Kt			
0 0						

CONTENT	DESCRIPTION	QTY	PART NO	RRP
F	OAM CELL - SHO	Ck	( ABSORBER	
	OE Height	2	FC41113	\$ Ea
	50mm Lift	2	FC41163	\$ Ea
	40MM ADJUSTA	BL	E - SHOCK ABSC	RBER
8	OE Height	2	BM401113	\$ Ea
	50mm Lift	2	BM401163	\$ Ea

CONTENT	DESCRIPTION	QTY	PART NO	RRP				
F	FOAM CELL - SHOCK ABSORBER							
	OE Height - 11/80 - 10/85	2	FC41366	\$ Ea				
	50mm Lift - 11/80 - 10/85	2	FC41382	\$ Ea				
	50mm Lift - 10/85 - 90	2	FC41350	\$ Ea				
	40MM ADJUSTA	BL	E - SHOCK ABSO	RBER				
8	OE Height - 11/80 - 10/85	2	BM401366	\$ Ea				
	50mm Lift - 11/80 - 10/85	2	BM401382	\$ Ea				
	50mm Lift - 10/85 - 90	2	BM401350	\$ Ea				

	LEAF SPI	RIN	IGS	
•	Up to Steel Bar	2	T43L	\$ Ea
	With Steel Bar & Winch	2	Т43Н	\$ Ea
	Up to Steel Bar - With Factory Turbo Diesel	2	T53	\$ Ea
	With Steel Bar & Winch - With Factory Turbo Diesel	2	Т53Н	\$ Ea

	LEAF SPI	3II	IGS		
	0-300kg load	1	T44L-LH	\$	Ea
	0-300kg load	1	T44L-RH	\$	Ea
	CONSTANT 300kg load	1	T44H-LH	\$	Ea
	CONSTANT 300kg load	1	T44H-RH	\$	Ea
	CONSTANT 500kg load	1	T44HM-LH	\$	Ea
	CONSTANT 500kg load	1	T44HM-RH	\$	Ea
<b>Note:</b> 1 Left hand and 1 right hand side leaf spring pack should be ordered					

STEERING DAMPERS						
-	Heavy Duty Damper	1	EXT5001	\$	Ea	
<b>~</b> ±	Return-to-Center	1	SS5001-P/S	\$	Ea	
·	9 Stage Adjustable	1	SV5001	\$	Ea	





FRONT						
CONTENT	DESCRIPTION	ΩTΥ	PART NO	RRP		
FRONT INDIVIDUAL COMPONENTS						
	Urethane Shackle Bush kit	1	TDUK-012	\$	Kt	
$\bigcap$	U-Bolt kit	2	TDUB-019	\$	Kt	
	Greaseable Shackle Kit	1	TDGS-348	\$	Kt	
	Greaseable Pin Kit	1	TDGP-351	\$	Kt	

REAR							
CONTENT	DESCRIPTION	QTY	PART NO	F	RRP		
REAR INDIVIDUAL COMPONENTS							
	Urethane Shackle Bush kit	1	TDUK-012	\$	Kt		
$\bigcap$	U-Bolt kit	2	TDUB-017	\$	Kt		
	Greaseable Shackle Kit	1	TDGS-357	\$	Kt		
	Greaseable Pin Kit	1	TDGP-351	\$	Kt		

OFFSET KING PINS					
	0.5 Degree	1	TAK-005	\$	Ea
	0.75 Degree	1	TAK-075	\$	Ea
	1.0 Degree	1	TAK-001	\$	Ea

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits top pin	2	TW959	\$	Ea
8	Fits bottom eyering	1	ADJ00191	\$	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits top & bottom eyering - #1382/1366	2	404702	\$	Ea
8	Fits top & bottom eyering - #1350	2	ADJ00191	\$	Ea





## **FRONT** FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Ea 2 Shock Absorber Coil Spring 1 Pr Steering Damper (Optional) Ea

REAR							
REAR SUSPENSION CHECK LIST							
You need to order the following items	You need to order the following items for the rear end of your vehicle.						
ii 33	Shock Absorber	2	Ea				
	Coil Spring	1	Pr				

CONTENT	DESCRIPTION	QΤΥ	PART NO	RRP	
F	FOAM CELL - SHO	CK	ABSORBER		
ů	OE Height	2	FC41005	\$ Ea	3
	50mm Lift	2	FC41007	\$ Ea	а

CONTENT	DESCRIPTION	QTY	PART NO	RRP	
ŀ	FOAM CELL - SHO	CK	ABSORBER		
	OE Height - DS	2	FC43005	\$	Ea
	OE Height - PS	2	FC41107	\$	Ea
Ţ	40mm Lift - DS	2	FC41350	\$	Ea
3	40mm Lift - PS	2	FC41108	\$	Ea

COIL SPRINGS							
	Up to Steel bar	1	TDC941L	\$	Pr		

COIL SPRINGS						
	0-300kg	1	TDC942L	\$	Pr	

STEERING DAMPERS							
	HD Steering Damper	1	EXT5001	\$	Ea		
<u></u>	Return-to-Center	1	SS5001-P/S	\$	Ea		
OE THE STATE OF TH	9 Stage Adjustable	1	SV5001	\$	Ea		

FRONT INDIVIDUAL COMPONENTS						
	Bush Kit - Radius Rod to Chassis	1	TDUK-041	\$	Kt	
	Bush Kit - Radius Rod to Diff	2	TDUK-042	\$	Kt	

F	REAR INDIVIDUAL	C	OMPONENTS	
	Bush Kit - Radius Rod to Chassis	1	TDUK-041	\$ Kt
	Bush Kit - Radius Rod to Diff	2	TDUK-042	\$ Kt

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top & bottom pin	4	TW959	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)							
8	Fits bottom eyering #1107 & #1108	2	ADJ00191	\$	Ea		
	Fits top pin #1107 & 1108	2	TW959	\$	Ea		
8	Fits top & bottom eyering #3005 & #1350	2	ADJ00191	\$	Ea		





## EST. LIFT FRONT: 50MM | REAR: 50MM

FRONT										
FRONT SUSPENSION CHECK LIST										
You need to order the following items for the front end of your vehicle.										
ii≅₹	Shock Absorber	2	Ea							
	Coil Spring	1	Pr							
	Steering Damper (Optional)	1	Ea							

CONTENT	DESCRIPTION	QTY	PART NO	RI	RP			
FOAM CELL - SHOCK ABSORBER								
	Up to 50mm Lift	2	FC41050	\$	Ea			
	40MM ADJUSTA	\Bl	LE - SHOCK ABSO	RBE	ER			
٥	Up to 50mm Lift	2	BM401050	\$	Ea			
	45MM ADJUSTABLE - SHOCK ABSORBER							
ŏ	Only 50mm Lift	2	BMX1050/2	\$	Ea			
	RALPH -	SH	OCK ABSORBER					
	Up to 50mm Lift	2	TDR1050	\$	Ea			

	COIL SPI	RIN	GS	
MILLAAA	Up to Steel bar	1	TDC950SL	\$ Pr
	With Steel Bar & Winch	1	TDC950L	\$ Pr

STEERING DAMPERS							
	HD Steering Damper	1	EXT5001	\$	Ea		
<u>~</u> ±	Return-to-Center	1	SS5001-P/S	\$	Ea		
O@	9 Stage Adjustable	1	SV5001	\$	Ea		

REAR						
REAR SUSPENSIO	N CHECK LIST					
You need to order the following items	s for the rear end of your ve	hicle.				
	Shock Absorber	2	Ea			
	Leaf Spring	2	Ea			
	Urethane Shackle bush kit	1	Kt			
	U-Bolt kit	1	Kit			
_ <b>_</b> i i						

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
F	FOAM CELL - SHO	CK	ABSORBER				
	50mm Lift	2	FC41377	\$ Ea			
	40MM ADJUSTA	BL	E - SHOCK ABSO	RBER			
	50mm Lift	2	BM401377	\$ Ea			
	45MM ADJUSTABLE - SHOCK ABSORBER						
8	50mm Lift	2	BMX1377/2	\$ Ea			
	RALPH - SHOCK ABSORBER						
	50mm Lift	2	TDR1377	\$ Ea			

	COIL SPE	SIN	igs		
	0-300kg load	1	T44L-LH	•	Ea
		1	T44L-RH	Ф	⊏a
	CONSTANT 300kg load	1	T44H-LH	4	Г.
		1	T44H-RH	\$	Ea
<b>Note:</b> 1 Left hand and 1 right hand side leaf spring pack should be ordered					

REAR INDIVIDUAL COMPONENTS					
	Urethane Shackle bush kit	1	TDUK-012	\$	Kt
$\bigcap$	U-Bolt kit	2	TDUB-017	\$	Kt






## **FRONT**

## FRONT SUSPENSION CHECK LIST

You need to order the following items for the front end of your vehicle.



•		
Shock Absorber	2	Ea
Leaf Spring	2	Ea
Leaf Spring Fitment Kit	1	Kt
Offset King Pin (Optional)	1	Kt
Steering Damper (Optional)	1	Kt

CONTENT	DESCRIPTION	ď	PART NO	RRP	
F	OAM CELL - SHO	Ck	( ABSORBER		
	OE Height	2	FC41113	-\$	Ea
	50mm Lift	2	FC41163	Φ	La
<u> </u>	40MM ADJUSTA	BL	.E - SHOCK ABSC	RBER	2
	OE Height	2	BM401113	\$	Ea
	50mm Lift	2	BM401163	ĮΦ	Εа
	45MM ADJUSTA	BL	E - SHOCK ABSC	RBER	2
8	50mm Lift	2	BMX1163/2	\$	Ea
	RALPH -	SH	IOCK ABSORBER		
	50mm Lift	2	TDR1163B	\$	Ea

LEAF SP	RIN	IGS	
 Up to Steel Bar	2	T52	\$ Ea

LEAF SPRING FITMENT KIT							
	Urethane Shackle bush kit			TDUK-012			
$\cap$	U-Bolt kit		4 TDEK 000	TDFK-030	TDUB-019	\$ Kt	
B	Greaseable Shackle kit		1DFK-030	TDGS-357	φ Ki		
	Greaseable Pin kit			TDGP-351			

STEERING DAMPERS					
	Heavy Duty Damper	1	EXT5001	Ea	
<b>~──₩₩₩₩</b> ;±;	Return-to-Center	1	SS5001-P/S	Ea	
•••••• <u>••</u>	9 Stage Adjustable	1	SV5001	Ea	



CONTENT	DESCRIPTION	QTY	PART NO	RRP				
FOAM CELL - SHOCK ABSORBER								
	OE Height	2	FC41350		Ea			
	50mm Lift	2	FC41377		⊏a			
<u> </u>	40MM ADJUSTA	BL	.E - SHOCK ABSC	RBER	2			
	OE Height	2	BM401350	¢	Ea			
	50mm Lift	2	BM401377	\$	Εа			
	45MM ADJUSTA	BL	E - SHOCK ABSO	RBER	2			
8	50mm Lift	2	BMX1377/2	\$	Ea			
RALPH - SHOCK ABSORBER								
	50mm Lift	2	TDR1377	\$	Ea			

	LEAF SPI	RIN	IGS		
	0-300kg load	1	T44L-LH	¢.	Ea
		1 <b>T44L-RH</b>		<b>—</b> ф	La
	CONSTANT 300kg load	1	T44H-LH	Φ.	Г.
		1	T44H-RH	Ф	Ea

LEAF SPRING FITMENT KIT							
	Urethane Shackle bush kit			TDUK-012			
$\cap$	U-Bolt kit		4 TDEK 004	TDUB-017	\$ Ki		
	Greaseable Shackle kit		TDFK-031	TDGS-357	φ N		
Ħ	Greaseable Pin kit			TDGP-351			



## TOYOTA LANDCRUISER 70, 73, 74 SERIES 11/1984-1992 EST. LIFT FRONT: 50MM | REAR: 50MM



FRONT								
CONTENT	DESCRIPTION	۵T	PART NO	RRF				
FRONT INDIVIDUAL COMPONENTS								
	Urethane Shackle bush kit	1	TDUK-012	\$	Kt			
$\bigcap$	U-Bolt kit	2	TDUB-019	\$	Kt			
	Greaseable Shackle kit	1	TDGS-357	\$	Kt			
	Greaseable Pin kit	1	TDGP-351	\$	Kt			

REAR							
CONTENT	DESCRIPTION	QTY	PART NO	RRP			
REAR INDIVIDUAL COMPONENTS							
	Urethane Shackle bush kit	1	TDUK-012	\$	Kt		
$\bigcap$	U-Bolt kit	2	TDUB-017	\$	Kt		
	Greaseable Shackle kit	1	TDGS-357	\$	Kt		
	Greaseable Pin kit	1	TDGP-351	\$	Kt		

OFFSET KING PINS						
	0.5 Degree	1	TAK-005	\$	Ea	
	0.75 Degree	1	TAK-075	\$	Ea	
	1.0 Degree	1	TAK-001	\$	Ea	


FRONT REPLACEMENT BUSHES (QTY PER SHOCK)							
	Front top pin	2	TW959	\$	Ea		
8	Front bottom eyering	1	ADJ00191	\$	Ea		

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
8	Rear top & bottom eyering	2	ADJ00191	\$	Ea	



#### FRONT FRONT SUSPENSION CHECK LIST

You need to order the following items for the front end of your vehicle.




Ī	,		1
	Shock Absorber	2	Ea
	Leaf Spring	2	Ea
	Leaf Spring Fitment Kit	1	Kt
	Offset King Pins (Optional)	1	Ea
	Steering Damper (Optional)	1	Ea

CONTENT	DESCRIPTION	ΩTΥ	PART NO	KIT INC.	RRP	
FOAM CELL - SHOCK ABSORBER						
	OE Height	2	FC41	113B		
	50mm Lift - HZJ75 Only	2 FC4116			\$ Ea	
	50mm Lift - All Except HZJ75 Only	2	FC41163			
	40MM ADJUSTA	BL	E - SHO	CK ABSO	RBER	
	50mm Lift - All models	2	BM40	)1163	\$ Ea	
	45MM ADJUSTA	BL	E - SHO	CK ABSO	RBER	
	50mm Lift - All models	2	BMX1	163/2	\$ Ea	
	RALPH -	SH	SHOCK ABSORBER			
	50mm Lift - All models	2	TDR1	163B	\$ Ea	

LEAF SPRINGS								
مي	Up to bar	2	T52	\$	Ea			
	With Steel Bar & Winch	2	Т52Н	\$	Ea			

LEAF SPRING FITMENT KIT									
	Urethane Shackle bush kit			TDUK-012					
$\cap$	U-Bolt kit	1	TDFK-030	TDUB-019	\$ Kt				
	Greaseable Shackle kit		151 K-000	TDGS-357	Ψ K				
**************************************	Greaseable Pin kit			TDGP-351					

REAR								
REAR SUSPENSION CHECK LIST								
You need to order the following items for the front end of your vehicle.								
	Shock Absorber	2	Ea					
	Leaf Spring	2	Fa					



CONTENT	DESCRIPTION	QTY	PART NO	KIT INC.	RRP
FOAM CELL - SHOCK ABSORBER					
	OE Height	2	FC4	1350	\$ Ea
	50mm Lift - All models	2	FC4	1377	\$ Ea
ľ	40MM ADJUSTA	BL	E - SHO	CK ABSO	RBER
	50mm Lift - All models	2	BM40	)1377	\$ Ea
	45MM ADJUSTA	\ΒL	E - SHO	CK ABSO	RBER
	50mm Lift - All models	2	BMX1	377/2	\$ Ea
	RALPH -	RALPH - SHOCK ABSORBER		HOCK ABSORBER	
	50mm Lift - All models	2	TDR	1377	\$ Ea

LEAF SPRINGS							
م ی	0-300kg load	1	T51-LH	\$	Ea		
		1	T51-RH	\$	Ea		
	CONSTANT 300kg load	1	FS751M-LH	\$	Ea		
		1	FS751M-RH	\$	Ea		
	CONSTANT 500kg load	1	FS751HM-LH	\$	Ea		
		1	FS751HM-RH	\$	Ea		

LEAF SPRING FITMENT SHEET							
	Urethane Shackle bush kit			TDUK-018			
$\cap$	U-Bolt kit			TDUB-017			
10 10 10 10 10 10 10 10 10 10 10 10 10 1	Greaseable Shackle kit	1	1	TDFK-033	TDGS-357	\$ K	it.
	Greaseable Pin kit			TDGP-354			
<b>L</b>	Brake Bias Bracket- Must be included			TDSP-014			





FRONT							
CONTENT	DESCRIPTION	ΩT	PART NO	RRP			
STEERING DAMPERS							
	Heavy Duty Damper	1	EXT5001	\$	Ea		
<u>~</u>	Return-to-Center	1	SS5001-P/S	\$	Ea		
○ <b>○</b>	9 Stage Adjustable	1	SV5001	\$	Ea		

REAR						
CONTENT	DESCRIPTION	QTY	PART NO	F	RRP	
AIR ASSIST - BELLOWS						
22	Bellows bag Kit 50mm - 75mm Lift	1	TDAA-115	\$	Kt	
	Bellows bag Kit Standard	1	TDAA-121	\$	Kt	

OFFSET KING PINS						
	0.5 Degree	1	TAK-005	\$	Ea	
	0.75 Degree	1	TAK-075	\$	Ea	
	1.0 Degree	1	TAK-001	\$	Ea	

FRONT INDIVIDUAL COMPONENTS						
	Urethane Shackle bush kit	1	TDUK-012	\$	Kt	
$\bigcap$	U-Bolt kit	2	TDUB-019	\$	Kt	
	Greaseable Shackle kit	1	TDGS-357	\$	Kt	
	Greaseable Pin kit	1	TDGP-351	\$	Kt	

REAR INDIVIDUAL COMPONENTS						
	Urethane Shackle bush kit	1	TDUK-018	\$	Kt	
$\cap$	U-Bolt kit	2	TDUB-017	\$	Kt	
	Greaseable Shackle kit	1	TDGS-357	\$	Kt	
**************************************	Greaseable Pin kit	1	TDGP-354	\$	Kt	
ı.	Brake Bias Bracket -Must be included	1	TDSP-014	\$	Ea	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top pin	2	TW959	\$	Ea	
8	Fits bottom eyering	1	ADJ00191	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Rear top & bottom eyering	2	ADJ00191	\$	Ea	



### TOYOTA LANDCRUISER 76 SERIES 2007 ON



#### EST. LIFT FRONT: 50MM | REAR: 50MM

#### FRONT

#### FRONT SUSPENSION CHECK LIST


You need to order the following items for the front end of your vehicle.



for the front end of your vehicle.						
Shock Absorber	2	Ea				
Coil Spring	1	Pr				
Panhard Rod (Optional)	1	Ea				
Castor Correction (Optional)	1	Kt				
Steering Damper (Optional)	1	Ea				
Offset King Pin (Optional)	1	Ea				

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
FOAM CELL - SHOCK ABSORBER							
	Up to 50mm Lift	2	FC41050	\$	Ea		
	40MM ADJUSTA	ιBL	LE - SHOCK ABSO	RBE	R		
2	Up to 50mm Lift	2	BM401050	\$	Ea		
	45MM ADJUSTABLE - SHOCK ABSORBER						
ı	Only 50mm Lift	2	BMX1050/2	\$	Ea		
8	75mm Lift	2	BMX1050/3	\$	Ea		
	RALPH -	SH	OCK ABSORBER				
	Up to 50mm Lift	2	TDR1050	\$	Ea		

COIL SPRINGS						
	OE Height - Up to Steel Bar	1	TDC950SL	\$	Pr	
<b>M</b> I A A A A	50mm Lift - Up to Steel Bar	1	TDC950L	\$	Pr	
	50mm Lift - With Steel Bar & Winch	1	TDC950HL	\$	Pr	
	75mm Lift - With bar & Winch	1	TDC950/3H	\$	Pr	



CONTENT	DESCRIPTION	QTY	PART NO	RRP
F	FOAM CELL - SHO	CK	ABSORBER	
	Up to 50mm Lift	2	FC41377	\$ Ea
	40MM ADJUSTA	ABI	E - SHOCK ABSO	RBER
<u> </u>	Up to 50mm Lift	2	BM401377	\$ Ea
	45MM ADJUSTA	ABI	LE - SHOCK ABSO	RBER
1	Only 50mm Lift	2	BMX1377/2	\$ Ea
8	75mm Lift	2	BMX1377/3	\$ Ea
	RALPH -	SH	OCK ABSORBER	
	Up to 50mm Lift	2	TDR1377	\$ Ea

LEAF SPI	RIN	IGS	
0-300kg load	2	FS761	\$ Ea
CONSTANT 300kg load	2	FS761M	\$ Ea
CONSTANT 500kg load	2	FS761HM	\$ Ea



### TOYOTA LANDCRUISER 76 SERIES 2007 ON



EST. LIFT FRONT: 50MM | REAR: 50MM

FRONT							
CONTENT	DESCRIPTION	ΩTΥ	PART NO	RRP			
STEERING DAMPERS							
	HD Steering Damper	1	EXT5004	\$	Ea		
<b>○──₩₩₩₩</b> ;±;	Return-to-Center	1	SS5004-P/S	\$	Ea		
O@	9 Stage Adjustable	1	SV5004	\$	Ea		

REAR					
CONTENT	DESCRIPTION	QTY	PART NO	RRP	
				•	

CASTER CORRECTION					
	2 Degree	1	TDUK-054/2	\$	Kt
	3 Degree	1	TDUK-054/3	\$	Kt

	AIR ASSIST -	BE	LLOWS	
22	Bellows Bag kit - OEM Height	1	TDAA-121	\$ Kt
	Bellows Bag kit - Up to 75mm lift	1	TDAA-115	\$ Kt

PANHARD RODS					
·	Adjustable	1	TDPR-015	\$	Ea

OFFSET KI	NG	PINS	
0.5 Degree	1	TAK-8005	\$ Ea
0.75 Degree	1	TAK-8075	\$ Ea
1.0 Degree	1	TAK-8001	\$ Ea

FRONT INDIVIDUAL COMPONENTS						
0	30mm Urethane Spring spacer	1	TDUK-1961/30	\$	Ea	
• •	Swaybar spacer kit	1	TDSP-013	\$	Ea	
Use if tailshaft contacts						
	Swaybar 33mm	1	TDSB-007	\$	Ea	

F	REAR INDIVIDUAL	C	OMPONENTS		
T	Urethane Shackle Bush kit - Pre 01/2017	1	TDUK-048	\$	Kt
Note Al	e: TDUK-048 OEM replace I use when fitted TDGS-3	eme 387,	ent bush kit Pre 1/17. /18 and TDGP-388.		
$\cap$	U-Bolt kit	2	TDUB-024	\$	Kt
$\Box$	Greaseable Shackle kit	1	TDGS-387/18	\$	Kt
	Greaseable Pin kit	1	TDGP-388	\$	Kt
	Urethane Shackle bush kit - Post 1/2017	1	TDUK-048/14	\$	Kt
Note: TDU	K-048/14 OEM replacem All when reusing OEM	ent pin	bush kit Post 1/2017 - O s and shackle.	nly.	
Į.	Brake Bias Bkt Suits Up to 01/2017	1	TDSP-014	\$	Kt
Note:	TDSPR-014 Must be fitte	d to	all kits before 1/2017.		
	Handbrake Relocation Bkt	1	TDSP-015	\$	Kt
Note: TDSP-0	15 Must be fitted when ເ	ısin	g BMX/ TDR Shock in th	e rear.	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits top & bottom pin	4	TW957	\$	Ea


REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
8	Fits top & bottom evering	2	ADJ00191	\$	Ea	



LANDCRUISER
77 SERIES
1993-1999
EST. LIET FRONT: 50MI



#### EST. LIFT FRONT: 50MM | REAR: 50MM



REAR							
REAR SUSPENSION CHECK LIST							
You need to order the following items for the rear end of your vehicle.							
<b>&amp; &amp; o o</b>	Shock Absorber	2	Ea				
	Leaf Spring	2	Ea				
	Leaf Spring Fitment Kit	1	Kt				

CONTENT	DESCRIPTION	QTY	PART NO		RRP		
ı	FOAM CELL - SHO	Ck	ABSORBER				
	50mm Lift	2	FC41163B	\$	Ea		
	OE Height	2	FC41113B	\$	Ea		
<u> </u>	40MM ADJUSTABLE - SHOCK ABSORBER						
	50mm Lift	2	BM401163	\$	Ea		
	45MM ADJUSTA	4ВΙ	E - SHOCK ABSO	RE	BER		
8	50mm Lift	2	BMX1163/2	\$	Ea		
	RALPH -	SH	OCK ABSORBER				
	50mm Lift	2	TDR1163B	\$	Ea		

CONTENT	DESCRIPTION	QTY	PART NO	RRP
F	FOAM CELL - SHO	CK	ABSORBER	
	Up to 50mm Lift	2	FC41377	\$ Ea
2	40MM ADJUSTA	\BI	E - SHOCK ABSO	RBER
	Up to 50mm Lift	2	BM401377	\$ Ea
	45MM ADJUSTA	\BI	E - SHOCK ABSO	RBER
8	Only 50mm Lift	2	BMX1377/2	\$ Ea
	RALPH -	SH	OCK ABSORBER	
	Up to 50mm Lift	2	TDR1377	\$ Ea

	LEAF SP	RIN	NGS	
مر به	Up to Steel Bar	2	T52	\$ Ea
	With Steel Bar & Winch	2	T52H	\$ Ea

	LEAF SPI	RIN	IGS	
مر یہ	0-300kg load	2	FS761	\$ Ea
	CONSTANT 300kg load	2	FS761M	\$ Ea

LEAF SPRINGS							
	Urethane Shackle bush kit			TDUK-012			
$\bigcap$	U-Bolt kit	,	TDFK-029	TDUB-019	\$ Kt		
	Greaseable Shackle kit		1DFK-025	TDGS-348	φ Kt		
## ## ## ## ## ## ## ## ## ## ## ## ##	Greaseable Pin kit			TDGP-351			

	LEAF SPRINGS							
	Urethane Shackle bush kit			TDUK-018				
$\bigcap$	U-Bolt kit	1	TDFK-034	TDUB-017	\$ Kt			
	Greaseable Shackle kit	I	1DFK-034	TDGS-357	\$ Kt			
3) S	Greaseable Pin kit			TDGP-354				

STEERING DAMPERS						
	Heavy Duty Damper	1	EXT5001	\$	Ea	
<u>~</u> ±	Return to Center	1	SS5001-P/S	\$	Ea	
O(	9 Stage Adjustable	1	SV5001	\$	Ea	



## TOYOTA LANDCRUISER 77 SERIES 1993-1999 EST. LIFT FRONT: 50MM | REAR: 50MM



FRONT							
CONTENT	DESCRIPTION	QTY	PART NO	F	RRP		
FRONT INDIVIDUAL COMPONENTS							
	Urethane Shackle bush kit	1	TDUK-012	\$	Kt		
$\bigcap$	U-Bolt kit	2	TDUB-019	\$	Kt		
	Greaseable Shackle kit	1	TDGS-348	\$	Kt		
	Greaseable Pin kit	1	TDGP-351	\$	Kt		

REAR							
CONTENT	DESCRIPTION	QTY	PART NO	RF	RP		
REAR INDIVIDUAL COMPONENTS							
	Urethane Shackle bush kit	1	TDUK-018	\$	Kt		
$\bigcap$	U-Bolt kit	2	TDUB-017	\$	Kt		
<u>S</u> :	Greaseable Shackle kit	1	TDGS-357	\$	Kt		
	Greaseable Pin kit	1	TDGP-354	\$	Kt		

FRONT RE	EPLACEMENT BU	SH	ES (QTY PER SHO	OCK	()
	Fits top pin	2	TW959	\$	Ea
8	Fits bottom eyering	1	ADJ00191	\$	Ea

REAR RE	PLACEMENT BU	SHI	ES (QTY PER SHC	CK)	
8	Fits top & bottom eyering	2	ADJ00191	\$	Ea



### 78 SERIES (WITH COIL SPRINGS) KZ78 (INTERNATIONAL)



Shock Absorber

Coil Spring

2 Ea

Pr

1

#### **FRONT** FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Eal Shock Absorber Pr Coil Spring 1 Steering Damper (Optional)

		_					
CONTENT	DESCRIPTION	QTY	PART NO	RRP			
FOAM CELL - SHOCK ABSORBER							
ů.	50mm Lift	2	FC41254	\$ Ea			
	40MM ADJUSTA	BI	E - SHOCK ABSO	RBER			
0	50mm Lift	2	BM401254	\$ Ea			

CONTENT	DESCRIPTION	ΩTΥ	PART NO	RRI	P	CONTENT	DESCRIPTION	QTY	PART NO	RRF
ŀ	FOAM CELL - SHO	CK	ABSORBER			Ī	FOAM CELL - SHO	CK	ABSORBER	
Î	50mm Lift	2	FC41254	\$	Ea	Î	50mm Lift	2	FC41255	\$
•	40MM ADJUSTA	\Bl	E - SHOCK ABSO	RBE	₹	•	40MM ADJUSTA	λBI	LE - SHOCK ABSO	RBEF
	50mm Lift	2	BM401254	\$	Ea		50mm Lift	2	BM401255	\$

COIL SPRINGS						
	Up to Steel Bar	1	TDC960L	\$	Pr	
	With Bar & Winch	1	TDC960HL	\$	Pr	

STEERING DAMPERS								
	Heavy Duty Damper	1	EXT5001	\$	Ea			
<u></u>	Return to Center	1	SS5001-P/S	\$	Ea			
06 <b></b>	9 Stage Adjustable	1	SV5001	\$	Ea			

	COIL SPF	RIN	IGS	
MILLAAAA	0-300kg load	1	TDC961L	\$ Pr
	U-300kg load CONSTANT 300kg load	1	TDC961HI	\$ Pr

**REAR** 

**REAR SUSPENSION CHECK LIST** 

You need to order the following items for the rear end of your vehicle.



#### THIS PAGE IS INTENTIONALLY BLANK



#### **FRONT**

#### FRONT SUSPENSION CHECK LIST

You need to order the following items for the front end of your vehicle.



**DESCRIPTION FOAM CELL - SH** Up to 50mm Lift 75mm /3" Lift 100mm /4" Lift 40MM ADJUS Up to 50mm Lift 75mm /3" Lift

> Only 50mm Lift 75mm /3" Lift

100mm /4" Lift

50mm Lift

75mm /3" Lift

CONTENT

for the front end of your vehicle.							
Shock Absorber	2	Ea					
Coil Spring	1	Pr					
Panhard Rod (Optional)	1	Ea					
Castor Correction (Optional)	1	Kt					
Steering Damper (Optional)	1	Ea					
Offset King Pin (Optional)	1	Ea					

F	Panhard Rod (Optional)		1	Ea
Ca	stor Correction (Optiona	I)	1	Kt
Ste	eering Damper (Optional	)	1	Ea
0	ffset King Pin (Optional)		1	Ea
l≿l	DAPT NO		RRP	
O	FARTINO		1/1/	
CK	ABSORBER		IXIX	
С С 2		\$		Ea
	ABSORBER	\$		
2	ABSORBER FC41050	ļ.		Ea
2 2	FC41050/3	\$		Ea Ea Ea
2 2	FC41050/3 FC41050/4	\$		Ea Ea Ea
	Ca	Steering Damper (Optional	Castor Correction (Optional) Steering Damper (Optional) Offset King Pin (Optional)	Castor Correction (Optional) 1 Steering Damper (Optional) 1 Offset King Pin (Optional) 1

45MM ADJUSTABLE - SHOCK ABSORBER

**RALPH - SHOCK ABSORBER** 

2

2

BMX1050/2

BMX1050/3

BMX1050/4

**TDR1050** 

TDR1050/3

Ea

Ea

Ea

Ea


COIL SPRINGS								
	OE Height - Up to Steel Bar	1	TDC950SL	\$	Pr			
<b>M</b>	50mm Lift - Up to Steel Bar	1	TDC950L	\$	Pr			
	50mm Lift - With Steel Bar & Winch	1	TDC950HL	\$	Pr			
	75mm Lift - With Bar & Winch	1	TDC950/3H	\$	Pr			

OFFSET KING PINS							
	0.5 Degree	1	TAK-8005	\$	Ea		
	0.75 Degree	1	TAK-8075	\$	Ea		
	1.0 Degree	1	TAK-8001	\$	Ea		



#### **REAR SUSPENSION CHECK LIST**

You need to order the following items for the rear end of your vehicle.



•		
Shock Absorber	2	Ea
Leaf Spring	2	Ea
Urethane Shackle Bushes	1	Kt
U-Bolts Kits	1	Kt
Greaseable Shackle Kit	1	Kt
Greaseable Pin Kit	1	Kt
Bellow Airbags (Optional)	1	Kt

CONTENT	DESCRIPTION	QTY	PART NO	R	RRP				
F	FOAM CELL - SHOCK ABSORBER								
	Up to 50mm Lift	2	FC41377	\$	Ea				
	75mm /3" Lift	2	FC41377/3	\$	Ea				
	100mm /4" Lift	2	FC41377/4	\$	Ea				
	40MM ADJUSTA	\BI	E - SHOCK ABSC	RB	ER				
٥	Up to 50mm Lift	2	BM401377	\$	Ea				
	75mm /3" Lift	2	BM401377/3	\$	Ea				
	45MM ADJUSTABLE - SHOCK ABSORBER								
	Only 50mm Lift	2	BMX1377/2	\$	Ea				
8	75mm /3" Lift	2	BMX1377/3	\$	Ea				
	100mm /4" Lift	2	BMX1377/4	\$	Ea				
	RALPH -	SH	OCK ABSORBER						
	50mm Lift	2	TDR1377	\$	Ea				

	LEAF SPI	RIN	IGS			
	0-200kg load	2	BP-019	\$	Ea	
	CONSTANT 400kg load	1	FS781-LH	\$	Ea	
	CONSTANT 400kg load	1	FS781-RH	\$	Ea	
	CONSTANT 600kg load	1	FS781HM-LH	\$	Ea	
	CONSTANT 600kg load	1	FS781HM-RH	\$	Ea	
	CONSTANT 900kg load	1	FS781XHD-LH	\$	Ea	
	CONSTANT 900kg load	1	FS781XHD-RH	\$	Ea	
IF FS781XHD springs selected, then select 1 X TDSB-008 as well						

	AIR ASSIST -	BE	LLOWS	
22	Bellows Bag - OEM Height	1	TDAA-121	\$ Kt
	Bellows Bag - Up to 75mm lift	1	TDAA-115	\$ Kt





FRONT							
CONTENT	DESCRIPTION	QTY	PART NO	RRP			
STEERING DAMPERS - V6 MODELS							
	HD Steering Damper	1	EXT5001	\$	Ea		
<u></u>	Return-to-Center	1	SS5001-P/S	\$	Ea		
• ±	9 Stage Adjustable	1	SV5001	\$	Ea		
S	TEERING DAMPE	RS	- V8 MODELS				
	Heavy Duty damper	1	EXT5004	\$	Ea		
<u>~</u> ±	Return to Center	1	SS5004-P/S	\$	Ea		
<b>∞</b>	9 Stage Adjustable	1	SV5004	\$	Ea		

REAR							
CONTENT	DESCRIPTION	QTY	PART NO	RRP			

	SWAY B	AF	RS	
	33MM Sway Bar - V8 Vehicles only	1	TDSB-007	\$ Ea
	33MM Sway Bar - 6 Cylinder only	1	TDSB-011	\$ Ea
•	Front sway bar spacer kit-If tailshaft contacts	1	TDSP-013	\$ Ea

	SWAY B	AF	RS			
	Sway Bar - Fit with CONSTANT 900kg Springs	1	TDSB-008	\$	Ea	
	Sway Bar - Fit with CONSTANT 900kg Springs - 5 Star Ancap only 9/2016 - On	1	TDSB-012	\$	Ea	
Note: Swaybar Does not suit 6 Cylinder.						
	Replacement bush for Sway bar	1	TDUK-033	\$	Kt	

CASTER CO	RRI	ECTION	
2 Degree	1	TDUK-054/2	\$ Kt
3 Degree	1	TDUK-054/3	\$ Kt

	PANHARD	R	ODS	
	Adjustable - 6 Cylinder	1	TDPR-079	\$ Ea
	Adjustable - V8 Up to 08/2016	1	TDPR-015	\$ Ea
	Adjustable - V8 09/2016 on	1	TDPR-006	\$ Ea
	Adjustable - 6 Cylinder LHD Only	1	TDPR-019	\$ Ea
	Adjustable - V8 LHD Only	1	TDPR-025	\$ Ea
	Panhard rod replacement bushes	1	TDUK-043	\$ Kt

FRONT INDIVIDUAL COMPONENTS						
	Urethane Shackle bush kit - Suit V8 with greaseable pins & shackles	1	TDUK-048	\$	Kt	
$\cap$	U-Bolt kit (230mm long)	2	TDUB-024	\$	Kt	
$\cap$	U-Bolt kit (290mm long) - use with FS781XHD	2	TDUB-038	\$	Kt	
	Greaseable Shackle kit	1	TDGS-387/18	\$	Kt	
	Greaseable Pin Kit	1	TDGP-388	\$	Kt	
ı.i	Brake bias bracket - Not req after 1/17	1	TDSP-014	\$	Ea	
	Handbrake relocation bracket - Must be fitted with BMX OR TDR shocks	1	TDSP-015	\$	Ea	
	Urethane Shackle bush kit-Suit Ute before 6/09 w/standard pins & shackles	1	TDUK-048/14	\$	Kt	
	Urethane Shackle bush kit-Suit T/ Carrier before 6/09 W/standard pins & shackles	1	TDUK-048/18	\$	Kt	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits top & bottom pin	4	TW957	\$	Ea
0	Urethane Spring Spacer 30mm	1	TDUK-1961/30	\$	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)					
8	Fits top & bottom eyering	2	ADJ00191	\$	Ea



## RONT: 50MM | REAR: 50MM



#### **FRONT**

#### FRONT SUSPENSION CHECK LIST

You need to order the following items for the front end of your vehicle.




s for the front end of your ve	illicie.	
Shock Absorber	2	Ea
Coil Spring	1	Pr
Panhard Rod (Optional)	1	Ea
Castor Correction (Optional)	1	Kt
Steering Damper (Optional)	1	Ea
Offset King Pin (Optional)	1	Ea

CONTENT	DESCRIPTION	QTY	PART NO	F	RRP		
FOAM CELL - SHOCK ABSORBER							
	Up to 50mm Lift	2	FC41050	\$	Ea		
	75mm /3" Lift	2	FC41050/3	\$	Ea		
	100mm /4" Lift	2	FC41050/4	\$	Ea		
	40MM ADJUSTA	<b>4BL</b>	E - SHOCK ABSO	RB	ER		
٥	Up to 50mm Lift	2	BM401050	\$	Ea		
	75mm /3" Lift	2	BM401050/3	\$	Ea		
•	45MM ADJUSTABLE - SHOCK ABSORBER						
	Only 50mm Lift	2	BMX1050/2	\$	Ea		
8	75mm /3" Lift	2	BMX1050/3	\$	Ea		
	100mm /4" Lift	2	BMX1050/4	\$	Ea		
	RALPH -	SH	OCK ABSORBER				
	50mm Lift	2	TDR1050	\$	Ea		
	75mm /3" Lift	2	TDR1050/3	\$	Ea		

	COIL SPI	RIN	IGS	
	OE Height - Up to Steel Bar	1	TDC950SL	\$ Pr
<b>M</b> I A A A A	50mm Lift - Up to Steel Bar	1	TDC950L	\$ Pr
	50mm Lift - With Steel Bar & Winch	1	TDC950HL	\$ Pr
	75mm Lift - With Bar & Winch	1	TDC950/3H	\$ Pr

STEERING DAMPERS - V8 MODELS								
	Heavy Duty damper	1	EXT5004	\$	Ea			
<u></u>	Return to Center	1	SS5004-P/S	\$	Ea			
·	9 Stage Adjustable	1	SV5004	\$	Ea			

#### **REAR SUSPENSION CHECK LIST** You need to order the following items for the rear end of your vehicle. Shock Absorber Leaf Spring 2



**REAR** 

CONTENT	DESCRIPTION	QTY	PART NO	RI	RP				
FOAM CELL - SHOCK ABSORBER									
	Up to 50mm Lift	2	FC41377	\$	Ea				
	75mm /3" Lift	2	FC41377/3	\$	Ea				
	100mm /4" Lift	2	FC41377/4	\$	Ea				
	40MM ADJUSTA	BL	E - SHOCK ABSO	RBE	ER				
<u> </u>	Up to 50mm Lift	2	BM401377	\$	Ea				
	75mm /3" Lift	2	BM401377/3	\$	Ea				
	45MM ADJUSTA	BL	E - SHOCK ABSO	RBE	ER				
	Only 50mm Lift	2	BMX1377/2	\$	Ea				
8	75mm /3" Lift	2	BMX1377/3	\$	Ea				
	100mm /4" Lift	2	BMX1377/4	\$	Ea				
	RALPH -	SH	OCK ABSORBER						
	50mm Lift	2	TDR1377	\$	Ea				

LEAF SPRINGS							
مد	CONSTANT 200kg load	1	FS781-LH	\$	Ea		
	CONSTANT 300kg load	1	FS781-RH	\$	Ea		
	CONSTANT 500kg load	1	FS781HM-LH	\$	Ea		
	CONSTAINT SOURG IOAG	1	FS781HM-RH	\$	Ea		
	CONSTANT 800kg load	1	FS781XHD-LH	\$	Ea		
	CONSTAINT 600Kg load	1	FS781XHD-RH	\$	Ea		
IF FS781XHD springs selected, then select 1 X TDSR-008 as well							



## TOYOTA LANDCRUISER 78, 79 SERIES (DUAL CAB) 2012 ON EST. LIFT FRONT: 50MM | REAR: 50MM



FRONT								
CONTENT	DESCRIPTION	QTY	PART NO	RRP				
SWAY BARS								
	33MM Sway Bar - V8 Vehicles only	1	TDSB-007	\$	Ea			
•	Front sway bar spacer kit - If tailshaft contacts	1	TDSP-013	\$	Ea			

REAR									
CONTENT	DESCRIPTION	QTY	PART NO		RRP				
SWAY BARS									
	Sway Bar - Fit with CONSTANT 900kg Springs	1	TDSB-008	\$	Ea				
	Replacement bush for Sway bar	1	TDUK-033	\$	Kt				

OFFSET KING PINS							
	0.5 Degree	1	TAK-8005	\$	Ea		
	0.75 Degree	1	TAK-8075	\$	Ea		
	1.0 Degree	1	TAK-8001	\$	Ea		

	AIR ASSIST -	ВЕ	LLOWS	
22	Bellows Bag - OEM Height	1	TDAA-121	\$ Kt
	Bellows Bag - Up to 75mm lift	1	TDAA-115	\$ Kt

CASTER CORRECTION							
	2 Degree	1	TDUK-054/2	\$	Kt		
	3 Degree	1	TDUK-054/3	\$	Kt		

PANHARD RODS							
~ <del>_</del>	Adjustable - V8 Up to 08/2016	1	TDPR-015	\$	Ea		
~	Adjustable - V8 LHD Only	1	TDPR-025	\$	Ea		

REAR INDIVIDUAL COMPONENTS								
	Urethane Shackle bush kit-Suit V8 w/ greaseable pins & shackles	1	TDUK-048	\$	Kt			
$\bigcap$	U-Bolt kit (230mm long)	2	TDUB-024	\$	Kt			
$\cap$	U-Bolt kit (290mm long) - use with FS781XHD	2	TDUB-038	\$	Kt			
	Greaseable Shackle kit	1	TDGS-387/18	\$	Kt			
*****	Greaseable Pin Kit	1	TDGP-388	\$	Kt			
ı.	Brake bias bracket - Not req after 1/17	1	TDSP-014	\$	Ea			
	Handbrake relocation bracket - Fit with BMX OR TDR shocks	1	TDSP-015	\$	Ea			

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)								
	Fits top & bottom pin	4	TW957	\$	Ea			
0	Urethane Spring Spacer 30mm	1	TDUK-1961/30	\$	Ea			

REAR RE	REAR REPLACEMENT BUSHES (QTY PER SHOCK)							
8	Fits top & bottom eyering	2	ADJ00191	\$	Ea			





#### TOUGH DOG GVM UPGRADE CAN ONLY BE ORDERED THROUGH A TOUGH DOG APPROVED GVM DEALER

#### **GVM SUSPENSION UPGRADE KIT - VTA - 050400**

PRE REGISTRATION - FEDERAL APPROVAL					
CONTENT	DESCRIPTION	PART	NO	RRP	
78 5	SERIES TROOPCA	RRIER-V8 2	007 ON		
			FC41050		
ОЕМ	FRONT		FC41377		
GVM	FRONT ALL APPLICATIONS		FS781HM		
3300KG			TDUK-054/2		
		TDGVM-009	TDUK-048	\$ Kt	
		1 DG V WI-003	TDGP-388	φ ru	
3950KG	REAR No minumum loads required		TDGS-387/18		
TOUGH DOG			TDUB-024		
GVM			TDSD-001		
			TDFI-009		
			FC41050		
ОЕМ	FRONT ALL APPLICATIONS		FC41377		
GVM			FS781XHD		
3300KG			TDUK-054/2		
		TDGVM-011	TDUK-048	\$ Kt	
		1 DG V IVI-U I I	TDGP-388	φ κι	
3950KG			TDGS-387/18		
TOUGH DOG	REAR 700Kg load required		TDUB-024		
GVM	3		TDSD-001		
			TDFI-011		

POST REGISTRATION - STATE APPROVAL					
CONTENT	DESCRIPTION	PART	NO	RRP	
78 5	SERIES TROOPCA	RRIER-V8 2	007 ON		
			FC41050		
OEM	FRONT		FC41377		
GVM	FRONT ALL APPLICATIONS		FS781HM		
3300KG			TDUK-054/2		
		TDGVM-010	TDUK-048	\$ Kt	
	REAR No minumum loads required	I DOVINI-010	TDGP-388	ψ Kt	
3950KG			TDGS-387/18		
TOUGH DOG			TDUB-024		
GVM			TDSD-001		
			TDFI-010		
	FRONT ALL APPLICATIONS		FC41050		
OEM			FC41377		
GVM			FS781XHD		
3300KG			TDUK-054/2		
		TDGVM-012	TDUK-048	\$ Kt	
		IDG V IVI-U12	TDGP-388	φ Κί	
REAR			TDGS-387/18		
700Kg load	REAR 700Kg load required		TDUB-024		
required			TDSD-001		
			TDFI-012		





#### TOUGH DOG GVM UPGRADE CAN ONLY BE ORDERED THROUGH A TOUGH DOG APPROVED GVM DEALER

#### **GVM SUSPENSION UPGRADE KIT - VTA - 050400**

PRE REGISTRATION - FEDERAL APPROVAL					
CONTENT	DESCRIPTION	PART	NO	RRP	
	79 SERIES UTE	-V8 2007 ON	l		
			FC41050		
OEM			FC41377		
GVM 3300KG TO	FRONT ALL APPLICATIONS		FS781HM		
3400KG			TDUK-054/2		
		TDGVM-005	TDUK-048	\$ Kt	
	REAR No minumum loads required	I DG VIVI-005	TDGP-388	\$ Kt	
3950KG			TDGS-387/18		
TOUGH DOG			TDUB-024		
GVM			TDSD-001		
			TDFI-009		
OEM	FRONT ALL APPLICATIONS		FC41377		
GVM 3300KG TO			FS781XHD		
3400KG			TDUK-054/2		
		TDGVM-007	TDUK-048	\$ Kt	
		1 DG V IVI-007	TDGP-388	\$ Kt	
3950KG			TDGS-387/18		
TOUGH DOG	REAR 700Kg load required		TDUB-024		
GVM			TDSD-001		
			TDFI-011		

POST REGISTRATION - STATE APPROVAL					
CONTENT	DESCRIPTION	PART	NO	RRP	
	79 SERIES UTE	-V8 2007 ON	l		
			FC41050		
OEM	FRONT		FC41377		
GVM 3300KG TO	FRONT ALL APPLICATIONS		FS781HM		
3400KG			TDUK-054/2		
		TDGVM-006	TDUK-048	\$ Kt	
	REAR No minumum loads required	1501111 000	TDGP-388	Ψ	
3950KG			TDGS-387/18		
TOUGH DOG GVM			TDUB-024		
GVIVI			TDSD-001		
			TDFI-010		
	FRONT ALL APPLICATIONS		FC41050		
OEM			FC41377		
GVM 3300KG TO			FS781XHD		
3400KG			TDUK-054/2		
		TDGVM-008	TDUK-048	\$ Kt	
		1.501111-000	TDGP-388	Ψ	
3950KG	2542		TDGS-387/18		
TOUGH DOG	REAR 700Kg load required		TDUB-024		
GVM	Toons road required		TDSD-001		
			TDFI-012		





#### **FRONT**

#### FRONT SUSPENSION CHECK LIST

You need to order the following items for the front end of your vehicle.



•		
Shock Absorber	2	Ea
Coil Spring	1	Pr
Panhard Rod (Optional)	1	Ea
Castor Correction (Optional)	1	Kt
Steering Damper (Optional)	1	Ea
Offset King Pin (Optional)	1	Ea

CONTENT	DESCRIPTION	P	PART NO	RR	P			
FOAM CELL - SHOCK ABSORBER								
	Up to 50mm Lift	2	FC41002	\$	Ea			
	40MM ADJUSTABLE - SHOCK ABSORBER							
	Up to 50mm Lift	2	BM401002	\$	Ea			
•	45MM ADJUSTA	ABI	E - SHOCK ABSO	RBE	R			
8	Only 50mm Lift	2	BMX1002/2	\$	Ea			
	RALPH - SHOCK ABSORBER							
	Up to 50mm Lift	2	TDR1002B	\$	Ea			

	COIL SPRINGS	- 2	5MM LIFT			
	03/1990-1991	80	Series			
	No Bar or Alloy Bar - Petrol	1	TDC943S	\$	Pr	
	Steel Bar - Diesel	1	TDC948L	\$	Pr	
	Steel Bar & Winch - Petrol or Diesel	1	TDC948HL	\$	Pr	
	COIL SP	RII	NGS - 50MM LIFT			
	03/1	990	-1991 80 Series			
	Steel Bar - Diesel	1	TDC943	\$	Pr	
	Steel Bar & Winch - Petrol or Diesel	1	TDC943H	\$	Pr	
	COIL SPRINGS - 25MM LIFT					
		Serie	es & 3/98-07 105 Series			
	No Bar or Alloy Bar - Petrol	1	TDC948SL	\$	Pr	
	Steel Bar - Diesel	1	TDC948HSL	\$	Pr	
	Steel Bar & Winch - Petrol or Diesel	1	TDC948L	\$	Pr	
	COIL SPRINGS - 50MM LIFT					
	9/91-98 80 Series & 3/98-07 105 Series					
	No Bar or Alloy bar - 80 Series Only	1	TDC943S	\$	Pr	
	Steel Bar	1	TDC948L	\$	Pr	
	Steel Bar & Winch	1	TDC948HL	\$	Pr	
	Steel Bar, Winch & Dual Battery	1	TDC943H	\$	Pr	

#### **REAR**

#### **REAR SUSPENSION CHECK LIST**

You need to order the following items for the rear end of your vehicle.



mo for the real end of your vernole:						
	Shock Absorber	2	Ea			
	Coil Spring	1	Pr			
	Panhard Rods (Optional)	1	Ea			
	Coil Insert Airbags (Optional)	1	Kt			

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
FOAM CELL - SHOCK ABSORBER							
	Up to 50mm Lift	2	FC41111	\$ Ea			
	40MM ADJUSTA	ABL	LE - SHOCK ABSO	RBER			
	Up to 50mm Lift	2	BM401111	\$ Ea			
	45MM ADJUSTA	ABI	E - SHOCK ABSO	RBER			
8	Only 50mm Lift	2	BMX1111/2	\$ Ea			
	RALPH - SHOCK ABSORBER						
	Up to 50mm Lift	2	TDR1111	\$ Ea			

COIL SPRINGS - 25MM LIFT							
03/1990-1991 80 Series							
	0-300kg load	1	TDC945S	\$	Pr		
	CONSTANT 300kg load	1	TDC949L	\$	Pr		
	CONSTANT 500kg load	1	TDC949HL	\$	Pr		
	COIL SP	RII	NGS - 50MM LIFT				
	03/19	990	-1991 80 Series				
	0-300kg load	1	TDC945S	\$	Pr		
	CONSTANT 300kg load	1	TDC945H	\$	Pr		
	COIL SPRINGS - 25MM LIFT						
MILLA	9/91-98 80 Series & 3/98-07 105 Series						
	0-300kg load	1	TDC949SL	\$	Pr		
	CONSTANT 300kg load	1	TDC949HSL	\$	Pr		
	CONSTANT 500kg load	1	TDC949L	\$	Pr		
	COIL SPRINGS - 50MM LIFT						
	9/91-98 80 S	Serie	es & 3/98-07 105 Series				
	No Load	1	TDC945S	\$	Pr		
	0-300kg load	1	TDC949L	\$	Pr		
	CONSTANT 300kg load	1	TDC949HL	\$	Pr		
	CONSTANT 500kg load	1	TDC945H	\$	Pr		



## TOYOTA LANDCRUISER 80 & 105 SERIES (2") 05/1990-2007 EST. LIFT FRONT: 50MM | REAR: 50MM



FRONT						
CONTENT DESCRIPTION E PART NO RRP						
CASTER CORRECTION						
<b>©</b>	2 Degree caster correction bush	1	TDUK-054/2	\$	Kt	

REAR						
CONTENT	DESCRIPTION	QTY	PART NO	R	RRP	
AIR ASSIST - COIL INSERT						
	Coil Insert bag - OEM Height	1	TDAA-021	\$	Kt	
	Coil Insert bag - 25mm Lift	1	TDAA-010	\$	Kt	
	Coil Insert bag - 50mm Lift	1	TDAA-011	\$	Kt	

OFFSET KI	NG	PINS	
0.5 Degree	1	TAK-8005	\$ Ea
0.75 Degree	1	TAK-8075	\$ Ea
1.0 Degree	1	TAK-8001	\$ Ea

PANHARD RODS						
~	Adjustable panhard rod - rhd	1	TDPR-006	\$	Ea	
~ <del></del>	Adjustable panhard rod - lhd	1	TDPR-001	\$	Ea	
	Panhard rod bush kit	1	TDUK-043	\$	Kt	

PANHARD RODS					
·	Adjustable panhard rod	1	TDPR-007	\$	Ea
	Panhard rod bush kit	1	TDUK-047	\$	Kt

STEERING DAMPERS						
-	Heavy duty Steering Damper - suit v8 models	1	EXT5001	\$	Ea	
<u>~_₩₩₩₩,±</u> ,	Return to centre Steering Damper	1	SS5001-P/S	\$	Ea	
O(Emmercial Line)	9 Stage adjustable damper	1	SV5001	\$	Ea	

FRONT INDIVIDUAL COMPONENTS							
	Radius Rod to Chassis bush kit	1	TDUK-044	\$	Kt		
	Radius Rod to Diff bush kit	1	TDUK-050	\$	Kt		
	20mm Urethane Coil spacer - 1 per coil	1	TDUK-1725/20	\$	Ea		
	30mm Urethane Coil spacer - 1 per coil	1	TDUK-1725/30	\$	Ea		

F	REAR INDIVIDUAL	C	OMPONENTS	
	Trailing Arm bush kit - Upper	1	TDUK-045	\$ Kt
	Trailing Arm bush kit - Lower	1	TDUK-046	\$ Kt
	15mm Urethane Coil spacer - 1 per Coil	1	TDUK-1724/15	\$ Ea
	30mm Urethane Coil spacer - 1 per Coil	1	TDUK-1724/30	\$ Ea

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top & bottom pins	4	TW957	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top pin	2	TW957	\$	Ea	
8	Fits bottom eyering	1	415024	\$	Ea	




ONT: 75MM | REAR: 75MM



#### **FRONT**

#### FRONT SUSPENSION CHECK LIST

You need to order the following items for the front end of your vehicle.



Shock Absorber	2	Ea
Coil Spring	1	Pr
Panhard Rod	1	Ea
Castor Correction	1	Kt
Steering Damper (Optional)	1	Ea
Offset King Pin (Optional)	1	Ea


CONTENT	DESCRIPTION	Ę	PART NO	RRP				
FOAM CELL - SHOCK ABSORBER								
	75mm / 3" Lift	2	FC41002	\$ 6	Ea			
	40MM ADJUSTABLE - SHOCK ABSORBER							
	75mm / 3" Lift	2	BM401002	\$ 6	Ea			
	45MM ADJUSTA	\BI	E - SHOCK ABSO	RBER				
8	75mm / 3" Lift	2	BMX1002/2	\$ 6	Ea			
	RALPH -	SH	OCK ABSORBER					
	75mm / 3" Lift	2	TDR1002B	\$ 1	Ea			

COIL SPRINGS								
	75mm / 3" Lift with no bar or alloy bar	1	TDC943	\$	Pr			
	75mm / 3" Lift with Steel bar	1	TDC948/3	\$	Pr			
	75mm / 3" Lift with Steel bar & Winch	1	TDC943H	\$	Pr			

	CASTER CO	RRI	ECTION	
•	2 Deg Castor correction bush kit	1	TDUK-054/2	\$ Kt

PANHARD RODS					
~	Adjustable - RHD	1	TDPR-006	\$	Ea
~	Adjustable - LHD	1	TDPR-001	\$	Ea
	Panhard Rod bush kit	1	TDUK-043	\$	Kt

STEERING DAMPERS					
-	Heavy Duty	1	EXT5001	\$	Ea
<u>~</u> ±.	Return to Center	1	SS5001-P/S	\$	Ea
•••••• <u>±</u>	9 Stage Adjustable	1	SV5001	\$	Ea



CONTENT	DESCRIPTION	QTY	PART NO	RR	P			
F	FOAM CELL - SHOCK ABSORBER							
	75mm / 3" Lift	2	FC41111	\$	Ea			
	40MM ADJUSTA	ABI	LE - SHOCK ABSO	RBEI	₹			
	75mm / 3" Lift	2	BM401111	\$	Ea			
	45MM ADJUSTA	ABI	E - SHOCK ABSO	RBEI	₹			
8	75mm / 3" Lift	2	BMX1111/2	\$	Ea			
	RALPH - SHOCK ABSORBER							
	75mm / 3" Lift	2	TDR1111	\$	Ea			

COIL SPRINGS					
	75mm / 3" Lift 0-300kg load	1	TDC949/3	\$	Pr
	75mm / 3" Lift CONSTANT 300kg load	1	TDC945	\$	Pr
	75mm / 3" Lift CONSTANT 500kg load	1	TDC945H	\$	Pr

PANHARD RODS					
·	Adjustable	1	TDPR-007	\$	Ea
	Panhard Rod bush kit	1	TDUK-047	\$	Kt



## TOYOTA LANDCRUISER 80 & 105 SERIES (3") 05/1990-2007 EST. LIFT FRONT: 75MM | REAR: 75MM



FRONT						
CONTENT	DESCRIPTION	QTY	PART NO	RRP		
OFFSET KING PINS						
	0.5 Degree	1	TAK-8005	\$	Ea	
	0.75 Degree	1	TAK-8075	\$	Ea	
	1.0 Degree	1	TAK-8001	\$	Ea	

REAR							
CONTENT	DESCRIPTION	QTY	PART NO	RRP			
BRAKE HOSE KITS - 80 & 105 SERIES NON ABS							
	Rubber	1	TDBH-003	\$	Ea		
	Braided	1	TDBH-197	\$	Ea		
	BRAKE HOSE KITS - 80 SERIES ABS						
	Rubber	1	TDBH-300	\$	Ea		
	Braided	1	TDBH-200	\$	Ea		
	BRAKE HOSE KITS - 105 SERIES ABS						
	Rubber	1	TDBH-398	\$	Ea		
	Braided	1	TDBH-198	\$	Ea		

FRONT INDIVIDUAL COMPONENTS						
_	Radius Rod to Chassis bush kit	1	TDUK-044	\$	Kt	
	Radius Rod to Diff bush kit	1	TDUK-050	\$	Kt	
	20mm Urethane Coil spacer - 1 per coil	1	TDUK-1725/20	\$	Ea	
	30mm Urethane Coil spacer - 1 per coil	1	TDUK-1725/30	\$	Ea	

REAR INDIVIDUAL COMPONENTS						
_	Trailing Arm bush kit - Upper	1	TDUK-045	\$	Kt	
	Trailing Arm bush kit - Lower	1	TDUK-046	\$	Kt	
	15mm Urethane Coil spacer - 1 per Coil	1	TDUK-1724/15	\$	Ea	
	30mm Urethane Coil spacer - 1 per Coil	1	TDUK-1724/30	\$	Ea	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits top & bottom pins	4	TW957	\$	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits top pin	2	TW957	\$	Ea
8	Fits bottom eyering	1	415024	\$	Еа




TOYOTA

LANDCRUISER
80 & 105 SERIES (4", 5", 6")
05/1990-2007
EST. LIFT FRONT: 100MM | REAR: 100MM



## FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber 2



Shock Absorber	2	Ea
Coil Spring	1	Pr
Panhard Rod	1	Ea
Castor Correction	1	Kt
Steering Damper (Optional)	1	Ea
Offset King Pin (Optional)	1	Ea

CONTENT	DESCRIPTION	₫	PART NO	RRP			
FOAM CELL - SHOCK ABSORBER							
•	100mm / 4" Lift	2	FC41002/4	\$ E	Ξа		
	45MM ADJUSTA	ABI	LE - SHOCK ABSO	RBER			
	100mm / 4" Lift	2	BMX1002/4	\$ E	Ξа		
	125mm / 5" Lift	2	BMX1002/6	\$ E	Ξа		
8	150mm / 6" Lift	2	BMX1002/6	\$ E	Ξа		

	COIL SP	SIN	IGS	
	100mm / 4" Lift - Up to Steel bar	1	TDC948/4	\$ Pr
	100mm / 4" Lift - Up to Steel bar & Winch	1	TDC948/4H	\$ Pr
	125mm / 5" Lift - Up to Steel bar	1	TDC948/5	\$ Pr
	125mm / 5" Lift - Up to Steel bar & Winch	1	TDC948/5H	\$ Pr
	150mm / 6" Lift - Up to Steel bar	1	TDC948/6	\$ Pr
	150mm / 6" Lift - Up to Steel bar & Winch	1	TDC948/6H	\$ Pr

CASTER CORRECTION						
	100mm / 4" Lift 3 Deg Castor Correction bush	1	TDUK-054/3	\$	Kt	
	125mm / 4" Lift & 150mm / 6" Lifts 5 Deg Castor Correction Plate	1	TDCP-006	\$	Ea	

PANHARD RODS						
~	Adjustable - RHD	1	TDPR-006	\$	Ea	
~	Adjustable - LHD	1	TDPR-001	\$	Ea	
	Panhard Rod bush kit	1	TDUK-043	\$	Kt	

REAR								
REAR SUSPENSION CHECK LIST								
You need to order the following items for the rear end of your vehicle.								
	Shock Absorber	2	Ea					
	Coil Spring	1	Pr					
	Brake Hose Kit	1	Ea					
1133	Panhard Rods	1	Ea					
0 0								

CONTENT	DESCRIPTION	QTY	PART NO	RRP			
FOAM CELL - SHOCK ABSORBER							
<u> </u>	50mm Lift	2	FC41111/4	\$	Ea		
	45MM ADJUSTA	\BI	E - SHOCK ABSO	RBE	R		
	100mm / 4" Lift	2	BMX1002/4	\$	Ea		
	125mm / 5" Lift	2	BMX1002/6	\$	Ea		
8	150mm / 6" Lift	2	BMX1002/6	\$	Ea		

	COIL SPF	RIN	IGS	
	100mm / 4" Lift 0-300kg load	1	TDC949/4	\$ Pr
	100mm / 4" Lift CONSTANT 300kg load	1	TDC949/4H	\$ Pr
	125mm / 5" Lift 0-300kg load	1	TDC949/5	\$ Pr
	125mm / 5" Lift CONSTANT 300kg load	1	TDC949/5H	\$ Pr
	150mm / 6" Lift 0-300kg load	1	TDC949/6	\$ Pr
	150mm / 6" Lift CONSTANT 300kg load	1	TDC949/6H	\$ Pr

PANHARD RODS					
o <del></del>	Adjustable panhard rod	1	TDPR-007	\$	Ea
	Panhard rod bush kit	1	TDUK-047	\$	Kt



## TOYOTA LANDCRUISER 80 & 105 SERIES (4", 5", 6") 05/1990-2007 EST. LIFT FRONT: 100MM | REAR: 100MM



FRONT							
CONTENT	DESCRIPTION	ΩTΥ	PART NO		RRP		
STEERING DAMPERS							
	Return to Center - RHD	1	SS5001-XHD	\$	Ea		
<b>○──₩₩₩₩</b> , <sup>±</sup> .	Return to Center - LHD	1	SS5002-XHD	\$	Ea		
O@	9 Stage Adjustable - RHD	1	SV5001/4	\$	Ea		
O(	9 Stage Adjustable -	1	SV5002/4	\$	Ea		

REAR						
CONTENT	DESCRIPTION	QTY	PART NO	RRP		

OFFSET KING PINS					
	0.5 Degree	1	TAK-8005	\$	Ea
	0.75 Degree	1	TAK-8075	\$	Ea
	1.0 Degree	1	TAK-8001	\$	Ea

BRAKE HOSE KITS - 80 & 105 SERIES NON ABS						
	Rubber	1	TDBH-003	\$	Ea	
	Braided	1	TDBH-197	\$	Ea	
	BRAKE HOS	Εŀ	KITS - 80 SERIES A	BS		
	Rubber	1	TDBH-300	\$	Ea	
4	Braided	1	TDBH-200	\$	Ea	
	BRAKE HOSE	ΞK	ITS - 105 SERIES A	ABS		
	Rubber	1	TDBH-398	\$	Ea	
	Braided	1	TDBH-198	\$	Ea	

FRONT INDIVIDUAL COMPONENTS						
	Radius Rod to Chassis bush kit	1	TDUK-044	\$	Kt	
	Radius Rod to Diff bush kit	1	TDUK-050	\$	Kt	
	20mm Urethane Coil spacer - 1 per coil	1	TDUK-1725/20	\$	Ea	
	30mm Urethane Coil spacer - 1 per coil	1	TDUK-1725/30	\$	Ea	

REAR INDIVIDUAL COMPONENTS						
	Trailing Arm bush kit - Upper	1	TDUK-045	\$	Kt	
	Trailing Arm bush kit - Lower	1	TDUK-046	\$	Kt	
0	15mm Urethane Coil spacer - 1 per Coil	1	TDUK-1724/15	\$	Ea	
	30mm Urethane Coil spacer - 1 per Coil	1	TDUK-1724/30	\$	Ea	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					
	Fits top & bottom pins	4	TW957	\$	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top pin	2	TW957	\$	Ea	
	Fits bottom eyering	1	415024	\$	Ea	





## FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Shock Absorber 2 Ea Torsion Bar 1 Pr Torsion Bar Strengthing Kit 1 Kt

	REA	\R		
	REAR SUSPENSION	ON CHECK LIST		
You need to or	der the following iten	ns for the rear end of your ve	hicle	
2 2		Shock Absorber	2	E
		Coil Springs	1	Р
<b>.</b>	<b>₹</b> ₹	Panhard Rods (Optional)	1	E
	<b>≾</b> ≾	Coil Insert Airbags (Optional)	1	K
8 8				
CONTENT	DESCRIPTION	≥ DART NO	DDI	D

CONTENT	DESCRIPTION	QTY	PART NO	RRP
F	FOAM CELL - SHO	CK	ABSORBER	
	Up to 25mm Lift	2	FC41103	\$ Ea
	RALPH -	SH	OCK ABSORBER	
	Up to 25mm Lift	2	TDR1103	

CONTENT	DESCRIPTION	QTY	PART NO	RRP
ŀ	FOAM CELL - SHO	CK	ABSORBER	
	Up to 25mm Lift	2	FC41114	\$ Ea
	40MM ADJUSTA	ABI	E - SHOCK ABSO	RBER
	Up to 25mm Lift	2	BM401114	Ea
	45MM ADJUSTA	ABI	E - SHOCK ABSO	RBER
8	Up to 25mm Lift	2	BMX1114/2	Ea
	RALPH -	SH	OCK ABSORBER	
	Up to 25mm Lift	2	TDR1114	Ea

TORSION BAR					
	32mm/1160mm - Petrol models	1	4WTB-1600	\$	Pr
_	32mm/1210mm - Diesel models	1	4WTB-1610	\$	Pr
ha	Strengthening kit - Must be fitted	1	4WTB-1610/BKT	\$	Kt
Tordion bars mus	t only be adjusted so tha	at th	e rim to guard measure	mer	its are

COIL SPRINGS					
	OE height 0-300kg load	1	TDC949HSL	\$	Pr
	25mm Lift 0-300kg load	1	TDC949L	\$	Pr
***************************************	25mm Lift CONSTANT 300kg load	1	TDC949HL	\$	Pr

Tordion bars must only be adjusted so that the rim to guard measurements are not more than the measurements listed here. Lifting the vehicle higher than the specified measurement will result in the failure of front end components, including shock failure.

For 16" Rim - 740mm | For 17" Rim - 753mm

PANHARD RODS					
·	Adjustable	1	TDPR-003	\$	Ea

AIR ASSIST - COIL INSERT					
	Coil Insert bag - OEM Height	1	TDAA-021	\$	Kt
	Coil Insert bag - Up to 25mm lift	1	TDAA-010	\$	Kt
	Coil Insert bag - Up to 50mm lift	1	TDAA-011	\$	Kt



## TOYOTA LANDCRUISER 100 SERIES (IFS) 1998-2007 EST. LIFT FRONT: 25MM | REAR: 25MM





REAR								
CONTENT	DESCRIPTION	QTY	PART NO	RRP				
F	REAR INDIVIDUAL COMPONENTS							
	Trailing arm bush kit - Upper	1	TDUK-025	\$	Kt			
	Trailing arm bush kit - Lower	1	TDUK-026	\$	Kt			
	Urethane spring spacer -15mm	1	TDUK-1724/15	\$	Ea			
	Urethane spring spacer -30mm	1	TDUK-1724/30	\$	Ea			

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)							
	Fits bottom of top pin	1	404454A	\$	Ea		
	Fits top of top pin	1	404454B	\$	Ea		
Î	Fits bottom eyering - FC shock only	1	TW040-14	\$	Ea		
Î	Fits bottom eyering - TDR shock only	1	ADJ300/40A	\$	Ea		

REAR REPLACEMENT BUSHES (QTY PER SHOCK)							
	Fits bottom of top pin	1	404454A	\$	Ea		
	Fits top of top pin	1	404454B	\$	Ea		
8	Fits bottom eyering	1	415024	\$	Ea		





#### **FRONT** FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. 2 Ea Assembled struts OR 2 Struts Ea Coil Springs Pr 1 Strut Top (Optional) Ea Upper Control Arms (Optional) 1 Pr

CONTENT	DESCRIPTION	QTY	PART NO		RRP			
А	SSEMBLED STRU	TS	- FOAM CELL					
Assembl	Assembled struts are made up of: 1 x strut, 1 x coil 1 x strut top							
	OE Height Up to Steel bar	2	TOY-200/10	\$	Ea			
	OE Height With Steel bar & Winch	2	TOY-200/15	\$	Ea			
	40mm Lift Up to Steel bar	2	TOY-200/04	\$	Ea			
	40mm Lift With Steel bar & Winch	2	TOY-200/05	\$	Ea			
	ASSEMBLED ST	RU	TS - 40MM ADJUS	STA	BLE			
	Assembled struts are m	ade	up of: 1 x strut, 1 x coil	1 x s	trut top			
	OE Height Up to Steel bar	2	TOY-200/11	\$	Ea			
141	40mm Lift Up to Steel bar	2	TOY-200/01	\$	Ea			
<b>3</b>	40mm Lift With Steel bar & Winch	2	TOY-200/02	\$	Ea			
	ASSEMBLED ST	RU	TS - 45MM ADJUS	STA	BLE			
T	Assembled struts are m	ade	up of: 1 x strut, 1 x coil	1 x s	trut top			
8	25mm Lift Up to Steel bar	2	TOY-200/12	\$	Ea			
	40mm Lift Up to Steel bar	2	TOY-200/07	\$	Ea			
	40mm Lift With Steel bar & Winch	2	TOY-200/08	\$	Ea			
	ASSEMBLED STRUTS - RALPH							
	Assembled struts are m	ade	up of: 1 x strut, 1 x coil	1 x s	trut top			
	25mm Lift Up to Steel bar	2	TOY-200/18	\$	Ea			
	40mm Lift Up to Steel bar	2	TOY-200/16	\$	Ea			
	40mm Lift With Steel bar & Winch	2	TOY-200/17	\$	Ea			
	STRUT - FO	ΑM	CELL					
	Up to 40mm Lift	2	FC404900	\$	Ea			
Ī	STRUT -	40N	MM ADJUSTABLE					
	Up to 40mm Lift	2	BM404900	\$	Ea			
•	STRUT -	45N	MM ADJUSTABLE					
1	Up to 40mm Lift	2	BMX454900	\$	Ea			
P	ST	RL	JT - RALPH					
	Up to 40mm Lift	2	TDR4900	\$	Ea			
45mm	Adjustable & Ralph Stru	t do	es not suit factory coils					



CONTENT	DESCRIPTION	QTY	PART NO	RRP
i	OAM CELL - SHO	CK	ABSORBER	
	Up to 20mm Lift	2	FC41114	\$ Ea
	40MM ADJUSTA	BL	E - SHOCK ABSO	RBER
	Up to 20mm Lift	2	BM401114	\$ Ea
	45MM ADJUSTA	BL	E - SHOCK ABSO	RBER
8	Up to 20mm Lift	2	BMX1114/2	\$ Ea
	RALPH -	SH	OCK ABSORBER	
	Up to 20mm Lift	2	TDR1114	\$ Ea



LANDCRUISER
200 SERIES GX, GXL, VX
11/2007 ON

TOUGH DG

4WD Suspension

Across the World

EST. LIFT FRONT: 40MM | REAR: 20MM

FRONT										
CONTENT	DESCRIPTION	۵T	PART NO		RRP					
COIL SPRING										
	OE Height Up to Steel Bar	1	TDC930SL	\$	Pr					
	OE Height with Steel bar & Winch	1	TDC930HSL	\$	Pr					
	40mm Lift Up to Steel Bar	1	TDC930L	\$	Pr					
	40mm Lift with Steel bar & Winch	1	TDC930HL	\$	Pr					
	25mm Lift Up to Steel bar - BMX & RALPH	1	TDC932SL	\$	Pr					
	40mm Lift Up to Steel bar - BMX & RALPH	1	TDC932L	\$	Pr					
	40mm Lift with Steel bar - BMX & RALPH	1	TDC932HL	\$	Pr					

REAR									
CONTENT	DESCRIPTION	ΩTΥ	PART NO	RRP					
COIL SPRING									
	OE Height 0-300kg load	1	TDC931SL	\$	Pr				
MIAAAA	20mm Lift 0-300kg load	1	TDC931L	\$	Pr				
	20mm Lift CONSTANT 300kg load	1	TDC931HL	\$	Pr				
	20mm Lift CONSTANT 500kg load	1	TDC931VHL	\$	Pr				

UPPER CONTROL ARMS							
	Upper control arms	1	TDCA-004	\$	Pr		
tItI	Bush kit for TDCA-004	1	TDSK-005	\$	Kt		
	Ball joint kit for TDCA-004	1	TDSK-006	\$	Kt		

Note: Fitment of tough dog upper control arms to vehicles that have lifts fitted greater than 50mm may suffer from premature ball joint failure due to longer droop lengths. The use of strut spacers may also effect the performance and longevity of the UCA ball joint due to the limitations of the spherical bearing housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include but is not limited to jumping of the vehicle.

AIR ASSIST - COIL INSERT								
	Coil insert bag kit OE Height	1	TDAA-021	\$	Kt			
	Coil insert bag kit - 25mm lift	1	TDAA-010	\$	Kt			
	Coil insert bag kit - 50mm lift	1	TDAA-011	\$	Kt			

SWAY	BA	R	
 Sway Bar (38mm)	1	TDSB-005	\$ Ea

FRONT INDIVIDUAL COMPONENTS						
4. 0	Strut Top	2	TOY-1020	\$	Ea	

PANHARD ROD					
o <del></del>	Adjustable	1	TDPR-200	\$	Ea

REAR INDIVIDUAL COMPONENTS						
	33mm H/D Sway bar kit - non KDSS only	1	TDSB-006	\$	Ea	
0	Rear coil spacer - KDSS models	1	TDUK-087	\$	Kt	

**Note:** Due to the nature of the kdss, models fitted with KDSS may experience a 10-15mm lean resulting in the right hand side of the vehicle being lower. Part number TDUK-087 can be fitted to the top of the right rear coil which will assist with this issue.

FRONT R	EPLACEMENT BU	SH	ES (QTY PER SHO	OCK)	
	Front bottom eyering	1	4WAY-001	\$	Ea

REAR REPLACEMENT BUSHES (QTY PER SHOCK)							
	Rear top of pin	1	404454B	\$	Ea		
	Rear bottom of pin	1	404454A	\$	Ea		
	Rear bottom eyering	1	415024	\$	Ea		



LANDCRUISER
200 SERIES SAHARA
11/2007 ON
EST. LIFT FRONT: 40MM | REAR: 20MM



## FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Assembled struts 2 Ea OR Struts Coil Springs 1 Pr


Strut Top (Optional)

Upper Control Arms (Optional)

Ea

1 Pr

CONTENT	DESCRIPTION	ΩTY	PART NO	RR	Р				
A	SSEMBLED STRU	TS	- FOAM CELL						
Assemble	ed struts are made up of:	1 x	strut, 1 x coil 1 x strut to	р					
	Up to 40mm Lift - Sahara All applications	2	TOY-200/05	\$	Ea				
	ASSEMBLED ST	RU	TS - 40MM ADJUS	TAB	LE				
	Assembled struts are ma	ade	up of: 1 x strut, 1 x coil 3	L x stru	t top				
*	Up to 40mm Lift - Sahara All applications	2	TOY-200/02	\$	Ea				
<b>*</b> ***********************************	ASSEMBLED ST	RU	TS - 45MM ADJUS	TAB	LE				
-	Assembled struts are ma	ade	up of: 1 x strut, 1 x coil 3	L x stru	t top				
8	Up to 40mm Lift - Sahara All applications	2	TOY-200/08	\$	Ea				
	ASSEMBLED STRUTS - RALPH								
	Assembled struts are ma	ade	up of: 1 x strut, 1 x coil 1	L x stru	t top				
	Up to 40mm Lift - Sahara All applications	2	TOY-200/17	\$	Ea				
	STRUT - FO	ΔM	CELL						
	Up to 40mm Lift - Strut only/ No coil/ No strut top	2	FC404900	\$	Ea				
	STRUT -	40N	MM ADJUSTABLE						
I	Up to 40mm Lift - Strut only/ No coil/ No strut top	2	BM404900	\$	Ea				
I	STRUT -	45N	MM ADJUSTABLE						
	Up to 40mm Lift - Strut only/ No coil/ No strut top	2	BMX454900	\$	Ea				
	ST	RL	JT - RALPH						
	Up to 40mm Lift - Strut only/ No coil/ No strut top	2	TDR4900	\$	Ea				



CONTENT	DESCRIPTION	QTY	PART NO	RRP					
FOAM CELL - SHOCK ABSORBER									
	Up to 20mm Lift	2	FC41114	\$ 6	Ea				
	40MM ADJUSTA	BL	E - SHOCK ABSO	RBER					
	Up to 20mm Lift	2	BM401114	\$ 6	Ea				
	45MM ADJUSTA	BL	E - SHOCK ABSO	RBER					
ŏ	Up to 20mm Lift	2	BMX1114/2	\$ 6	Ea				
	RALPH -	SH	OCK ABSORBER						
	Up to 20mm Lift	2	TDR1114	\$ E	Ea				



LANDCRUISER 200 SERIES SAHARA 11/2007 ON



EST. LIFT FRONT: 40MM | REAR: 20MM

FRONT									
CONTENT	DESCRIPTION	QTY	PART NO	RRP					
COIL SPRING									
	OE Height with FC or BM shocks inc Bar/Winch	1	TDC930L	\$	Pr				
	OE Height - Up to Steel Bar with BMX or RALPH shocks	1	TDC932L	\$	Pr				
	40mm lift with FC or BM shocks	1	TDC930HL	\$	Pr				
	40mm lift with BMX or RALPH shocks	1	TDC932HL	\$	Pr				

REAR									
CONTENT	DESCRIPTION	ΩTΥ	PART NO	RRP					
COIL SPRING									
	OE Height 0-300kg load	1	TDC931SL	\$	Pr				
	20mm Lift 0-300kg load	1	TDC931L	\$	Pr				
	20mm Lift CONSTANT 300kg load	1	TDC931HL	\$	Pr				
	20mm Lift CONSTANT 500kg load	1	TDC931VHL	\$	Pr				

UPPER CONTROL ARMS							
	Upper control arms	1	TDCA-004	\$	Pr		
しほり	Bush kit for TDCA-004	1	TDSK-005	\$	Kt		
00	Ball joint kit for TDCA-004	1	TDSK-006	\$	Kt		

AIR ASSIST - COIL INSERT							
	Coil insert bag kit OE Height	1	TDAA-021	\$	Kt		
	Coil insert bag kit - 25mm lift	1	TDAA-010	\$	Kt		
	Coil insert bag kit - 50mm lift	1	TDAA-011	\$	Kt		

Note: Fitment of tough dog upper control arms to vehicles that have lifts fitted greater than 50mm may suffer from premature ball joint failure due to longer droop lengths. The use of strut spacers may also effect the performance and longevity of the UCA ball joint due to the limitations of the spherical bearing housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include but is not limited to jumping of the vehicle.

FRONT INDIVIDUAL COMPONENTS							
Æ.O	Strut Top	2	TOY-1020	\$	Ea		

·	Adjustable	1	TDPR-200	\$ Ea

**REAR INDIVIDUAL COMPONENTS** 

**PANHARD ROD** 

0	Rear coil spacer - KDSS models	1	TDUK-087	\$	Kt
Note: Due to the	nature of the kdss, mod	elş	fitted with kdss may exp	oerie	nce a

Note: Due to the nature of the kdss, models fitted with kdss may experience a 10-15mm lean resulting in the right hand side of the vehicle being lower.

Part number TDUK-087 can be fitted to the top of the right rear coil which will assist with this issue.

FRONT R	FRONT REPLACEMENT BUSHES (QTY PER SHOCK)							
	Front bottom eyering	1	4WAY-001	\$	Ea			

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Rear top of pin	1	404454B	\$	Ea	
	Rear bottom of pin	1	404454A	\$	Ea	
8	Rear bottom eyering	1	415024	\$	Ea	





#### TOUGH DOG GVM UPGRADE CAN ONLY BE ORDERED THROUGH A TOUGH DOG APPROVED GVM DEALER

#### **GVM SUSPENSION UPGRADE KIT - VTA - 050376**

PRE REGISTRATION - FEDERAL APPROVAL									
CONTENT	DESCRIPTION	PART I	RRP						
200 SERIES - GX SERIES - 08/2014 ON									
OEM	EDONT		TOY-200/05						
GVM 3350KG	FRONT ALL APPLICATIONS		FC41114						
20501/0		TDGVM-003	TDC931VHL	\$ Kt					
3850KG TOUGH	REAR No Minimum load		TDSD-001						
DOG GVM	required		TDFI-003						

POST REGISTRATION - STATE APPROVAL							
CONTENT	DESCRIPTION	PART I	10	RRP			
200 SERIES - GX SERIES - 08/2014 ON							
OEM	OEM		TOY-200/05				
GVM 3350KG	FRONT ALL APPLICATIONS	TDGVM-004	FC41114				
3850KG			TDC931VHL	\$ Kt			
TOUGH	REAR No Minimum load		TDSD-001				
GVM	GVM required		TDFI-004				
	200 SERIES - GX	SERIES 2007	-8/2014				
OEM	FRONT		TOY-200/05				
GVM 3350KG	ALL APPLICATIONS		FC41114				
20001/2		TDGVM-026	TDC931VHL	\$ Kt			
3830KG TOUGH DOG	REAR No Minimum load		TDSD-001				
GVM	required		TDFI-022				





#### TOUGH DOG GVM UPGRADE CAN ONLY BE ORDERED THROUGH A TOUGH DOG APPROVED GVM DEALER

#### **GVM SUSPENSION UPGRADE KIT - VTA - 050375**

PRE REGISTRATION - FEDERAL APPROVAL								
CONTENT	DESCRIPTION	PART I	RRP					
200 SERIES - GXL / VX / SAHARA - 08/2014 ON								
OEM GVM	GVM FRONT		TOY-200/05					
3350KG ALL APPLICATION	ALL APPLICATIONS	ATIONS TDGVM-001	FC41114	\$	۲t			
3850KG TOUGH	RFAR	15001	TDC931VHL	Ψ	`			
			TDFI-003					

P	POST REGISTRATION - STATE APPROVAL								
CONTENT	DESCRIPTION	PART I	RRP						
200	200 SERIES - GXL / VX / SAHARA - 08/2014 ON								
OEM GVM	GVM FRONT		TOY-200/05						
3350KG	ALL APPLICATIONS	TDGVM-002	FC41114	\$ Kt					
3850KG TOUGH	REAR No Minimum load		TDC931VHL	φ Kt					
DOG GVM	DOG		TDFI-002						
200	SERIES - GXL / VX	/ SAHARA 20	007- 08/20	14					
OEM GVM	FRONT	TDGVM-025	TOY-200/05						
3350KG	ALL APPLICATIONS		FC41114	\$ Kt					
3830KG TOUGH	REAR No Minimum load		TDC931VHL	, TX					
DOG GVM	required		TDFI-021						




LANDCRUISER 300 SERIES 03/2021 ON

VX, GXL, GX, SAHARA



#### 03/2021 ON EST. LIFT FRONT: 50MM |REAR: 35MM



CONTENT	DESCRIPTION	QTY	PART NO	RRF	•		
А	SSEMBLED STRU	TS	- FOAM CELL				
Assembl	ed struts are made up of:	: 1 x	strut, 1 x coil 1 x strut to	р			
	Petrol / Diesel / No Accessories	2	TOY-003	\$	Ea		
	Petrol / Diesel / Bar or Bar & Winch	2	TOY-004	\$	Ea		
	ASSEMBLED ST	RU	TS - 40MM ADJUS	TABL	.E		
	Assembled struts are ma	ade	up of: 1 x strut, 1 x coil 3	L x strut	top		
	Petrol / Diesel / No Accessories	2	TOY-001	\$	Ea		
	Petrol / Diesel / Bar or Bar & Winch	2	TOY-002	\$	Ea		
	ASSEMBLED ST	RU	TS - 45MM ADJUS	TABL	.E		
*	Assembled struts are ma	ade	up of: 1 x strut, 1 x coil :	L x strut	top		
8	Petrol / Diesel / No Accessories	2	TOY-005	\$	Ea		
	Petrol / Diesel / Bar or Bar & Winch	2	TOY-006	\$	Ea		
	ASSEMBLED STRUTS - RALPH						
	Assembled struts are ma	ade	up of: 1 x strut, 1 x coil :	L x strut	top		
	Petrol / Diesel / No Accessories	2	TOY-007	\$	Ea		
	Petrol / Diesel / Bar or Bar & Winch	2	TOY-008	\$	Ea		
	STRUT - FO	ΑM	CELL				
	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404932	\$	Ea		
	STRUT - 4	40N	MM ADJUSTABLE				
Ī	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404932	\$	Ea		
	STRUT - 4	45N	MM ADJUSTABLE				
	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	BMX454932	\$	Ea		
	ST	RL	JT - RALPH				
	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	TDR4932	\$	Ea		
45mm	Adjustable & Ralph Stru	t do	es not suit factory coils				

REAR						
REAR SUSPENSION	ON CHECK LIST					
You need to order the following items for the rear end of your vehicle.						
	Shock Absorber	2	Ea			
	Coil Springs	1	Pr			
	Sway bar bracket	1	Kt			
	Panhard Rod (Optional)	1	Ea			
iiss	Coil Insert Airbag (Optional)	1	Kt			
0 0						

CONTENT	DESCRIPTION	QTY	PART NO	RRP	
F	FOAM CELL - SHO	CK	ABSORBER		
	Up to 35mm Lift	2	FC43041	\$ E	a
	35mm Lift - For use with 500kg springs Only	2	FC43043	\$ E	ā
	40MM ADJUSTA	BL	E - SHOCK ABSO	RBER	
	Up to 35mm Lift	2	BM403041	\$ E	a
	45MM ADJUSTA	BL	E - SHOCK ABSO	RBER	
8	Up to 35mm Lift	2	BMX3041	\$ E	ā
	RALPH -	SH	OCK ABSORBER		
	Up to 35mm Lift	2	TDR3041	\$ E	a



#### LANDCRUISER 300 SERIES 03/2021 ON

VX, GXL, GX, SAHARA



EST. LIFT FRONT: 50MM | REAR: 35MM

FRONT							
CONTENT	DESCRIPTION	۵T	PART NO	RRP			
COIL SPRING - 50MM LIFT							
	50mm Lift No Accessories	1	TDC1055	\$	Pr		
	Bar or Bar & Winch	1	TDC1056	\$	Pr		
	No Accessories Fit BMX & Ralph Struts only	1	TDC1057	\$	Pr		
	Bar or Bar & Winch Fit BMX & Ralph Struts only	1	TDC1058	\$	Pr		

REAR							
CONTENT	DESCRIPTION	۵T	PART NO		RRP		
COIL SPRING - 35MM LIFT							
	0-300kg load	1	TDC1059	\$	Pr		
	CONSTANT 300kg load	1	TDC1060	\$	Pr		
	CONSTANT 500kg load	1	TDC1061	\$	Pr		

UPPER CONTROL ARMS					
UU	Upper control arms	1	TDCA-011		
	Bush kit for TDCA-011	1	TDSK-015		
	Ball Joint kit for TDCA-011	1	TDSK-016		

AIR ASSIST - C		L INSERT	
Coil insert bag - OEM Height	1	TDAA-030	\$ Kt
Coil insert bag - Up to 35mm lift	1	TDAA-031	\$ Kt

COMING SOON! CALL FOR ORDER

Note: Fitment of tough dog upper control arms to vehicles that have lifts fitted greater than 50mm may suffer from premature ball joint failure due to longer droop lengths. The use of strut spacers may also effect the performance and longevity of the UCA ball joint due to the limitations of the spherical bearing housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include but is not limited to jumping of the vehicle.

PANHARD ROD						
o <del></del>	Adjustable panhard rod	1	TDPR-027	\$	Ea	

FRONT INDIVIDUAL COMPONENTS						
<b>1</b> 0	Strut Top	2	TOY-4932	\$	Ea	

REAR INDIVIDUAL COMPONENTS						
4	Rear Sway bar bracket	1	TDSP-028	\$	Kt	
Note: Must be fitted with every Kit						

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)						
	Replacement bush kit	1	TDUK-057	\$	Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)							
	Replacement bush kit	1	TDUK-058	\$	Ea		





## FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Assembled struts 2 Ea OR Struts 2 Ea Coil Springs 1 Pr Strut Top (Optional) 2 Ea

REA	R		
REAR SUSPENSIO	N CHECK LIST		
You need to order the following items	s for the rear end of your ve	hicle.	
	Shock Absorber	2	Ea
\$§	Coil Springs	1	Pr

CONTENT	DESCRIPTION	QTY	PART NO	RRP	
А	SSEMBLED STRU	ITS	- FOAM CELL		
Assemble	ed struts are made up of	f: 1 x	strut, 1 x coil 1 x strut to	р	
	OE Height - Up to Steel Bar	1	TOY-095/05-LH	-\$ Ea	
		1	TOY-095/05-RH	Φ Ε	
	40mm Lift	1	TOY-095/03-LH	·\$ Ea	
	- Up to Steel Bar	1	TOY-095/03-RH	\$ Ea	
_	40mm Lift - with Steel Bar & Winch	1	TOY-095/04-LH	Φ	
		1	TOY-095/04-RH	\$ Ea	
*	ASSEMBLED ST	RU	TS - 40MM ADJUS	TABLE	
•	Assembled struts are m	ade	up of: 1 x strut, 1 x coil :	L x strut toբ	
Ţ	OE Height	1	TOY-095/06-LH	-\$ Ea	
	OE Height - Up to Steel Bar	1	TOY-095/06-RH	÷ Ea	
	40mm Lift	1	TOY-095/01-LH	ф Г-	
	- Up to Steel Bar	1	TOY-095/01-RH	\$ Ea	
	40mm Lift	1	TOY-095/02-LH	Φ 5.	
	- with Steel Bar & Winch	1	TOY-095/02-RH	\$ Ea	

CONTENT	DESCRIPTION	Q T	PART NO	RRP			
F	FOAM CELL - SHOCK ABSORBER						
	OE Height	2	FC41108	\$ E	а		
	40mm Lift	2	FC41113	\$ E	а		
	40MM ADJUSTA	BL	LE - SHOCK ABSO	RBER			
ŏ	OE Height	2	BM401108	\$ E	а		
	40mm Lift	2	BM401113	\$ E	а		

STRUT-FOAM CELL							
I	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404100	\$	Ea		
I	STRUT - 4	40 <b>I</b>	MM ADJUSTABLE				
	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404100	\$	Ea		

	COIL SPF	RIN	IGS	
	OE height Up to steel bar	1	TDC971S	\$ Pr
	40mm lift Up to steel bar	1	TDC971	\$ Pr
<b>~~~~</b>	40mm lift with steel bar & winch	1	TDC971H	\$ Pr

COIL SPRINGS						
	25mm Lift 0-300kg load	1	TDC973S	\$	Pr	
	40mm Lift 0-300kg load	1	TDC973	\$	Pr	
	40mm Lift CONSTANT 300kg load	1	TDC973H	\$	Pr	





FRONT							
CONTENT	DESCRIPTION	QTY	PART NO	RRF			
F	FRONT INDIVIDUAL COMPONENTS						
Tro	Strut Top	2	TOY-1081	\$	Ea		

REAR					
CONTENT	DESCRIPTION	QTY	PART NO	RRP	
				·	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					
Ī	Fits bottom eyering	1	ADJ300/40A	\$ Ea	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Fits top pin	2	TW959	\$	Ea	
8	Fits bottom eyering	1	ADJ00191	\$	Ea	





# FRONT FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Assembled struts 2 Ea OR Struts 2 Ea Coil Springs 1 Pr Strut Top (Optional) 1 Ea Upper Control Arms (Optional) 1 Pr


		OPI	Dei ContionAnns (Options	11/				
CONTENT	DESCRIPTION	QTY	PART NO	RRP				
А	SSEMBLED STRU	TS	- FOAM CELL					
Assembl	ed struts are made up of	:1 x	strut, 1 x coil 1 x strut to	р				
	OE height	1	TOY-120/07-LH	\$ Ea				
	- Up to steel bar	1	TOY-120/07-RH	ф La				
	40mm lift	1	TOY-120/03-LH	\$ Ea				
	- Up to steel bar	1	TOY-120/03-RH	ф La				
	40mm lift - With steel bar &	1	TOY-120/04-LH	\$ Ea				
***	winch	1	TOY-120/04-RH	ф La				
	ASSEMBLED STRUTS - 40MM ADJUSTABLE							
#	Assembled struts are made up of: $1 \times \text{strut}$ , $1 \times \text{coil}$ $1 \times \text{strut}$ top							
	OE height - with steel bar	1	TOY-120/08-LH	\$ Ea				
		1	TOY-120/08-RH	ф La				
	40mm lift	1	TOY-120/01-LH	\$ Ea				
	- Up to steel bar	1	TOY-120/01-RH	Ф Са				
	40mm lift - with steel bar &	1	TOY-120/02-LH	\$ Ea				
	winch	1	TOY-120/02-RH	Ф Са				
	FOAM CELL	\$	TRUT					
I	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404400	\$ Ea				
1	40MM AD	JU	STABLE - STRUT					
Ţ	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404400	\$ Ea				

REAR						
REAR SUSPENSION CHECK LIST						
You need to order the following items for the rear end of your vehicle.						
ii >>	Shock Absorber	2	Ea			
	Coil Springs	1	Pr			
0 0	Coil Insert Airbag (Optional)	1	Kt			

CONTENT	DESCRIPTION	QTY	PART NO	RRP
F	FOAM CELL - SHO	CK	ABSORBER	
å	40mm Lift	2	FC41116	\$ Ea
	40MM ADJUSTA	\BI	E - SHOCK ABSO	RBER
8	40mm Lift	2	BM401116	\$ Ea

COIL SPRINGS					
	OE height Up to steel bar	1	TDC974S	\$	Pr
	40mm lift Up to steel bar	1	TDC974	\$	Pr
	40mm lift with steel bar & winch	1	TDC974H	\$	Pr

COIL SPRINGS - LWB					
	OE Height 0-300kg load	1	TDC975S	\$	Pr
	40mm Lift 0-300kg load	1	TDC975	\$	Pr
	40mm Lift CONSTANT 300kg load	1	TDC975H	\$	Pr
	COIL SPRINGS - SWB				
	40mm Lift 0-300kg load	1	TDC975S	\$	Pr
	40mm Lift CONSTANT 300kg load	1	TDC975	\$	Pr





FRONT						
CONTENT	DESCRIPTION	ΩTY	PART NO	RRP		

REAR						
RIPTION E	PART NO	RRP				
	IDTION E	>				

OEM AIRBAG VEHICLES

Note: On conversion (replacing dampers only)

The electronically controlled dampers on the 120 series prado can be replaced with tough dog Shock Absorber without error indicators appearing on the instrument cluster. It is imperative that all four Shock Absorber are replaced at the same time. If operating correctly, the electronically adjustable height control of the rear air springs will not be affected if all four dampers are replaced at the same time.

Note: On conversion (replacing airbags & dampers)
When converting from air springs to conventional coils at the rear of the Prado 120 series, the electronic workaround detailed in the instructions provided with the rear springs prevents the error indicator from being displayed in the instrument cluster. The electronic workaround will also disable the electronic dampering system, it is therefore important that all four dampers be replaced if the air bag system is converted to coil springs. Toyota genuine bump stop part number 48302-60080 spring seat sub assembly should be ordered through Toyota.

COIL SPRINGS - AIRBAG CONVERSION					
	40mm Lift 0-300kg load	1	TDC975AB	\$	Pr
	40mm Lift CONSTANT 300kg load	1	TDC975HAB	\$	Pr

UPPER CONTROL ARMS					
UU	Upper Control arms	1	TDCA-005	\$	Pr
	Bush kit for TDCA-005	1	TDSK-007	\$	Kt
	Ball joint kit for TDCA-005	1	TDSK-008	\$	Kt

Note: Fitment of tough dog upper control arms to vehicles that have lifts fitted greater than 50mm may suffer from premature ball joint failure due to longer droop lengths. The use of strut spacers may also effect the performance and longevity of the UCA ball joint due to the limitations of the spherical bearing housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include but is not limited to jumping of the vehicle.

FRONT INDIVIDUAL COMPONENTS						
<b>-1</b> -0	Strut Top	2	TOY-1084	\$	Ea	
•	76mm Hole Spacing Sway Bar Spacer	1	TDSP-011	\$	Ea	

FRONT REPLACEMENT BUSHES (QTY PER SHOCK)					
	Front bottom eyering	1	ADJ300/40A	\$	Ea

	AIR ASSIST - C	OII	LINSERT		
	OE height Coil insert bag kit	1	TDAA-020	\$	Kt
	40mm lift Coil insert bag kit	1	TDAA-009	\$	Kt
Note: Co	oil insert only, does not s	suit (	DEM airbag replaceme	nt.	

REAR REPLACEMENT BUSHES (QTY PER SHOCK)					
	Rear top pin	2	TW967	\$	Ea
8	Rear bottom eyering	1	415024	\$	Ea





#### **FRONT** FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. Ea Assembled struts OR 2 Struts Ea Coil Springs Pr Strut Top (Optional) Ea Pr Upper Control Arms (Optional) 1

	oppor control (optional)						
CONTENT	DESCRIPTION	QTY	PART NO	RRP			
А	SSEMBLED STRU	TS	- FOAM CELL				
Assemble	ed struts are made up of	: 1 x	strut, 1 x coil 1 x strut to	р			
	Up to 40m Lift With steel bar - SWB	1	TOY-150/05-LH	\$	Ea		
	With steel bar - SWB	1	TOY-150/05-RH	φ	La		
	Up to 40m Lift With steel bar & winch	1	TOY-150/06-LH	\$	Ea		
	- SWB	1	TOY-150/06-RH	φ	La		
	40mm Lift Up to steel bar	1	TOY-150/07-LH	\$	Ea		
	- LWB	1	TOY-150/07-RH	φ	La		
	With steel bar & winch - LWB	1	TOY-150/08-LH	\$	Ea		
***		1	TOY-150/08-RH	Ψ	La		
<b>3</b>	ASSEMBLED ST	RU	TS - 40MM ADJUS	TABL	E.		
3	Assembled struts are m	ade	up of: 1 x strut, 1 x coil 3	L x strut	top		
	OE height With steel bar	1	TOY-150/01-LH	\$	Ea		
	- SWB	1	TOY-150/01-RH	φ	La		
	Up to 40m Lift With steel bar & winch	1	TOY-150/02-LH	\$	Ea		
	- SWB	1	TOY-150/02-RH	φ	La		
	40mm lift With steel bar	1	TOY-150/03-LH	\$	Ea		
	- LWB	1	TOY-150/03-RH	Ψ	La		
	40mm lift With steel bar & winch	1	TOY-150/04-LH	\$	Ea		
- LWB		1	TOY-150/04-RH	Ψ	La		

STRUT-FOAM CELL						
I	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404400	\$	Ea	
I	STRUT - 40MM ADJUSTABLE					
	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404400	\$	Ea	

	COIL SPRING	GS	- SWB	
MILLAAAA	40mm lift - Up to steel bar	1	TDC974S	\$ Pr
	40mm lift - with steel bar & winch	1	TDC974	\$ Pr

REA	REAR						
REAR SUSPENSION CHECK LIST							
You need to order the following items for the rear end of your vehicle.							
ii >>	Shock Absorber	2	Ea				
	Coil Springs	1	Pr				
0 0	Coil Insert Airbag (Optional)	1	Kt				

CONTENT	DESCRIPTION	QTY	PART NO	RRP
F	FOAM CELL - SHO			
°	40mm Lift	2	FC41118	\$ Ea
	40MM ADJUSTA	BL	E - SHOCK ABSO	RBER
8	40mm Lift	2	BM401118	\$ Ea

COIL SPRINGS - SWB					
MIAAAA	40mm Lift 0-300kg load	1	TDC975S	\$	Pr
	40mm Lift CONSTANT 300kg load	1	TDC975	\$	Pr





FRONT							
CONTENT	DESCRIPTION	۵Ţ	PART NO	RRP			
	COIL SPRINGS - LWB						
<b>M</b> 1 A A A A	40mm Lift - Up to Steel Bar	1	TDC974H	\$	Pr		
	40mm Lift - With Steel Bar & Winch	1	TDC974HH	\$	Pr		

REAR							
CONTENT	DESCRIPTION	۵T	PART NO	١	RRP		
	COIL SPRIN	GS	- LWB				
	OE Height 0-300kg load	1	TDC975S	\$	Pr		
	40mm Lift 0-300kg load	1	TDC975	\$	Pr		
	40mm Lift CONSTANT 300kg load	1	TDC975H	\$	Pr		

Upper control arms	UPPER CONTROL ARMS						
Ball joint kit for 4 TROY COS 5		Upper control arms	1	TDCA-005	\$	Pr	
Ball joint kit for TDCA-005 1 TDSK-008 \$ Ea	UU	Bush kit for TDCA-005	1	TDSK-007	\$	Kt	
		Ball joint kit for TDCA-005	1	TDSK-008	\$	Ea	

AIR ASSIST - COIL INSERT						
	Coil insert airbag - OEM height	1	TDAA-020	\$	Kt	
	Coil insert bag - Up to 40mm lift	1	TDAA-009	\$	Kt	

**Note:** Fitment of tough dog upper control arms to vehicles that have lifts fitted greater than 50mm may suffer from premature ball joint failure due to longer droop lengths. The use of strut spacers may also effect the performance and longevity of the UCA ball joint due to the limitations of the spherical bearing housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include but is not limited to jumping of the vehicle.

FI	RONT INDIVIDUAL	_C	OMPONENTS	
	Strut Top	2	TOY-1083	\$ Ea
©O O®	83mm Hole Spacing Sway Bar Spacer	1	TDSP-012	\$ Kt

FRONT RE	EPLACEMENT BU	SH	ES (QTY PER SHO	ск	)
Î	Front bottom eyering	1	ADJ300/40A	\$	EA

	REAR REPLACEMENT BUSHES (QTY PER SHOCK)							
Rear bottom eyering 1 415024 \$ Ea		Rear top pin	2	TW967	\$	Ea		
	8	Rear bottom eyering	1	415024	\$	Ea		



2011-2016 EST. LIFT FRONT: 40MM | REAR: 4<u>0MM</u>



#### **FRONT** FRONT SUSPENSION CHECK LIST You need to order the following items for the front end of your vehicle. 2 Ea Assembled struts OR Struts 2 Ea Coil Springs Pr Strut Top (Optional) Ea Upper Control Arms (Optional) 1 Pr

		ОЫ		ai) i   i i
CONTENT	DESCRIPTION	QTY	PART NO	RRP
A	SSEMBLED STRU	JTS	- FOAM CELL	
Assembl	ed struts are made up o	f: 1 x	strut, 1 x coil 1 x strut to	ор
	Un to steel her	1	TOY-150/07-LH	-\$ Ea
	Up to steel bar	1	TOY-150/07-RH	ф Еа
_	With steel bar & winch	1	TOY-150/08-LH	-\$ Ea
*		1	TOY-150/08-RH	ф са
<b>\$</b>	ASSEMBLED ST	ΓRU	TS - 40MM ADJUS	STABLE
\$	Assembled struts are	mac	de up of: 1 x strut, 1 x co top	il 1 x strut
	Up to steel her	1	TOY-150/03-LH	-\$ Ea
	Up to steel bar	1	TOY-150/03-RH	-\$ Ea
	With steel bar &	1	TOY-150/04-LH	ф Г-
	winch	1	TOY-150/04-RH	\$ Ea

STRUT-FOAM CELL							
I	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	FC404400	\$	Ea		
I	STRUT - 40MM ADJUSTABLE						
Ţ	Up to 40mm Lift - Strut Only/ No Coil/ No Strut top	2	BM404400	\$	Ea		

	COIL SPF	RIN	IGS	
MIAAAA	40mm lift - Up to steel bar	1	TDC974H	\$ Pr
	40mm lift - with steel bar & winch	1	TDC974HH	\$ Pr

REAR							
REAR SUSPENSION	N CHECK LIST						
You need to order the following items	s for the rear end of your ve	hicle.					
ii >>	Shock Absorber	2	Ea				
	Coil Springs	1	Pr				
0 0	Coil Insert Airbag (Optional)	1	Kt				

CONTENT	DESCRIPTION	QTY	PART NO	RRP
F	FOAM CELL - SHO	CK	ABSORBER	
°	40mm Lift	2	FC41116	\$ Ea
<b>T</b>	40MM ADJUSTA	λBI	LE - SHOCK ABSO	RBER
8	40mm Lift	2	BM401116	\$ Ea

COIL SPRINGS					
	40mm Lift 0-300kg load	1	TDC975	\$	Pr
	40mm Lift CONSTANT 300kg load	1	TDC975H	\$	Pr



TOYOTA FJ CRUISER

2011-2016

EST. LIFT FRONT: 40MM | REAR: 40MM



FRONT							
CONTENT	DESCRIPTION	QTY	PART NO		RRP		
	UPPER CONTROL ARMS						
	Upper control arms	1	TDCA-005	\$	Pr		
UU	Bush kit for TDCA-005	1	TDSK-007	\$	Ea		
	Ball joint kit for TDCA-005	1	TDSK-008	\$	Ea		

**Note:** Fitment of tough dog upper control arms to vehicles that have lifts fitted greater than 50mm may suffer from premature ball joint failure due to longer droop lengths. The use of strut spacers may also effect the performance and longevity of the UCA ball joint due to the limitations of the spherical bearing housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include but is not limited to jumping of the vehicle.

FRONT INDIVIDUAL COMPONENTS						
Tro	Strut Top	2	TOY-1083	\$	Ea	
•• ••	Swaybar spacer kit - 76mm spacing - 2006-2009 vehicles	1	TDSP-011	\$	Ea	
©O 00	Swaybar spacer kit - 83mm spacing - 2010 on vehicles	1	TDSP-012	\$	Ea	

FRONT RE	EPLACEMENT BU	SH	ES (QTY PER SHO	OCK)	
Ì	Front bottom eyering	1	ADJ300/40A	\$	Ea

REAR							
CONTENT	DESCRIPTION	QTY	PART NO	F	RRP		
	AIR ASSIST - COIL INSERT						
	Coil insert bag - suits OEM height	1	TDAA-020	\$	Kt		
	Coil insert bag - suits Up to 40mm lift	1	TDAA-009	\$	Kt		

REAR REPLACEMENT BUSHES (QTY PER SHOCK)						
	Rear top pin	2	TW967	\$	Ea	
8	Rear bottom eyering	1	415024	\$	Ea	



# TOYOTA RAV 4 SXA, 10, 11 05/1994-2000 EST. LIFT FRONT: 30MM | REAR: 30MM



FRONT								
CONTENT	DESCRIPTION	QTY	PART NO	R	RP			
NITROGEN GAS - STRUT								
	Up to 30mm lift	2	BDS4001	\$	Ea			

REAR						
CONTENT	DESCRIPTION	QTY	PART NO	RRP		
NIT	ROGEN GAS - SH	100	CK ABSORBER			
	Up to 30mm lift	2	BD1106TB	\$ Ea		
•	40MM ADJUSTA	BI	E - SHOCK ABSO	RBER		
ŏ	30mm lift	2	BM401106	\$ Ea		

COIL SPRINGS						
	30mm lift	1	TDC981	\$	Pr	

COIL SPRINGS						
	30mm lift	1	TDC982	\$	Pr	

REAR INDIVIDUAL COMPONENTS					
	Fits top pin		TW959	\$	Ea
2	Fits bottom eyering		ADJ00191	\$	Ea





	FRO	NT		
CONTENT	DESCRIPTION	QTY	PART NO	RRP
F	FOAM CELL - SHO	Ck	ABSORBER	
	Up to 45mm lift	2	FC404910	\$ Ea
	40MM ADJUSTA	ΑBI	LE - SHOCK ABSC	RBER
8	Up to 45mm lift	2	BM404910	\$ Ea

REAR							
CONTENT	DESCRIPTION	QTY	PART NO	RRP			
F	FOAM CELL - SHO	CK	ABSORBER				
ů	Up to 45mm lift	2	FC41117	\$ Ea			
•	40MM ADJUSTA	Bl	E - SHOCK ABSO	RBER			
ŏ	45mm lift	2	BM401117	\$ Ea			

	COIL SPE	RIN	IGS	
	No bar or alloy bullbar	1	TDC930L	\$ Pr
WVVVV	With steel bar or bar & winch	1	TDC930HL	\$ Pr

LEAF SPRINGS						
	0-300kg load - includes bushes in spring - 45mm Lift	2	FS701	\$	Ea	

REAR INDIVIDUAL COMPONENTS						
	Urethane shackle bush kit - Not required when ordering FS701	1	TDUK-074	\$	Kt	
	Urethane shackle bush kit - required for lift kit	1	TDUK-076	\$	Kt	
$\cap$	U-Bolt kit	2	TDUB-016HD	\$	Kt	



## UAZ UAZ, HUNTER, PATRIOT

1965 ON EST. LIFT FRONT: 40MM | REAR: 40MM



FRONT								
CONTENT	DESCRIPTION	QTY	PART NO	RI	RP			
FOAM CELL - SHOCK ABSORBER								
Suit UAZ 452	2 (1965-1972), UAZ 469 (	1972	-1985), UAZ 3151 (1985-	-2003)				
	Up to 40mm lift	2	FC41382	\$	Ea			
	40MM ADJUST	ABI	E - SHOCK ABSO	RBE	ĒR			
	Up to 40mm lift	2	BM401382	\$	Ea			
	FOAM CEL	L -	SHOCK ABSORB	ER				
۵	Sı	iit hu	ınter (2003 on)					
	Up to 40mm lift	2	FC41391	\$	Ea			
	40MM ADJUST	ABI	E - SHOCK ABSO	RBE	ER			
	Up to 40mm lift	2	BM401391	\$	Ea			
8	FOAM CEL	L -	SHOCK ABSORB	ER				
	Sı	iit Pa	triot (2005 on)					
	Up to 40mm lift	2	FC41150	\$	Ea			
	40MM ADJUST	ABI	E - SHOCK ABSO	RBE	₽R			
	Up to 40mm lift	2	BM 401150	\$	Ea			

	REA	R				
CONTENT	DESCRIPTION	QTY	PART NO	RRP		
F	FOAM CELL - SHO	CK	ABSORBER			
Suit UAZ 452	(1965-1972), UAZ 469 (1	.972	-1985), UAZ 3151 (1985-	2003)		
	Up to 40mm lift	2	FC41382	\$ E	ā	
	40MM ADJUSTA	ABL	LE - SHOCK ABSO	RBER		
	Up to 40mm lift	2	BM401382	\$ E	a	
	FOAM CELL - SHOCK ABSORBER					
8	Su	Suit hunter (2003 on)				
	Up to 40mm lift	2	FC41389	\$ E	ā	
	40MM ADJUSTA	ABL	LE - SHOCK ABSO	RBER		
	Up to 40mm lift	2	BM401389	\$ E	ā	
8	FOAM CEL	L - :	SHOCK ABSORBI	ER		
	Su	it Pa	atriot (2005 on)			
	Up to 40mm lift	2	FC41389	\$ E	a	
	40MM ADJUSTA	ABL	E - SHOCK ABSO	RBER		
	Up to 40mm lift	2	BM 401389	\$ E	а	

COIL SPE	RIN	igs	
 OE height	1	TDC150SL	\$ Pr
40mm lift Up to steel bar	1	TDC150L	\$ Pr
40mm lift with steel bar & winch	1	TDC150HL	\$ Pr

LEAF SPRINGS						
م ہ	0-300kg load	2	FS160H	\$	Ea	
	CONSTANT 300kg load	2	FS160HH	\$	Ea	



# **VOLKSWAGEN**

2010 ON EST. LIFT FRONT: 20MM | REAR: 20MM



FRONT								
CONTENT	DESCRIPTION	ΩT	PART NO	RRP				
F	FOAM CELL - SHOCK ABSORBER							
	<b>Note:</b> Not suitable	wit	th OE coils.					
å	20mm lift	2	FC404730	\$ Ea				
	40MM ADJUSTA	BI	E - SHOCK ABSO	RBER				
	Note: No	ot su	itable with OE coils.					
	20mm lift	2	BM404730	\$ Ea				

REAR								
CONTENT	DESCRIPTION	QTY	PART NO	RRP				
F	FOAM CELL - SHOCK ABSORBER							
o I	Up to 20mm lift	2	FC41390	\$ Ea				
	40MM ADJUSTA	ABL	LE - SHOCK ABSO	RBER				
8	Up to 20mm lift	2	BM401390	\$ Ea				

COIL SPRINGS - 2.0L ENGINE ONLY								
	<b>Note:</b> Only suitable with TD shocks							
	20mm lift Up to steel bar	1	TDC110L	\$	Pr			
	20mm lift with steel bar & winch	1	TDC110HL	\$	Pr			
	COIL SPRING	S-	3.0L V6 ENGINE C	NL	1			
	Note: Only	y su	itable with TD shocks					
	20mm lift Up to steel bar	1	TDC120L	\$	Pr			
	20mm lift with steel bar & winch	1	TDC120HL	\$	Pr			

	LEAF SPI	RIN	igs	
	0-300kg load	2	FS710M	\$ Ea
	CONSTANT 300kg load	2	FS710HM	\$ Ea

UPPER CONTROL ARMS							
UU	Upper control arms	1	TDCA-008	\$	Pr		
	Bush kit for TDCA-008	1	TDSK-013	\$	Ea		
	Ball joint kit for TDCA-008	1	TDSK-014	\$	Ea		

Note: Fitment of tough dog upper control arms to vehicles that have lifts fitted greater than 50mm may suffer from premature ball joint failure due to longer droop lengths. The use of strut spacers may also effect the performance and longevity of the UCA ball joint due to the limitations of the spherical bearing housing being breached or bound at full suspension droop. There will be no warranty either expressed or implied if the vehicle is used out of legal driving conditions that will include but is not limited to jumping of the vehicle.

AIR ASSIST - BELLOWS						
	Bellows bag kit Up to Up to 20mm lift	1	TDAA-114	\$	Kt	

REAR INDIVIDUAL COMPONENTS								
	Urethane shackle bush kit (leaf) 1 TDUK-072 \$							
	Urethane shackle bush kit (chassis) 1 TDUK-075							
<b>Note:</b> Amarok chassis bush has two thicknesses - TDUK-075 includes both sizes. Please use correct set.								
$\bigcap$	U-bolt kit	TDUB-005	\$	Kt				

## **ROCK DOG**



#### **ROCK CRAWLING COMPETITION COILOVERS**

COILOVER SETUP CAN BE COMPLEX - PLEASE CALL (02) 9672 8899 TO TAILOR A SOLUTION

COILOVER SETUPS							
CONTENT	PART NO	QTY	DESCRIPTION	RRP			
	SHOCK ABSORBER						
	BMX45305	2	12" Travel Shock (505/810mm)				
	BMX45356	2	14" Travel Shock (565/910mm)				
	BMX45406	2	16" Travel Shock (610/1015mm)				
			COIL SPRINGS				
	TDC-BMX160	1	160lbs Spring				
	TDC-BMX180	1	180lbs Spring				
	TDC-BMX100	1	100lbs Tender Coil Spring				
	TDC-BMX180T	1	180lbs Dual Rate (Tapered) Coil				
			Custom Coil Design Available - Contact us on (02) 9672 8899				
			COMPONENTS				
	TDUK-2000	1	Urethane Spring Connector				
	TDUK-2001	1	Urethane Protector Sleeve				
	361321	2	QA1 Heim Joints				

# **FITTING SHEET**



PLEASE COMPLETE THIS FORM FOR ALL WARRANTY AND PART RETURN REQUESTS. RETURNED ITEMS NOT ACCOMPANIED BY A FORM WILL EXPERIENCE EXTENSIVE DELAYS IN PROCESSING

CUSTOMER DETAILS							
FITTED BY:		DATE					
OWNER'S NAME		YEAR					
ADDRESS		MAKE					
SUBURB	POSTCODE	MODEL					
PHONE NUMBER	PHONE NUMBER ODOMETER:						
EMAIL: COMMENTS:							
Measurements should be taken from the bottom of the rim to the wheel arch on each corner. In the case of a tray, measure to the same point each time							

BEFORE & AFTER MEASUREMENTS	AFTERMARKET FITMENTS	BEFORE & AFTER MEASUREMENTS
PASSENGER FRONT SIDE		DRIVERS FRONT SIDE
ORIGINAL HEIGHT		
HEIGHT AFTER LIFT		
HEIGHT 500KM SERVICE		
SHOCK FITTED (P/N)	Bullbar? Yes Alloy Steel	
SPRINGFITTED(P/N)	WinchYes   No	
COMMENTS	SiderailsYes   No   Dual BatteryYes   No   Petrol   Diesel   T/Diesel	
	Roof RackYes No Steel Alloy	
PASSENGER REAR SIDE	Roof Accessories:	DRIVERS REAR SIDE
ORIGINAL HEIGHT		
HEIGHT AFTER LIFT	Main Fuel Tank Std L/Range Capacity litres	
HEIGHT 500KM SERVICE	Auxilliary Tank: Yes No Rear Accessories Fitted:	
SHOCK FITTED (P/N)		
SPRINGFITTED(P/N)		
COMMENTS	Total Rear Constant Kg:	

## **CLAIM FORM**



#### **WARRANTY & RETURNS**

PLEASE COMPLETE THIS FORM FOR ALL WARRANTY AND PART RETURN REQUESTS. RETURNED ITEMS NOT ACCOMPANIED BY A FORM WILL EXPERIENCE EXTENSIVE DELAYS IN PROCESSING

		CUSTOM	ER DETAILS		
NAME:					
ADDRESS:					
SUBURB:			POSTCODE:		
		PURCHAS	SE DETAILS		
DEALER NAME:					
PURCHASE DATE:			INVOICE NO:		
		VEHICLI	E DETAILS		
YEAR:		MAKE:		MODEL:	
		ITEM FOR WAR	RRANTY/RETURN		
PART NO	үтр	REASONS FOR	RETURN	CREDIT AC.	REPLACE ITEM
1	1				

## **DISCLAIMER FORM**



#### **VEHICLES LIFTED MORE THAN 50MM**

VEHICLES FITTED WITH A LIFT KIT GREATER THAN 50MM OVER ORIGINAL EQUIPMENT HEIGHT MAY REQUIRE ADDITIONAL CERTIFICATION TO REMAIN FIT FOR REGISTERED USE. CONSULT WITH YOUR DEALER ON THE STEPS TO OBTAIN ENGINEERING CERTIFICATION IN YOUR STATE / TERRITORY.

CUSTOMER DETAILS							
FITTED BY:				DATE			
OWNER'S NAME			YEAR				
ADDRESS			MAKE				
SUBURB		POSTCODE		MODEL			
PHONE NUMBER				ODOMETER:			
EMAIL:				COMMENTS:			

#### DECLARATION

The suspension components fitted to this vehicle (Registration\_\_\_\_\_\_) are designed to lift the vehicle by more than 50mm. Vehicles with lifts greater than 50mm may require engineer's approval to continue to be used as a road-registered vehicle. Information on the certification process differs by jurisdiction.

Ensuring continuing compliance with the requirements of registration is the responsibility of the owner or operator of the vehicle and no liability shall be accepted by any other person. Compliance of the vehicle may be undertaken with the assistance of a qualified certifying engineer, at the expense of the vehicle owner.

SCHEDULE OF PARTS FITTED							
	FRONT	REAR					
SHOCK ABSORBER							
COIL SPRINGS							
STEERING STABILIZER							
PANHARD RODS							
CASTOR BUSHES/ PLATES							
TRANSMISSION SPACERS							
BRAKE HOSES							

Signed:	Date:
Name (Print):	

### DISCLAIMER

4 Way Suspension Products Pty Ltd markets a range of off road products that may require certification from a qualified engineer prior to driving on public roads. The fitment of these items and the operation of the vehicle on public roads or road related areas prior to certification may render the vehicle unroadworthy, and may affect the status of your registration. Please check with the relevant ADR authorities in your state or territory and a qualified engineer. Details of suitable engineers are provided by the state/territory authority.

## **PURCHASE ORDER FORM**



PLEASE COMPLETE THIS FORM FOR ALL WARRANTY AND PART RETURN REQUESTS. RETURNED ITEMS NOT ACCOMPANIED BY A FORM WILL EXPERIENCE EXTENSIVE DELAYS IN PROCESSING

CUSTOMER DETAILS						
NAME:				DATE:		
ABN NO				STAFF MEMBER:		
ADDRESS:				PHONE NUMBER		
SUBURB		POSTCODE	<b>.</b>	FAX NUMBER:		
PHONE NUMBER				EMAIL		
	SHIPPING DETAI	LS - NOTE: MUS	T BE A BUSINE	SS ADDRESS - NO DR	OP SHIPPING	
ADDRESS				ORDER NUMBER:		
				FREIGHT SERVICE:	STANDARD	AIR / EXPRESS
FREIGHT (CIRCLE)	4WAY DEFAULT	OTHER (SPECIFY):		FREIGHT A/C NO:		
	SEND O	RDER BY EMAIL	TO SALES@4	WAYSUSPENSION.CO	M.AU	
1						



#### THIS PAGE IS INTENTIONALLY BLANK

